

User manuals

NucleoBond® 96 Xtra EF**740430 / .1 / .4**

Dear valued customer,

Thank you for choosing MACHEREY-NAGEL for your application. We have attached a short protocol for your review.

To obtain the best results we recommend to follow the detailed protocol available online, especially when you are a first time user of this kit.

All important links to the above mentioned product are listed in this leaflet.

Important information regarding product components, specifications, safety instructions, and processing protocols, can all be found on the product website and accessed easily via the QR code.

QR-Code product website



[qr.mn-net.com/qr/\(241\)740430](https://qr.mn-net.com/qr/(241)740430)

Use the following QR code or the link below for direct access to the user manual.

QR-Code user manual



[qr.mn-net.com/qr/\(IFU\)740430](https://qr.mn-net.com/qr/(IFU)740430)

It is strongly recommended to read the detailed protocol section of the user manual if using the kit for the first time. However, experienced users may refer to the protocol at a glance. The protocol at a glance is designed to be used only as a supplemental tool for quick reference while performing the purification procedure.

We are constantly improving our products and we reserve the right to make changes or additions to protocols. Please check for updated revisions for previously downloaded manuals.

This leaflet does not replace the full manual!

Protocol at a glance

NucleoBond® 96 Xtra EF – manual vacuum processing

1	Cultivate and harvest bacterial cells	1.5–5 mL cell culture 1,000 x g, 10 min
2	Resuspend bacterial cells	400 µL RES-EF Mix or shake
3	Lyse bacterial cells	400 µL LYS-EF RT, 2–5 min
4	Neutralize	400 µL NEU-EF Mix or shake
5	Assemble vacuum manifold filtration set-up (see page 18)	
6	Transfer crude lysates onto NucleoBond® Filter Plate (light orange rings)	
7	Clear crude lysates by vacuum filtration	Apply vacuum (-0.4 to -0.6 bar*), 1–5 min
8	Assemble vacuum manifold Xtra purification set-up (see page 18)	
9	Equilibrate NucleoBond® Xtra EF Plate	900 µL EQU-EF Gravity flow
10	Load cleared lysates onto NucleoBond® Xtra EF Plate	Gravity flow
11	Wash NucleoBond® Xtra EF Plate	
	1 st wash	900 µL ENDO-EF Gravity flow
	2 nd wash	900 µL ENDO-EF Gravity flow
	3 rd wash	900 µL WASH-EF Gravity flow
12	Assemble vacuum manifold Xtra elution set-up (see page 18)	
13	Elute DNA from NucleoBond® Xtra EF Plate	500 µL ELU-EF Gravity flow
14	Assemble vacuum manifold Finalizer purification set-up (see page 18)	
15	Precipitate plasmid DNA	350 µL isopropanol (room temperature) RT, 5 min
16	Equilibrate NucleoBond® Finalizer Plate (red rings)	1 mL TE-EF Apply vacuum (-0.2 to -0.4 bar*)
17	Load precipitated plasmid DNA onto NucleoBond® Finalizer Plate	Apply vacuum (-0.2 to -0.4 bar*)
18	Wash NucleoBond® Finalizer Plate	
	1 st wash	1 mL 80 % EtOH Apply vacuum (-0.2 to -0.4 bar*)
	2 nd wash	1 mL 80 % EtOH Apply vacuum (-0.2 to -0.4 bar*)
19	Assemble vacuum manifold Finalizer drying set-up (see page 18)	
20	Dry NucleoBond® Finalizer Plate	Apply vacuum (-0.4 to -0.6 bar*), 5–10 min
21	Assemble vacuum manifold Finalizer elution set-up (see page 18)	
22	Elute plasmid DNA from NucleoBond® Finalizer Plate	100–200 µL TE-EF or H ₂ O-EF RT, 1–3 min Apply vacuum (max. 0.4 bar*), 1 min

* Reduction of atmospheric pressure

QR-Code Safety Data Sheet

Please find a digital version of the safety data sheets by following the link below:



www.mn-net.com/sds



We strongly recommend to carefully read the detailed protocol section of the product's user manual. If you have any questions about the protocol or product, please contact our Technical Support.

Contact MN

Germany and international

MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11 · 52355 Düren · Germany
Tel.: +49 24 21 969-0
Toll-free: 0800 26 16 000 (Germany only)
E-mail: info@mn-net.com

Technical support Bioanalysis

Tel.: +49 24 21 969-333
E-mail: support@mn-net.com

USA

MACHEREY-NAGEL Inc.
924 Marcon Blvd. · Suite 102 · Allentown PA, 18109 · USA
Toll-free: 888 321 6224 (MACH)
E-mail: sales-us@mn-net.com

France

MACHEREY-NAGEL SAS
1, rue Gutenberg – BP135 · 67720 Hoerdt Cedex · France
Tel.: +33 388 68 22 68
E-mail: sales-fr@mn-net.com

MACHEREY-NAGEL SAS (Société par Actions Simplifiée) au capital de 186600 €

Siret 379 859 531 00020 · RCS Strasbourg B379859531
N° intracommunautaire FR04 379 859 531

Switzerland

MACHEREY-NAGEL AG
Hirsackerstr. 7 · 4702 Oensingen · Switzerland
Tel.: +41 62 388 55 00
E-mail: sales-ch@mn-net.com

