

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 90746

Lead acetate paper, booklet

Page: 1/10

Printing date: 03.08.2026

Date of issue: 17.07.2025

Version: 2.3.4.2

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 90746
Product name Lead acetate paper, booklet

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.
1 x booklet Lead acetate paper UFI: 2P4V-W3DR-P200-RVRH

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11, 52355 Düren, Germany
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Giftinformationszentrum (GGIZ)
99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<https://www.mn-net.com/SDS>>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS08

Signal word DANGER

Hazard identification	Hazard classes/categories
H360D	Repr. 1 B
H373	STOT RE 2
H412	Aquatic Chronic 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

booklet Lead acetate paper



GHS08

Signal word DANGER

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 90746

Lead acetate paper, booklet

Page: 2/10

Printing date: 03.08.2026

Date of issue: 17.07.2025

Version: 2.3.4.2

Hazard identification	Hazard classes/categories
H360D	Repr. 1 B
H373	STOT RE 2
H412	Aquatic Chronic 3

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2).

booklet Lead acetate paper



GHS08

Signal word: DANGER

H360D

May damage the unborn child.

P201, P202, P280sh, P308+313, P405, P501

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/eye protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container to regulated waste treatment.

Label elements of the complete product



GHS08

Signal word: DANGER

H360D

May damage the unborn child.

P201, P202, P280sh, P308+313, P405, P501

Obtain special instructions before use. Do not handle until all safety precautions have been read and understood. Wear protective gloves/eye protection. IF exposed or concerned: Get medical advice/attention. Store locked up. Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

no data available

Information pertaining to particular risks to human and possible symptoms

May damage the unborn child. Can accumulate within the body.

Information pertaining to particular risks to the environment

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

booklet Lead acetate paper

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 90746	Lead acetate paper, booklet	Page: 3/10
Printing date: 03.08.2026	Date of issue: 17.07.2025	Version: 2.3.4.2

Substance name: *lead(II) acetate (trihydrate)*
CAS No.: 6080-56-4

Substance rating: H302, Acute Tox. 4 oral, H332, Acute Tox. 4 inh., H360Df, Repr. 1 B, H373, STOT RE 2, H400, Aquatic Acute 1, H410, Aquatic Chronic 1
Formula: $C_4H_6O_4Pb \cdot 3H_2O$
Pseudonym (de): Bleidi(acetat), Bleizucker
REACH Reg. No.: 01-2119532202-56-xxxx
SVHC listed: listed (16/12/2013) Cand. Lst. REACH Art59(10)+Annex XVII No. 63
EC No.: 206-104-4 Indice No.: 082-005-00-8
Concentration: 0,47 - <1,56 % Correlation factor: x 0,64 (= %Pb)
The classification refers to the weight percentage of the metal (according to CLP regulation 2008/1272/EG Annex VI, 1.1.3.2 Note 1)
acc. CLP (GHS): H360D, Repr. 1 B, H373, STOT RE 2, H412, Aquatic Chronic 3

Substance name: *cellulose paper*
CAS No.: 9004-34-6

Substance rating: No criteria for classification or naming of chemical not required.
Formula: $(C_6H_{10}O_5)_n$
REACH Reg. No.: exempt, Annex IV
EC No.: 232-674-9
Concentration: 90 - <100 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

- 4.1.1 After SKIN Contact**
Remove dust with wetted tissue. Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water.
- 4.1.2 After EYE Contact**
Rub dust with teardrops from eyes or: After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).
- 4.1.3 After INHALATION of vapours**
After inhalation of dust fresh air should be inhaled. ---
- 4.1.4 After ORAL Intake**
After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

CMR Effekte: May damage the unborn child. Can accumulate in the body.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

- 5.1.1 Suitable extinguishing media**
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
- 5.1.2 Unsuitable extinguishing media**
no data available

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 90746

Lead acetate paper, booklet

Page: 4/10

Printing date: 03.08.2026

Date of issue: 17.07.2025

Version: 2.3.4.2

5.2 Special hazards arising from the substance or mixture

no data available

5.3 Advice for firefighters

Product package burns like paper or plastic.

5.4 Additional information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Wear suitable protective gloves (see 8.2.2). Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

PBT: not applicable

vPvB: not applicable

6.3 Methods and material for containment and cleaning up

And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

6.4 Reference to other sections

no data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Products which are also classified as toxic must be kept under lock and key. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 6.1D

Water hazard class (DE): 3

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage, so that they are not immediately accessible to outside parties.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

booklet Lead acetate paper

Chemical: cellulose paper

CAS No.: 9004-34-6

TRGS 900 (DE): Staub 1.25 A / 4 E mg/m³

E/e respirable

SUVA(CH) MAK value: 3 a ppm

NIOSH: TWA 10 (total) / 5 (resp) mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 15 (total) / 5 (resp) mg/m³

Chemical: lead(II) acetate (trihydrate)

CAS No.: 6080-56-4

EU value: [Pb, TWA] 0.15 mg/m³

TRGS 900 (DE): [Pb, 8h] 0.15 mg/m³

E/e respirable

Short-term exposure factor: (4)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: [Pb] 0.1 e mg/m³

SUVA(CH) BAT value: [Pb] B/a 400 (m) / 100 (w) µg/L

TRGS 903 (DE): Pb B/a 400(m)/ 300(w) µg/L

B blood, U urine, a no limitation, b end of exposition or shift

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Lead compound - Reasonably anticipated to be a



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 90746

Lead acetate paper, booklet

Page: 5/10

Printing date: 03.08.2026

Date of issue: 17.07.2025

Version: 2.3.4.2

human carcinogen)

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

8.2 Exposure controls

The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

booklet Lead acetate paper

a) State of aggregation:

solid

b) Colour:

white

c) Odor:

acetic

d) Melting point:

no data available

e) Boiling point:

no data available

f) Flammability:

no data available

g) Explosive limits (lower / upper):

no data available

h) Flash point:

no data available

i) Flashing temperature:

no data available

j) Decomposition temperature:

no data available

k) pH value:

5-7

l) Kinematic viscosity:

no data available

m) Solubility in water:

no data available

n) Dispersion coefficient ($K_{o/w}$):

no data available

o) Vapour pressure (20°C):

no data available

p) Specific gravity:

no data available

q) Relative vapour density ($\rho_{air=1}$):

no data available

r) Particle size:

no data available

9.2 Other information

9.2.1 Information on physical hazard classes

no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□□

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 90746

Printing date: 03.08.2026

Lead acetate paper, booklet

Date of issue: 17.07.2025

Page: 6/10

Version: 2.3.4.2

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

booklet Lead acetate paper

Chemical:	<i>cellulose paper</i>	CAS No.: 9004-34-6
TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, skin and/or eye contact	
Target Organs:	Eyes, skin, respiratory system	
Symptoms:	irritation eyes, skin, mucous membrane	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-05339	
LD50 orl rat :	> 5000 mg/kg	
LC50 ihl rat :	> 5,800 mg/L/4H	

Chemical:	<i>lead(II) acetate (trihydrate)</i>	CAS No.: 6080-56-4
TSCA Inventory:	not listed	California Proposition 65 List: listed cancer
Target Organs:	affect the reproductive capabilities incl.chromomal damage (mutations) and effects on fetuses(tera.)	
Symptoms:	birth defects; sterility	
Australia NICNAS:	not listed	Canada CEPA 1999: not listed
Japan CSCL/PRTR:	not listed, Japan PDSCL: Deleterious Substance, PRTR: >0,1% Pb specific class I	
Japan ISHL:	listed ≥0,3%/≥0,1%, Article 57-1+2 (Labelling&SDS required)	
Korea Exist.Chem.Inventory:	Toxic 97-1-9	
LD50 orl rat :	4665 mg/kg	
LC_Low orl hmn :	714 mg/kg	

Chronic Effects: May cause damage to organs through prolonged or repeated exposure.

Carcinogenic Effects: May damage the unborn child.

EU carcinogen: R_D 1A, R_F 2

TRGS 905 (DE): R_E 1, R_F 3A(4/5)

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 90746

Lead acetate paper, booklet

Page: 7/10

Printing date: 03.08.2026

Date of issue: 17.07.2025

Version: 2.3.4.2

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

booklet Lead acetate paper

Substance name: *cellulose paper*

CAS-Nr.: 9004-34-6

Water hazard class (DE): nwg

Storage class (VCI): 11

Substance name: *lead(II) acetate (trihydrate)*

CAS-Nr.: 6080-56-4

Harmful to aquatic life with long lasting effects. Do not release into the environment.

Environmentally hazardous substances/mixtures do not have to be labeled with P-phrases up to 125 mL (EU 1272/2008 Annex I Paragraph 1.5.2).

Water hazard class (DE): 3 WGK No.: 0036

Immision limit: 100 mg/m³

Storage class (VCI): 6.1 D

12.2 Persistence and degradability

12.3 Bioaccumulative potential

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06). Close container tightly.

13.1 Waste treatment methods

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according to the transport regulations

14.5 Environmental hazards

none, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Chemicals Prohibition Ordinance - (DE: ChemVerbotsV), aktualisiert Jan 2017

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 90746

Lead acetate paper, booklet

Page: 8/10

Printing date: 03.08.2026

Date of issue: 17.07.2025

Version: 2.3.4.2

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016

MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

no data available

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.3.4.2 and 2.2.2.2 following changes were applied: - 1 product component data corrected - 2 composition data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H Between versions 2.3.4.2 and 2.2.2.2 following changes were applied: - 1 product component data corrected - 2 composition data corrected
H360D May damage the unborn child.
H373 May cause damage to organs through prolonged or repeated exposure.
H412 Harmful to aquatic life with long lasting effects.

16.2.2 List of relevant P phrases

P201 Obtain special instructions before use.
P202 Do not handle until all safety precautions have been read and understood.
P280sh Wear protective gloves/eye protection.
P308+313 IF exposed or concerned: Get medical advice/attention.
P405 Store locked up.
P501 Dispose of contents/container to regulated waste treatment.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

Directive 2004/37/EC on the protection of workers from the risk of carcinogens or mutagens at workSUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

TRGS 905, German rules of technology for carcinogenic and mutagenic substances, as of March 18, 2016

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)

Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU

2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier

2022-11 adjustment according Regulation 878/2020/EU



MACHEREY-NAGEL GmbH & Co. KG
Valenciennr Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 90746

Lead acetate paper, booklet

Page: 9/10

Printing date: 03.08.2026

Date of issue: 17.07.2025

Version: 2.3.4.2

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxygen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not specified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitoneal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	lethal concentration 50%
LD50:	lethal dose 50%
leuciscus idus:	fish, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchus mykiss:	fish, rainbow trout
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales promelas:	fish, fathead minnow
PNEC:	Predicted No Effect Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 90746

Lead acetate paper, booklet

Page: 10/10

Printing date: 03.08.2026

Date of issue: 17.07.2025

Version: 2.3.4.2

Repr: harmful to reproduction
 Resp: respiratory
 RIP: REACH Implementations Projects
 scu: sub cutan
 SDS: safety data sheet
 Sens: sensitisation
 STEL: short term exposure limit
 STOT: Specific Target Organ Toxicity
 SVHC: Substance of Very High Concern
 t/a: tons per year
 TCCA: Toxic Chemicals Control Act (S. Korea)
 Tox: toxic
 TSCA: The Toxic Substances Control Act (US)
 TWA: time weighted average
 TRGS: technical regulations (DE)
 vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.