

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

Printing date: 03.08.2026

QUANTOFIX Cyanide

Date of issue: 23.02.2026

Page: 1/13

Version: 2.7.2.4

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF 91318  
Product name QUANTOFIX Cyanide

REACH Registration number(s): see SECTION 3.1/3.2 or  
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 100 test strips  
1 x 7 g CN - -1  
1 x 25 mL CN - -2

UFI: AYAV-U3SR-1204-1T97

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

#### Uses advised against

not described

### 1.3 Details of the supplier of the safety data sheet

#### Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG  
Valenciennner Str. 11, 52355 Düren, Germany  
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<https://www.mn-net.com/SDS>>

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02



GHS07



GHS08

Signal word

DANGER

#### Hazard identification

H226  
H315  
H319  
H332  
H334

#### Hazard classes/categories

Flam. Liq. 3  
Skin Irrit. 2  
Eye Irrit. 2  
Acute Tox. 4 inh.  
Resp. Sens. 1

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

25 mL CN - -2



GHS02



GHS07



GHS08

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 2/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

Signal word

DANGER

## Hazard identification

## Hazard classes/categories

H226

Flam. Liq. 3

H315

Skin Irrit. 2

H319

Eye Irrit. 2

H332

Acute Tox. 4 inh.

H334

Resp. Sens. 1

## 100 test strips

Signal word

Do not need labelling as hazardous

No hazard class

## 7 g CN -1

Signal word

Do not need labelling as hazardous

No hazard class

List of H phrases: see section 16.2

## 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

## 25 mL CN -2



GHS02



GHS07



GHS08

Signal word: DANGER

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P284, P342+311, P501

Avoid breathing dust/vapours.[In case of inadequate ventilation] wear respiratory protection.If experiencing respiratory symptoms: Call a POISON CENTER/doctor.Dispose of contents/container to regulated waste treatment.

## 100 test strips

Do not need labelling as hazardous

Signal word: -

## 7 g CN -1

Do not need labelling as hazardous

Signal word: -

## Label elements of the complete product



GHS02



GHS07



GHS08

Signal word: DANGER

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P284, P342+311, P501

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 3/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

Avoid breathing dust/vapours.[In case of inadequate ventilation] wear respiratory protection.If experiencing respiratory symptoms: Call a POISON CENTER/doctor.Dispose of contents/container to regulated waste treatment.

## 2.3 Other hazards

### Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties.

### Information pertaining to particular risks to human and possible symptoms

Cause after impairments of health when ingested in small quantities. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

### Information pertaining to particular risks to the environment

PBT: not applicable

vPvB: not applicable

### Possible endocrine disrupting effects

no data available

### Other hazards

Contains an odor intensive reagent.

## SECTION 3: Composition / information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 25 mL CN - 2

Substance name: *pyridine*  
CAS No.: 110-86-1

Substance rating: H225, Flam. Liq. 2, H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H332, Acute Tox. 4 inh.  
Formula:  $C_5H_5N$   
Pseudonym (de): Azin, Azabenzol  
REACH Reg. No.: 01-2119493105-40-xxxx  
EC No.: 203-809-9  
Concentration: 32 - <44 %  
acc. CLP (GHS): H226, Flam. Liq. 3, H332, Acute Tox. 4 inh.

Indice No.: 613-002-00-7

Substance name: *chloramine T*  
CAS No.: 127-65-1

Substance rating: H302, Acute Tox. 4 oral, H314, Skin Corr. 1 B, H334, Resp. Sens. 1, EUH031, not defined  
Formula:  $C_7H_7ClNNaO_2S$   
Pseudonym (de): Tosylchloramid-Na  
EC No.: 204-854-7  
Concentration: 1 - <3 %  
acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2, H334, Resp. Sens. 1

Indice No.: 616-010-00-9

#### 100 test strips

Substance name: *cellulose paper*  
CAS No.: 9004-34-6

Substance rating: No criteria for classification or naming of chemical not required.  
Formula:  $(C_6H_{10}O_5)_n$   
REACH Reg. No.: exempt, Annex IV  
EC No.: 232-674-9  
Concentration: 1 - <10 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 4/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

Substance name: *chemicals/mixture until 1%*  
CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
Concentration: 0,1 - <1 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *PVC foil (CAS 9002-86-2)*  
CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
Concentration: 95 - <100 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

## 7 g CN - 1

Substance name: *phosphates (buffer salts)*  
CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.  
Formula: K/Na 1-3 H 2-0 PO 4  
Concentration: 75 - <100 %  
acc. CLP (GHS): The criteria for classification are not fulfilled.

## 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

#### 4.1.1 After SKIN Contact

Remove dust with wetted tissue. Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

#### 4.1.2 After EYE Contact

Rub dust with teardrops from eyes or: After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

#### 4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. After inhalation of dust fresh air should be inhaled. ---

#### 4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

### 4.2 Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Chronic effects: Repeated contact, even in small amounts, can lead to sensitization.

### 4.3 Indication of any immediate medical attention and special treatment needed

Inform patient respectively further measures and the possibility of long-term damages. ---

## SECTION 5: Firefighting measures

### 5.1 Extinguishing media

#### 5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 5/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

**5.1.2 Unsuitable extinguishing media**  
no data available

**5.2 Special hazards arising from the substance or mixture**

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

**5.3 Advice for firefighters**

No, for listed product. Product package burns like paper or plastic.

**5.4 Additional information**

no data available

## SECTION 6: Accidental release measures

**6.1 Personal precautions, protective equipment and emergency procedures**

Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

**6.2 Environmental precautions**

PBT: not applicable

vPvB: not applicable

**6.3 Methods and material for containment and cleaning up**

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

**6.4 Reference to other sections**

no data available

## SECTION 7: Handling and storage

**7.1 Precautions for safe handling**

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

**7.2 Conditions for safe storage, including any incompatibilities**

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3

Water hazard class (DE): 2

**7.2.1 Requirements for stock rooms and containers**

Keep original product packages tightly closed during handling and storage.

**7.3 Specific end use(s)**

Product for analytical use.

If CE labelling: Product for in-vitro-diagnostic use (IVD) or Accessory for medical use

## SECTION 8: Exposure controls /personal protection

**8.1 Control parameters**

**25 mL CN - -2**

Chemical: *chloramine T*

CAS No.: 127-65-1

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *pyridine*

CAS No.: 110-86-1

PNEC (fresh water): 300 µg/L  
PNEC = Predicted No Effect Concentration

EU value: [TWA] 5 ppm / 15 mg/m³

TRGS 900 (DE): [8h] 5 ppm / 15 mg/m³  
E/e respirable

Short-term exposure factor: 2 (II)

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 5 ppm / 15 mg/m³



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 6/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

NIOSH: [TWA] 5 ppm / 15 mg/m<sup>3</sup>  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 5 ppm / 15 mg/m<sup>3</sup>

## 100 test strips

Chemical: PVC foil (CAS 9002-86-2)

CAS No.: -

Chemical: cellulose paper

CAS No.: 9004-34-6

TRGS 900 (DE): Staub 1.25 A / 4 E mg/m<sup>3</sup>  
E/e respirable

SUVA(CH) MAK value: 3 a ppm

NIOSH: TWA 10 (total) / 5 (resp) mg/m<sup>3</sup>

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 15 (total) / 5 (resp) mg/m<sup>3</sup>

Chemical: chemicals/mixture until 1%

CAS No.: -

## 7 g CN - -1

Chemical: phosphates (buffer salts)

CAS No.: -

## 8.2 Exposure controls

The highest level of cleanliness must be maintained at the workplace.

### 8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

### 8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

### 8.2.6 Thermal hazards

no data available

## 8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

#### 25 mL CN - -2

|                                               |                        |
|-----------------------------------------------|------------------------|
| a) State of aggregation:                      | liquid                 |
| b) Colour:                                    | colourless             |
| c) Odor:                                      | like pyridine          |
| d) Melting point:                             | no data available      |
| e) Boiling point:                             | no data available      |
| f) Flammability:                              | no data available      |
| g) Explosive limits (lower / upper):          | no data available      |
| h) Flash point:                               | 27 °C                  |
| i) Flashing temperature:                      | no data available      |
| j) Decomposition temperature:                 | no data available      |
| k) pH value:                                  | 8-9                    |
| l) Kinematic viscosity:                       | no data available      |
| m) Solubility in water:                       | 0-100 %                |
| n) Dispersion coefficient (K <sub>ow</sub> ): | no data available      |
| o) Vapour pressure (20°C):                    | no data available      |
| p) Specific gravity:                          | 0,99 g/cm <sup>3</sup> |
| q) Relative vapour density (air=1):           | no data available      |



MACHEREY-NAGEL GmbH & Co. KG  
Valencienn Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 7/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

r) Particle size: no data available

## 100 test strips

|                                                |                   |
|------------------------------------------------|-------------------|
| a) State of aggregation:                       | solid             |
| b) Colour:                                     | colored           |
| c) Odor:                                       | odorless          |
| d) Melting point:                              | no data available |
| e) Boiling point:                              | no data available |
| f) Flammability:                               | no data available |
| g) Explosive limits (lower / upper):           | no data available |
| h) Flash point:                                | no data available |
| i) Flashing temperature:                       | no data available |
| j) Decomposition temperature:                  | no data available |
| k) pH value:                                   | no data available |
| l) Kinematic viscosity:                        | no data available |
| m) Solubility in water:                        | no data available |
| n) Dispersion coefficient ( $K_{o/w}$ ):       | no data available |
| o) Vapour pressure (20°C):                     | no data available |
| p) Specific gravity:                           | no data available |
| q) Relative vapour density ( $\rho_{air=1}$ ): | no data available |
| r) Particle size:                              | no data available |

## 7 g CN - 1

|                                                |                   |
|------------------------------------------------|-------------------|
| a) State of aggregation:                       | powder (solid)    |
| b) Colour:                                     | colourless        |
| c) Odor:                                       | odorless          |
| d) Melting point:                              | no data available |
| e) Boiling point:                              | no data available |
| f) Flammability:                               | no data available |
| g) Explosive limits (lower / upper):           | no data available |
| h) Flash point:                                | no data available |
| i) Flashing temperature:                       | no data available |
| j) Decomposition temperature:                  | no data available |
| k) pH value:                                   | 8-9               |
| l) Kinematic viscosity:                        | no data available |
| m) Solubility in water:                        | 0-40 %            |
| n) Dispersion coefficient ( $K_{o/w}$ ):       | no data available |
| o) Vapour pressure (20°C):                     | no data available |
| p) Specific gravity:                           | no data available |
| q) Relative vapour density ( $\rho_{air=1}$ ): | no data available |
| r) Particle size:                              | no data available |

## 9.2 Other information

### 9.2.1 Information on physical hazard classes

no data available

### 9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□ □

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

no further data available.



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 8/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

## 10.2 Chemical stability

no known instability.

## 10.3 Possibility of hazardous reactions

No further data available.

## 10.4 Conditions to avoid

No more required.

## 10.5 Incompatible materials

no additional data available

## 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 25 mL CN - -2

Chemical: *chloramine T* CAS No.: 127-65-1

TSCA Inventory: listed California Proposition 65 List: not listed

Australia NICNAS: not listed Canada CEPA 1999: DSL Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed

South Korea TCCA: not listed

Korea Exist.Chem.Inventory: 2000-3-1539

LD50 orl rat : 1000 mg/kg

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Chemical: *pyridine* CAS No.: 110-86-1

TSCA Inventory: listed California Proposition 65 List: listed cancer

Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, central nervous system, liver, kidneys, gastrointestinal tract,

Symptoms: irritation eyes; headache, anxiety, dizziness, insomnia; nausea, anorexia; dermatitis; liver, kidney damage

Japan CSCL/PRTR: PRTR: ≥1,0% class I

Japan ISHL: listed ≥1,0%/≥0,1%,

Korea Exist.Chem.Inventory: KE-29929

LD50 orl rat : 800-1600 mg/kg

LC<sub>Low</sub> ihl rat : 4900 ppm/4H

LC<sub>Low</sub> orl gpg : 4000 mg/kg

LC<sub>Low</sub> orl hmn : 500 mg/kg

LC50 ihl rat : 15,852 mg/L/4H

Acute Effects: Cause after skin contact, impairments of health when ingested in small quantities.

TRGS 905 (DE): [DFG] carc. 3B

#### 100 test strips

Chemical: *PVC foil (CAS 9002-86-2)* CAS No.: -

TSCA Inventory: listed

Chemical: *cellulose paper* CAS No.: 9004-34-6

TSCA Inventory: listed California Proposition 65 List: not listed

Exposure Routes: inhalation, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, skin, mucous membrane

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed

South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-05339

LD50 orl rat : > 5000 mg/kg

LC50 ihl rat : > 5,800 mg/L/4H



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 9/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

Chemical: *chemicals/mixture until 1%*  
TSCA Inventory: all listed, <1%  
Korea Exist.Chem.Inventory: listed

CAS No.: -

## 7 g CN - 1

Chemical: *phosphates (buffer salts)*  
TSCA Inventory: all listed  
Korea Exist.Chem.Inventory: listed  
LD50 orl rat : > 2000 mg/kg

CAS No.: -

## 11.2 Other hazards

### Possible endocrine disrupting effects

no data available

### Other information

no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 25 mL CN - 2

Substance name: *chloramine T*  
Water hazard class (DE): 2 WGK No.: 0640  
Storage class (VCI): 8 A

CAS-Nr.: 127-65-1

#### Substance name: *pyridine*

CAS-Nr.: 110-86-1

PNEC (fresh water): 300 µg/L  
PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected  
LC50 fish/96h : [EC50 4h] 560-1000 mg/L  
EC50 daphnia/48h : 320 mg/L  
IC50 scenedesmus quadricauda/72h : IC50/7d: 120 mg/L  
EC10 pseudomonas putida/16h : [EC50 72h] 320 mg/L mg/L  
Water hazard class (DE): 2 WGK No.: 0179  
Storage class (VCI): 3

#### 100 test strips

Substance name: *PVC foil (CAS 9002-86-2)*

CAS-Nr.: -

Substance name: *cellulose paper*  
Water hazard class (DE): nwg  
Storage class (VCI): 11

CAS-Nr.: 9004-34-6

Substance name: *chemicals/mixture until 1%*  
Water hazard class (DE): 1  
Storage class (VCI): 12-13

CAS-Nr.: -

#### 7 g CN - 1

Substance name: *phosphates (buffer salts)*  
Water hazard class (DE): 1  
Storage class (VCI): 13

CAS-Nr.: -

### 12.2 Persistence and degradability

### 12.3 Bioaccumulative potential

Substance name: *pyridine*  
Dispersion coefficient (K<sub>ow</sub>): 0,64

CAS-Nr.: 110-86-1



MACHEREY-NAGEL GmbH & Co. KG  
Valencienn Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 10/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

## 12.4 Mobility in soil

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

no data available

## 12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

## 13.1 Waste treatment methods

## SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9

14.4. Packing group: II

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport IATA DGR

Limited Quantity: PAX: 960 max. quantity PAX: 10 KG  
CAO: 960 max. quantity CAO: 10 KG

Maritime transport IMDG

EmS: F-A, S-P Staukategorie: A

Or use **Alternative declaration for transportation:**

UN 1993 class 3 III, **Excepted Quantities** ( $\leq 30 \text{ mL}/\Sigma \leq 1 \text{ L}$ ) = ADR/ IATA E1

or

14.1 UN number: 1993

14.2 UN proper shipping name: Flammable liquid, n.o.s. (pyridine mixture)

14.3 Class: 3

14.4 Packing group: III

Road transport ADR

Classification code: F1 Tunnel restriction code: D/E  
Limited Quantity: 5 L  
Excepted Quantity: E 1  
Special instructions: 274, 601

Air transport IATA DGR

Limited Quantity: PAX: 355 max. quantity PAX: 60 L  
CAO: 366 max. quantity CAO: 220 L  
Excepted Quantity: E 1

Maritime transport IMDG

EmS: F-E, S-E Staukategorie: A  
Special instructions: 223, 274, 955

## 14.5 Environmental hazards

none

## 14.6 Special precautions for user



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318  
Printing date: 03.08.2026

QUANTOFIX Cyanide  
Date of issue: 23.02.2026

Page: 11/13  
Version: 2.7.2.4

not necessary

## 14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020  
Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017  
TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017  
TRGS 220, National aspects when preparing safety data sheets, Jan 2017  
TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017  
BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012  
Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016  
MN leaflet/instructions for use, also at [www.mn-net.com](http://www.mn-net.com)  
If necessary, observe other country-specific regulations.

### 15.2 Chemical safety assessment

no data available

## SECTION 16: Other information

### 16.1 Changes compared to the last version

Between versions 2.7.2.4 and 2.2.2.2 following changes were applied: - 5 product component data corrected - 2 substance data corrected

### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

|      |                                                                                                                                        |
|------|----------------------------------------------------------------------------------------------------------------------------------------|
| H    | Between versions 2.7.2.4 and 2.2.2.2 following changes were applied: - 5 product component data corrected - 2 substance data corrected |
| H226 | Flammable liquid and vapour.                                                                                                           |
| H315 | Causes skin irritation.                                                                                                                |
| H319 | Causes serious eye irritation.                                                                                                         |
| H332 | Harmful if inhaled.                                                                                                                    |
| H334 | May cause allergy or asthma symptoms or breathing difficulties if inhaled.                                                             |

#### 16.2.2 List of relevant P phrases

|          |                                                                    |
|----------|--------------------------------------------------------------------|
| P261sh   | Avoid breathing dust/vapours.                                      |
| P284     | [In case of inadequate ventilation] wear respiratory protection.   |
| P342+311 | If experiencing respiratory symptoms: Call a POISON CENTER/doctor. |
| P501     | Dispose of contents/container to regulated waste treatment.        |

### 16.3 Recommended restriction on use

Only for professional user.  
Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!  
Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!  
An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021  
Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres  
SUVA .CH, limit values in the air at work 2009, revised on 01/2009  
Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)  
Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG  
TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011  
Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)  
Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)  
Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)  
Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)  
Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)  
Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)  
TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019  
Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)  
Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG



MACHEREY-NAGEL GmbH & Co. KG  
Valenciennr Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

|    |                        |                                                              |
|----|------------------------|--------------------------------------------------------------|
| DE | Tel.: +49 24 21 969-0  | <a href="mailto:info@mn-net.com">info@mn-net.com</a>         |
| CH | Tel.: +41 62 388 55 00 | <a href="mailto:sales-ch@mn-net.com">sales-ch@mn-net.com</a> |
| FR | Tel.: +33 388 68 22 68 | <a href="mailto:sales-fr@mn-net.com">sales-fr@mn-net.com</a> |
| US | Tel.: +1 888 321 62 24 | <a href="mailto:sales-us@mn-net.com">sales-us@mn-net.com</a> |

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 12/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)  
Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)  
Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)  
Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

## revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary  
2014-04 adjustment according Regulation 487/2013/EU  
2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier  
2022-11 adjustment according Regulation 878/2020/EU

## 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.6 Legend / Abbreviations

|                       |                                                                             |
|-----------------------|-----------------------------------------------------------------------------|
| acc:                  | according                                                                   |
| ADR:                  | Convention concerning the International Carriage of Dangerous Goods by Road |
| Act:                  | acute                                                                       |
| BAT:                  | biological workplace tolerance value                                        |
| CAO:                  | Cargo Aircraft Only                                                         |
| Carc:                 | carcinogen                                                                  |
| CAS:                  | Chemical Abstracts Service                                                  |
| CLP:                  | Classification, Labelling and Packaging regulation                          |
| CMR:                  | carcinogen, mutagen, reproduction toxic                                     |
| Corr:                 | corrosive                                                                   |
| COD:                  | chemical oxygen demand                                                      |
| CSCL:                 | Chemical Substance Control Law (Jp)                                         |
| Dam:                  | damage                                                                      |
| DNEL:                 | Derived No-Effect Level (for workers)                                       |
| derm:                 | dermal                                                                      |
| dog:                  | dog                                                                         |
| EC10:                 | Concentration causing a toxic effect in 10% of the test organisms           |
| EC:                   | European Community                                                          |
| EC-Nr:                | Substance number of the EC substance inventory                              |
| EmS:                  | Guide to accident management measures on ships                              |
| EU:                   | European Union                                                              |
| fish:                 | fish (not specified)                                                        |
| GHS:                  | Global Harmonized System of Classification and Labeling of Chemicals        |
| gpg:                  | guinea pig                                                                  |
| ICAO:                 | International Civil Aviation Organization                                   |
| ihl:                  | inhaled                                                                     |
| IMDG:                 | International Maritime Dangerous Goods Code                                 |
| intrav:               | intravenous                                                                 |
| ipt:                  | intraperitoneal                                                             |
| ISHL:                 | Industrial Safety and Health Law (Jp)                                       |
| LC50:                 | lethal concentration 50%                                                    |
| LD50:                 | lethal dose 50%                                                             |
| leuciscus idus:       | fish, ide, orfe                                                             |
| MAK:                  | maximum workplace concentration                                             |
| Met:                  | Metal                                                                       |
| mus:                  | mouse                                                                       |
| Muta:                 | mutagen                                                                     |
| NIOSH:                | National Institute for Occupational Safety and Health (US)                  |
| NRD:                  | Non-rapidly degradable                                                      |
| onchorhynchus mykiss: | fish, rainbow trout                                                         |
| orl:                  | oral                                                                        |
| OSHA:                 | Occupational Safety and Health Administration                               |
| PAX:                  | transport on passenger planes allowed                                       |
| PBT:                  | persistent, bioaccumulating, toxic substance                                |



MACHEREY-NAGEL GmbH & Co. KG  
Valenciennr Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 91318

QUANTOFIX Cyanide

Page: 13/13

Printing date: 03.08.2026

Date of issue: 23.02.2026

Version: 2.7.2.4

pH: pH value  
 pimephales promelas: fish, fathead minnow  
 PNEC: Predicted No Effected Concentration  
 PROC 15: Process category 'for laboratory use'  
 PRTR: Law for PRTR and Promotion of Chemical Management (Jp)  
 PVC: polyvinyl chloride  
 quail: bird, quail  
 rat: rat  
 rbt: rabbit  
 RD: rapidly degradable  
 RE: repeated  
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
 REF: item number, reference number  
 Reg.No.: rRegistration number  
 Repr: harmful to reproduction  
 Resp: respiratory  
 RIP: REACH Implementations Projects  
 scu: sub cutan  
 SDS: safety data sheet  
 Sens: sensitisation  
 STEL: short term exposure limit  
 STOT: Specific Target Organ Toxicity  
 SVHC: Substance of Very High Concern  
 t/a: tons per year  
 TCCA: Toxic Chemicals Control Act (S. Korea)  
 Tox: toxic  
 TSCA: The Toxic Substances Control Act (US)  
 TWA: time weighted average  
 TRGS: technical regulations (DE)  
 vPvB: very persistent, very bioaccumulating substance

## 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.