

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 1/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF

931234

Product name

VISOCOLOR ECO Silica HR 200

REACH Registration number(s):

see SECTION 3.1/3.2 or

A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 20 g SiO₂ -2

UFI: 2ARU-130K-J20R-HQU7

1 x 28 mL SiO₂ -1

1 x 28 mL SiO₂ -3

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG

Valenciennner Str. 11, 52355 Düren, Germany

Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<https://www.mn-net.com/SDS>>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS07

Signal word

WARNING

Hazard identification

Hazard classes/categories

H315

Skin Irrit. 2

H319

Eye Irrit. 2

H412

Aquatic Chronic 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

28 mL SiO₂ -1

Signal word

Do not need labelling as hazardous

-

No hazard class

28 mL SiO₂ -3

Do not need labelling as hazardous



MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 2/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

Signal word

-

No hazard class

20 g SiO₂-2



GHS07

Signal word

WARNING

Hazard identification

Hazard classes/categories

H315

Skin Irrit. 2

H319

Eye Irrit. 2

H412

Aquatic Chronic 3

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

28 mL SiO₂-1

Do not need labelling as hazardous

Signal word: -

28 mL SiO₂-3

Do not need labelling as hazardous

Signal word: -

20 g SiO₂-2



GHS07

Signal word: WARNING

Label elements of the complete product



GHS07

Signal word: WARNING

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 3/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

28 mL SiO₂-1

Substance name: *sodium molybdate (dihydrate)*
CAS No.: 10102-40-6

Substance rating: No criteria for classification or naming of chemical not required.
Formula: Na₂MoO₄•2H₂O

Pseudonym (de):

EC No.: 231-551-7

Concentration: 10 - <35 %

Correlation factor: x 0.40 (= %Mo)

The classification refers to the weight percentage of the metal (according to CLP regulation 2008/1272/EG Annex VI, 1.1.3.2 Note 1)

acc. CLP (GHS): The criteria for classification are not fulfilled.

28 mL SiO₂-3

Substance name: *oxalic acid*
CAS No.: 144-62-7

Substance rating: H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H318, Eye Dam. 1
Formula: C₂H₂O₄; HOOC-COOH

Pseudonym (de): Dicarbonsäure, Ethandisäure

REACH Reg. No.: 01-2119534576-33-xxxx

EC No.: 205-634-3

Indice No.: 607-006-00-8

Concentration: 1 - <5 %

acc. CLP (GHS): The criteria for classification are not fulfilled.

20 g SiO₂-2

Substance name: *aminosulfonic acid (sulfamic acid)*
CAS No.: 5329-14-6

Substance rating: H315, Skin Irrit. 2, H319, Eye Irrit. 2, H412, Aquatic Chronic 3
Formula: H₃NO₃S; NH₂-SO₃H

Pseudonym (de): Amidosulfonsäure

REACH Reg. No.: 01-2119488633-28-xxxx

EC No.: 226-218-8

Indice No.: 016-026-00-0

Concentration: 90 - <100 %

acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2, H412, Aquatic Chronic 3

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 4/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4

After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2

Most important symptoms and effects, both acute and delayed

There are no known delayed symptoms or effects for this product.

4.3

Indication of any immediate medical attention and special treatment needed

No additionally recommendations. ---

SECTION 5: Firefighting measures

5.1

Extinguishing media

5.1.1

Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used. Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2

Unsuitable extinguishing media

no data available

5.2

Special hazards arising from the substance or mixture

Formation of hazardous and caustic vapour-air mixtures possible.

5.3

Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4

Additional information

no data available

SECTION 6: Accidental release measures

6.1

Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary.

6.2

Environmental precautions

PBT: not applicable

vPvB: not applicable

6.3

Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.

Collect small amounts of leaked liquid and flush with water into drains.

6.4

Reference to other sections

no data available

SECTION 7: Handling and storage

7.1

Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2

Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI):

8B

Water hazard class (DE):

1

7.2.1

Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3

Specific end use(s)

Product for analytical use.

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 5/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

20 g SiO₂ -2

Chemical: *aminosulfonic acid (sulfamic acid)*

CAS No.: 5329-14-6

DNEL: [derm] 10 mg/kg bw/d; [inh] 70,5 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 1.8 mg/L

PNEC = Predicted No Effect Concentration

28 mL SiO₂ -1

Chemical: *sodium molybdate (dihydrate)*

CAS No.: 10102-40-6

TRGS 900 (DE): [Mo] 0,5 mg/m³

E/e respirable

SUVA(CH) MAK value: [Mo] 5 e mg/m³

28 mL SiO₂ -3

Chemical: *oxalic acid*

CAS No.: 144-62-7

DNEL: 4.03 inh mg/kg

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0,1622 mg/L

PNEC = Predicted No Effect Concentration

EU value: 1 e mg/m³

TRGS 900 (DE): 1 E mg/m³

E/e respirable

Short-term exposure factor: 1 (I), H

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 1 e mg/m³

NIOSH: TWA 1 / ST 2 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 1 mg/m³

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Not necessary.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

20 g SiO₂ -2

a) State of aggregation:

solid

b) Colour:

colourless

c) Odor:

odorless

d) Melting point:

instable 205 °C

e) Boiling point:

no data available



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 6/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	< 2
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-17 %
n) Dispersion coefficient (K _{ow}):	no data available
o) Vapour pressure (20°C):	0.0078 hPa
p) Specific gravity:	2.12 sol. g/cm ³
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

28 mL SiO₂ -1

a) State of aggregation:	liquid
b) Colour:	slightly yellow
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (K _{ow}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

28 mL SiO₂ -3

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	3-5
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (K _{ow}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,02 g/cm ³
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

9.2 Other information

9.2.1 Information on physical hazard classes

no data available

9.2.2 Other safety-related parameters



MACHEREY-NAGEL GmbH & Co. KG
Valenciennr Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 7/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□□

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

20 g SiO₂-2

Chemical: *aminosulfonic acid (sulfamic acid)*
TSCA Inventory: listed
Target Organs: affect the eye or visual capacity
Symptoms: conjunctivitis; corneal damage
LD50 orl rat : 2065 mg/kg

CAS No.: 5329-14-6

28 mL SiO₂-1

Chemical: *sodium molybdate (dihydrate)*
TSCA Inventory: not listed
Japan ISHL: listed ≥1,0%/≥0,1%,
LD50 orl rat : 4233 mg/kg

CAS No.: 10102-40-6

28 mL SiO₂-3

Chemical: *oxalic acid*
TSCA Inventory: listed
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, kidneys
Symptoms: irritation eyes, skin, mucous membrane; eye burns; localized pain, cyanosis; shock, collapse, convulsions; kidney damage
Australia NICNAS: listed >1,0%/>1,0%, Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-13152
LD50 orl rat : 75000 mg/kg

CAS No.: 144-62-7

11.2 Other hazards

Possible endocrine disrupting effects
no data available



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 8/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

Other information

no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

20 g SiO₂ -2

Substance name: *aminosulfonic acid (sulfamic acid)*

CAS-Nr.: 5329-14-6

Harmful to aquatic life with long lasting effects. Do not release into the environment.

Environmentally hazardous substances/mixtures do not have to be labeled with P-phrases up to 125 mL (EU 1272/2008 Annex I Paragraph 1.5.2).

PNEC (fresh water): 1.8 mg/L

PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected

LC50 fish/96h: [4d] 70.3 mg/L

EC50 daphnia/48h: [48h=24h] 71.6 mg/L

IC50 *scenedesmus quadricauda*/72h: [72h] 48 mg/L

Water hazard class (DE): 1 WGK No.: 1266

Storage class (VCI): 8 B

28 mL SiO₂ -1

Substance name: *sodium molybdate (dihydrate)*

CAS-Nr.: 10102-40-6

Water hazard class (DE): 1 WGK No.:

Storage class (VCI): 12-13

28 mL SiO₂ -3

Substance name: *oxalic acid*

CAS-Nr.: 144-62-7

PNEC (fresh water): 0,1622 mg/L

PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected

LC50 *leuciscus idus*/96h: 160 mg/L

EC50 daphnia/48h: 61_{24h} / 162.2 mg/L

EC10 *pseudomonas putida*/16h: 1550_{16d} mg/L

Water hazard class (DE): 1 WGK No.: 0166

Storage class (VCI): 12

12.2 Persistence and degradability

12.3 Bioaccumulative potential

20 g SiO₂ -2

Substance name:

aminosulfonic acid (sulfamic acid)

CAS-Nr.: 5329-14-6

Dispersion coefficient (K_{ow}):

-4,34

28 mL SiO₂ -3

Substance name:

oxalic acid

CAS-Nr.: 144-62-7

Dispersion coefficient (K_{ow}):

-1,7

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 9/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according to the transport regulations

14.5 Environmental hazards

none, contains only small quantities of hazardous substances, contains only small amounts of these substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
TRGS 220, National aspects when preparing safety data sheets, Jan 2017
TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
MN leaflet/instructions for use, also at www.mn-net.com
If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

no data available

SECTION 16: Other information

16.1 Changes compared to the last version

in preparation

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H	in preparation
H315	Causes skin irritation.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

16.2.2 List of relevant P phrases

16.3 Recommended restriction on use

Only for professional user.
An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021
Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
SUVA .CH, limit values in the air at work 2009, revised on 01/2009
Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progress (11th ATP)
Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE	Tel.: +49 24 21 969-0	info@mn-net.com
CH	Tel.: +41 62 388 55 00	sales-ch@mn-net.com
FR	Tel.: +33 388 68 22 68	sales-fr@mn-net.com
US	Tel.: +1 888 321 62 24	sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 10/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)
Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
2014-04 adjustment according Regulation 487/2013/EU
2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier
2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc: according
ADR: Convention concerning the International Carriage of Dangerous Goods by Road
Act: acute
BAT: biological workplace tolerance value
CAO: Cargo Aircraft Only
Carc: carcinogen
CAS: Chemical Abstracts Service
CLP: Classification, Labelling and Packaging regulation
CMR: carcinogen, mutagen, reproduction toxic
Corr: corrosive
COD: chemical oxygen demand
CSCL: Chemical Substance Control Law (Jp)
Dam: damage
DNEL: Derived No-Effect Level (for workers)
derm: dermal
dog: dog
EC10: Concentration causing a toxic effect in 10% of the test organisms
EC: European Community
EC-Nr: Substance number of the EC substance inventory
EmS: Guide to accident management measures on ships
EU: European Union
fish: fish (not specified)
GHS: Global Harmonized System of Classification and Labeling of Chemicals
gpg: guinea pig
ICAO: International Civil Aviation Organization
ihl: inhaled
IMDG: International Maritime Dangerous Goods Code
intrav: intravenous
ipt: intraperitoneal
ISHL: Industrial Safety and Health Law (Jp)
LC50: letale concentration 50%
LD50: letale dosis 50%
leuciscus idus: fisch, ide, orfe
MAK: maximum workplace concentration
Met: Metall
mus: mouse
Muta: mutagen
NIOSH: National Institute for Occupational Safety and Health (US)
NRD: Non-rapidly degradable
onchorhynchus mykiss: fisch, rainbow trout

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 931234

VISOCOLOR ECO Silica HR 200

Page: 11/11

Printing date: 03.08.2026

Date of issue: 30.09.2022

Version: 2.2.2.2

orl: oral
 OSHA: Occupational Safety and Health Administration
 PAX: transport on passenger planes allowed
 PBT: persistent, bioaccumulating, toxic substance
 pH: pH value
 pimephales promelas: fish, fathead minnow
 PNEC: Predicted No Effect Concentration
 PROC 15: Process category 'for laboratory use'
 PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
 PVC: polyvinyl chloride
 quail: bird, quail
 rat: rat
 rbt: rabbit
 RD: rapidly degradable
 RE: repeated
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
 REF: item number, reference number
 Reg.No.: rRegistration number
 Repr: harmful to reproduction
 Resp: respiratory
 RIP: REACH Implementations Projects
 scu: sub cutan
 SDS: safety data sheet
 Sens: sensitisation
 STEL: short term exposure limit
 STOT: Specific Target Organ Toxicity
 SVHC: Substance of Very High Concern
 t/a: tons per year
 TCCA: Toxic Chemicals Control Act (S. Korea)
 Tox: toxic
 TSCA: The Toxic Substances Control Act (US)
 TWA: time weighted average
 TRGS: technical regulations (DE)
 vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.