

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002
Printing date: 03.08.2026

NANOCOLOR ECO Iron
Date of issue: 12.01.2023

Page: 1/15
Version: 6.2.2.10

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 976002
Product name NANOCOLOR ECO Iron

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 55 mL Iron (R1)
1 x 55 mL Iron (R2) UFI: WVAU-M3X1-5200-K7AV
1 x 55 mL Iron (R3) UFI: 0QEU-A3Q4-820A-EGK0
1 x 55 mL Iron (R4) UFI: 5VEU-C32W-V20A-R5R4

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
The exposure scenario is integrated into sections 1-16.

Uses advised against
not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11, 52355 Düren, Germany
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Giftinformationszentrum (GGIZ)
99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<https://www.mn-net.com/SDS>>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02 GHS05 GHS07

Signal word

DANGER

Hazard identification

H226
H315
H318
EUH031

Hazard classes/categories

Flam. Liq. 3
Skin Irrit. 2
Eye Dam. 1

-

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

55 mL Iron (R3)



GHS07

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 2/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

Signal word

WARNING

Hazard identification

Hazard classes/categories

H315

Skin Irrit. 2

H319

Eye Irrit. 2

55 mL Iron (R4)



GHS02

Signal word

WARNING

Hazard identification

Hazard classes/categories

H226

Flam. Liq. 3

55 mL Iron (R1)

Signal word

Do not need labelling as hazardous

-

No hazard class

55 mL Iron (R2)



GHS05

Signal word

DANGER

Hazard identification

Hazard classes/categories

EUH031

-

H318

Eye Dam. 1

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

55 mL Iron (R3)



GHS07

Signal word: WARNING

55 mL Iron (R4)



GHS02

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 3/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

Signal word: WARNING

55 mL Iron (R1)

Do not need labelling as hazardous

Signal word: -

55 mL Iron (R2)



GHS05

Signal word: DANGER

H318

Causes serious eye damage.

P280sh, P305+351+338, P310

Wear protective gloves/eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

Label elements of the complete product



GHS02



GHS05

Signal word: DANGER

H318

Causes serious eye damage.

P280sh, P305+351+338, P310

Wear protective gloves/eye protection. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. The property H314 "Causes severe skin burns and eye damage." of some salts is not applicable, because the mixture is buffered to pH >3-4 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.).

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Information pertaining to particular risks to the environment

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

no data available

Other hazards

Contains an odor intensive reagent.

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

55 mL Iron (R3)

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 4/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

Substance name: *ammonium acetate*
CAS No.: 631-61-8

Substance rating: No criteria for classification or naming of chemical not required.
Formula: $C_2H_7NO_2$
REACH Reg. No.: 01-2119828440-45-xxxx
EC No.: 211-162-9
Concentration: 10 - <20 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *acetic acid*
CAS No.: 64-19-7

Substance rating: H226, Flam. Liq. 3, H314, Skin Corr. 1 A, H318, Eye Dam. 1
Formula: $C_2H_4O_2$; CH_3-COOH
REACH Reg. No.: 01-2119475328-30-xxxx
EC No.: 200-580-7
Concentration: 10 - <25 %
acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

Indice No.: 607-002-00-6

55 mL Iron (R4)

Substance name: *ethanol*
CAS No.: 64-17-5
(denatured with 1% 2-butanone / 1% 2-propanol)
Substance rating: H225, Flam. Liq. 2
Formula: C_2H_6O ; C_2H_5OH
Pseudonym (de): Äthylalkohol, vergällter Spiritus
REACH Reg. No.: 01-2119457610-43-xxxx
EC No.: 200-578-6
Concentration: 35 - <55 %
acc. CLP (GHS): H226, Flam. Liq. 3

Indice No.: 603-002-00-5

55 mL Iron (R1)

Substance name: *hydrochloric acid*
CAS No.: 7647-01-0

Substance rating: H314, Skin Corr. 1 A, H335, resp. irrit. STOT SE 3
Formula: $HCl \cdot H_2O$
Pseudonym (de): Chlorwasserstoffsäure
REACH Reg. No.: 01-2119484862-27-xxxx
EC No.: 231-595-7
Specific concentration limit: Eye Irrit. 2; H319: 10 % ≤ C < 25 % - Skin Irrit. 2; H315: 10 % ≤ C < 25 % - Skin Corr. 1B; H314: C ≥ 25 % - STOT SE 3; H335: C ≥ 10 %
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Indice No.: 017-002-01-X

55 mL Iron (R2)

Substance name: *sodium disulfite*
CAS No.: 7681-57-4

Substance rating: H302, Acute Tox. 4 oral, H318, Eye Dam. 1, EUH031, not defined
Formula: $Na_2O_5S_2$
Pseudonym (de): Disulfit
REACH Reg. No.: 01-2119531326-45-xxxx
EC No.: 231-673-0
Concentration: 3 - <10 %
acc. CLP (GHS): H318, Eye Dam. 1, EUH031,

Indice No.: 016-063-00-2

3.3 Remarks



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 5/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

Causes serious eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

PBT: not applicable

vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002
Printing date: 03.08.2026

NANOCOLOR ECO Iron
Date of issue: 12.01.2023

Page: 6/15
Version: 6.2.2.10

6.4 Reference to other sections

no data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3
Water hazard class (DE): 2

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

55 mL Iron (R3)

Chemical: ammonium acetate CAS No.: 631-61-8

NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: acetic acid

CAS No.: 64-19-7

DNEL: [loc, inh] 25 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 3.058 mg/L
PNEC = Predicted No Effect Concentration

EU value: [TWA] 25 / [STEL] 50 mg/m³

TRGS 900 (DE): 10 mL/m³ / 25 mg/m³
E/e respirable

Short-term exposure factor: 2(I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 10 ppm / 25 mg/m³

NIOSH: [TWA] 10 ppm / 25 mg/m³ ; [STEL] 15 ppm / 37 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 10 ppm / 25 mg/m³

55 mL Iron (R1)

Chemical: hydrochloric acid CAS No.: 7647-01-0

DNEL: [inh] 8 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 36 µg/L
PNEC = Predicted No Effect Concentration

EU value: [TWA] 5 ppm / 8 mg/m³ ; [STEL] 10 ppm / 15 mg/m³

TRGS 900 (DE): 2 mL/m³ / 3 mg/m³
E/e respirable

Short-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 2 ppm / 3* mg/m³

NIOSH: [C] 5 ppm / 7 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: List of highly hazardous chemicals, toxics and reactives Yes (TQ = 5000 lbs) n/a; TWA 5 ppm / 7 mg/m³

55 mL Iron (R4)

Chemical: ethanol CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration



MACHEREY-NAGEL GmbH & Co. KG
Valencienn Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 7/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

TRGS 900 (DE): 200 mL/m³ / 380 mg/m³
E/e respirable
Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded
SUVA(CH) MAK value: 500 ppm / 960 mg/m³
NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
OSHA: [TWA] 1000 ppm / 1900 mg/m³

55 mL Iron (R2)

Chemical: sodium disulfite

CAS No.: 7681-57-4

DNEL: [inh] 225 mg/m³
DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): -
E/e respirable

SUVA(CH) MAK value: 5 e mg/m³

NIOSH: [TWA] 5 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: none

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

55 mL Iron (R3)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	acetic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	4,8
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (K _{ow}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 8/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

r) Particle size: no data available

55 mL Iron (R1)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	0,7
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density ($\rho_{air=1}$):	no data available
r) Particle size:	no data available

55 mL Iron (R4)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	alcoholic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	24 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6,5
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density ($\rho_{air=1}$):	no data available
r) Particle size:	no data available

55 mL Iron (R2)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	penetrative
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	2,5
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density ($\rho_{air=1}$):	no data available
r) Particle size:	no data available

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002	NANOCOLOR ECO Iron	Page: 9/15
Printing date: 03.08.2026	Date of issue: 12.01.2023	Version: 6.2.2.10

9.2 Other information

9.2.1 Information on physical hazard classes

no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□ □

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

No further data available.

10.4 Conditions to avoid

Observe the storage temperature printed on it. No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

55 mL Iron (R3)

Chemical:	<i>ammonium acetate</i>	CAS No.: 631-61-8
TSCA Inventory:	listed	California Proposition 65 List: not listed
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	not listed	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-01629	
LD50 orl rat :	632 mg/kg	

Chemical: *acetic acid*

CAS No.: 64-19-7

TSCA Inventory:	listed	California Proposition 65 List: not listed
Exposure Routes:	inhalation, skin and/or eye contact	
Target Organs:	Eyes, skin, respiratory system, teeth	
Symptoms:	irritation eyes, skin, nose, throat; eye, skin burns; skin sensitization; dental erosion; black skin, hyperkeratosis; conjunctivitis, lacrimation (di	
Australia NICNAS:	not listed	Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR:	not listed, Japan PDSCL: not listed	
Japan ISHL:	listed ≥1,0%/≥1,0%, Article 57-2 (SDS required)	
South Korea TCCA:	not listed	
Korea Exist.Chem.Inventory:	KE-00013	
LD50 orl rat :	3310 mg/kg	
LD50 orl mus :	4960 mg/kg	

55 mL Iron (R1)



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 10/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

Chemical: *hydrochloric acid* CAS No.: 7647-01-0
TSCA Inventory: listed California Proposition 65 List: not listed
Exposure Routes: inhalation, ingestion (solution), skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation nose, throat, larynx; cough, choking; dermatitis; solution: eye, skin burns; liquid: frostbite; in animals: laryngeal spasm; pulmonary edema
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
Japan ISHL: listed $\geq 0,2\%/\geq 0,1\%$, Article 57-2 (SDS required)
South Korea TCCA: Accident Precaution Chemical Yes
Korea Exist.Chem.Inventory: KE-20189, >10% Toxic 97-1-203, Acc. Precaution Chem.
LD50 orl rat : 900 mg/kg

55 mL Iron (R4)

Chemical: *ethanol* CAS No.: 64-17-5
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1000 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough; liver damage; anemia; reproductive, teratogenic
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed $\geq 0,1\%/\geq 0,1\%$, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-13217
LD50 orl rat : 6200 mg/kg
LC_{Low} ihl gpg : 21,900 mg/L
LC_{Low} orl hmn : 1400 mg/kg
LC50 ihl mus : 123,4 mg/L/4H
LC50 ihl rat : 115,9-133,8 mg/L/4H
LD50 orl mus : 3450 mg/kg

TRGS 905 (DE): K5, M5, R_F C

55 mL Iron (R2)

Chemical: *sodium disulfite* CAS No.: 7681-57-4
TSCA Inventory: listed California Proposition 65 List: not listed
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, mucous membrane
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed $\geq 1,0\%/\geq 1,0\%$, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-12701
LD50 orl rat : 1540 mg/kg

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

55 mL Iron (R3)

Substance name: *ammonium acetate* CAS-Nr.: 631-61-8
Bio Toxicity: 1/4.5/4.8
LC50 fish/96h : 238 mg/L
Water hazard class (DE): 1 WGK No.: n.n.



MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 11/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

Storage class (VCI): 12-13

Substance name: *acetic acid*

CAS-Nr.: 64-19-7

PNEC (fresh water): 3.058 mg/L

PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected

LC50 fish/96h: [4d] 301-1000 mg/L

EC50 daphnia/48h: 301-1000 mg/L

IC50 scenedesmus quadricauda/72h: 301-1000 mg/L

Water hazard class (DE): 1 WGK No.: 0093

Storage class (VCI): 8 B

55 mL Iron (R1)

Substance name: *hydrochloric acid*

CAS-Nr.: 7647-01-0

PNEC (fresh water): 36 µg/L

PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected

LC50 fish/96h: 24.6 mg/L

EC50 daphnia/48h: 0.492 mg/L

EC50 pseudokirchneriella subcapitata/72h: 0.78 mg/L

Water hazard class (DE): 1 WGK No.: 0238

Storage class (VCI): 8 B

55 mL Iron (R4)

Substance name: *ethanol*

CAS-Nr.: 64-17-5

PNEC (fresh water): 0.96 mg/L

PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected

LC50 daphnia magna/48h: >100 mg/L

LC50 pimephales promelas/96h: 13400 - 15100 mg/L

LC50 leuciscus idus/96h: [48h] 8140 mg/L

LC50 fish/96h: 13 g/L

EC50 daphnia/48h: 9.3-14.2 g/L

IC50 scenedesmus quadricauda/72h: [7d] 5000 mg/L

EC10 pseudomonas putida/16h: [EC5] 6500 mg/L

Water hazard class (DE): 1 WGK No.: 0096

Storage class (VCI): 3

55 mL Iron (R2)

Substance name: *sodium disulfite*

CAS-Nr.: 7681-57-4

LC50 fish/96h: 150-220 mg/L

EC50 daphnia/48h: 89 mg/L

IC50 scenedesmus quadricauda/72h: 48 mg/L

Water hazard class (DE): 1 WGK No.: 1169

Storage class (VCI): 8 B

12.2 Persistence and degradability

12.3 Bioaccumulative potential

Substance name: *acetic acid*

CAS-Nr.: 64-19-7

Dispersion coefficient (K_{ow}): -0,17

55 mL Iron (R4)

Substance name: *ethanol*

CAS-Nr.: 64-17-5

Dispersion coefficient (K_{ow}): -0,31

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002	NANOCOLOR ECO Iron	Page: 12/15
Printing date: 03.08.2026	Date of issue: 12.01.2023	Version: 6.2.2.10

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9

14.4. Packing group: II

Road transport ADR

Classification code: M11 Tunnel restriction code: E
Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport IATA DGR

Limited Quantity: PAX: 960 max. quantity PAX: 10 KG
CAO: 960 max. quantity CAO: 10 KG

Maritime transport IMDG

EmS: F-A, S-P Staukategorie: A

Or use **Alternative declaration for transportation:**

14.1 - 14.4 Not necessary

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
TRGS 220, National aspects when preparing safety data sheets, Jan 2017
TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
TRGS 500, Protective measures, Mai 2008
TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015
Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)
Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016
MN leaflet/instructions for use, also at www.mn-net.com
If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

no data available



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 13/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 6.2.2.10 and 2.2.2.2 following changes were applied: -0 product data corrected - 8 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H Between versions 6.2.2.10 and 2.2.2.2 following changes were applied: -0 product data corrected - 8 substance data corrected
H226 Flammable liquid and vapour.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
EUH031 Contact with acids liberates toxic gas.

16.2.2 List of relevant P phrases

P280sh Wear protective gloves/eye protection.
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)

Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 828/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)

Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)

Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)

Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary

2014-04 adjustment according Regulation 487/2013/EU

2016-03 adjustment according Regulation 1221/2015/EU

2017-08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU

2017-11 adjustment according the ECHA registration dossier

2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 14/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

16.6 Legend / Abbreviations

acc:	according
ADR:	Convention concerning the International Carriage of Dangerous Goods by Road
Act:	acute
BAT:	biological workplace tolerance value
CAO:	Cargo Aircraft Only
Carc:	carcinogen
CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxygen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not specified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitoneal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	lethal concentration 50%
LD50:	lethal dose 50%
leuciscus idus:	fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchus mykiss:	fish, rainbow trout
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales promelas:	fish, fathead minnow
PNEC:	Predicted No Effect Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
scu:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 976002

NANOCOLOR ECO Iron

Page: 15/15

Printing date: 03.08.2026

Date of issue: 12.01.2023

Version: 6.2.2.10

TCCA: Toxic Chemicals Control Act (S. Korea)
 Tox: toxic
 TSCA: The Toxic Substances Control Act (US)
 TWA: time weighted average
 TRGS: technical regulations (DE)
 vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.