

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

Printing date: 03.08.2026

NANOCOLOR total Kjeldahl nitrogen TKN 16

Date of issue: 05.05.2026

Page: 1/21

Version: 4.11.4.27

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 985067
Product name NANOCOLOR total Kjeldahl nitrogen TKN 16

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

2 x 11 mL NO₃/N (R2) UFI: WE6U-A31D-7208-6G1H
1 x 20x 14 mg NANOFIX Compensation reagent UFI: CHKW-33PY-J20C-22X6
20 x 0,2 g TKN 16 RA UFI: 2KKW-M3DC-U20U-QEH8
4 x 11 mL TKN 16 (R1) UFI: 6NMU-83AH-D20G-21SF
20 x 4 mL TKN 16 RB UFI: 6NMU-83AH-D20G-21SF
20 x 4 mL TKN 16 RC

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11, 52355 Düren, Germany
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.

DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<https://www.mn-net.com/SDS>>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02 GHS05 GHS07 GHS08

Signal word

DANGER

Hazard identification

H226
H290
H302
H314
H317
H334
H336

Hazard classes/categories

Flam. Liq. 3
Met. Corr. 1
Acute Tox. 4 oral
Skin Corr. 1 B
Skin Sens. 1
Resp. Sens. 1
resp. irrit. STOT SE 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

11 mL TKN 16 (R1)



MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 2/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27



GHS07

Signal word

WARNING

Hazard identification

Hazard classes/categories

H315

Skin Irrit. 2

H319

Eye Irrit. 2

11 mL NO₃/N (R2)



GHS02



GHS07

Signal word

WARNING

Hazard identification

Hazard classes/categories

H226

Flam. Liq. 3

H319

Eye Irrit. 2

H336

resp. irrit. STOT SE 3

4 mL TKN 16 RB



GHS05



GHS07

Signal word

DANGER

Hazard identification

Hazard classes/categories

H290

Met. Corr. 1

H302

Acute Tox. 4 oral

H314

Skin Corr. 1 B

4 mL TKN 16 RC



GHS05



GHS07

Signal word

DANGER

Hazard identification

Hazard classes/categories

H290

Met. Corr. 1

H302

Acute Tox. 4 oral

H314

Skin Corr. 1 B

0,2 g TKN 16 RA

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 3/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27



GHS07



GHS08

Signal word

DANGER

Hazard identification

Hazard classes/categories

EUH208

Skin Sens. 1

H315

Skin Irrit. 2

H317

Skin Sens. 1

H319

Eye Irrit. 2

H334

Resp. Sens. 1

20x 14 mg NANOFIX Compensation reagent

Signal word

Do not need labelling as hazardous

-

No hazard class

List of H phrases: see section 16.2

2.2

Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensiblizing substances. Metal corrosive solutions **do not have to** be labelled with GHS symbol, signal word, H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2.1.3).

11 mL TKN 16 (R1)



GHS07

Signal word: WARNING

11 mL NO₃/N (R2)



GHS02



GHS07

Signal word: WARNING

4 mL TKN 16 RB



GHS05



GHS07

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 4/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

4 mL TKN 16 RC



GHS05



GHS07

Signal word: DANGER

H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.

0,2 g TKN 16 RA



GHS07



GHS08

Signal word: DANGER

H317, H334

May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P280sh, P284, P302+352, P333+313, P342+311, P362+364, P501

Avoid breathing dust/vapours. Wear protective gloves/eye protection. [In case of inadequate ventilation] wear respiratory protection. IF ON SKIN: Wash with plenty of water. If skin irritation or rash occurs: Get medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Take off contaminated clothing and wash it before reuse. Dispose of contents/container to regulated waste treatment.

20x 14 mg NANOFIX Compensation reagent

Do not need labelling as hazardous

Signal word: -

Label elements of the complete product



GHS02



GHS05



GHS08

Signal word: DANGER

H314, H317, H334

Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P260sh, P264, P280sh, P284, P303+361+353, P305+351+338, P310, P333+313, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. [In case of inadequate ventilation] wear respiratory protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. If skin irritation or rash occurs: Get medical advice/attention. Store locked up. Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. Flammable properties.

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, skin contact, impairments of health when ingested in small quantities. May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 5/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

Information pertaining to particular risks to the environment

Should not be released into the environment.

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

11 mL TKN 16 (R1)

Substance name: *sodium hydroxide solution*
CAS No.: 1310-73-2

Substance rating: H314, Skin Corr. 1 A
Formula: $\text{NaOH} \cdot \text{H}_2\text{O}$
Pseudonym (de): verdünnte Natronlauge
REACH Reg. No.: 01-2119457892-27-xxxx
EC No.: 215-185-5

Indice No.: 011-002-00-6

Specific concentration limit: Eye Irrit. 2; H319: 0,5 % $\leq$ C < 2 % - Skin Corr. 1A; H314: C $\geq$ 5 % - Skin Corr. 1B;
H314: 2 % $\leq$ C < 5 % - Skin Irrit. 2; H315: 0,5 % $\leq$ C < 2 %
Concentration: 0,5 - <1 %
acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

Substance name: *water*
CAS No.: 7732-18-5

Substance rating: No criteria for classification or naming of chemical not required.
Formula: H_2O
REACH Reg. No.: exempt, Annex IV
EC No.: 231-791-2
Concentration: 90 - <100 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

11 mL NO₃/N (R2)

Substance name: *2,6-dimethylphenol*
CAS No.: 576-26-1

Substance rating: H301, Acute Tox. 3 oral, H311, Acute Tox. 3 derm., H314, Skin Corr. 1 B, H411, Aquatic Chronic 2
Formula: $\text{C}_8\text{H}_{10}\text{O}$; $(\text{CH}_3)_2\text{-C}_6\text{H}_3\text{-OH}$
Pseudonym (de): 2,6-Xylenol
REACH Reg. No.: 01-2119552794-29-xxxx
EC No.: 209-400-1
Concentration: 0,1 - <1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Indice No.: 604-006-00-X

Substance name: *2-propanol*
CAS No.: 67-63-0

Substance rating: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, resp. irrit. STOT SE 3
Formula: $\text{C}_3\text{H}_8\text{O}$
Pseudonym (de): Isopropanol, IPA, Propan-2-ol
REACH Reg. No.: 01-2119457558-25-XXXX
EC No.: 200-661-7
Concentration: 35 - <50 %
acc. CLP (GHS): H226, Flam. Liq. 3, H319, Eye Irrit. 2, H336, resp. irrit. STOT SE 3

Indice No.: 603-117-00-0

4 mL TKN 16 RB



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067	NANOCOLOR total Kjeldahl nitrogen TKN 16	Page: 6/21
Printing date: 03.08.2026	Date of issue: 05.05.2026	Version: 4.11.4.27

Substance name: *o-phosphoric acid*
CAS No.: 7664-38-2

Substance rating: H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H314, Skin Corr. 1 B
Formula: $H_3PO_4 \cdot H_2O$
Pseudonym (de): Orthophosphorsäure, E338
REACH Reg. No.: 01-2119485924-24-xxxx
EC No.: 231-633-2
Concentration: 25 - <40 %
acc. CLP (GHS): H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H314, Skin Corr. 1 B

Indice No.: 015-011-00-6

Substance name: *sulfuric acid*
CAS No.: 7664-93-9

Substance rating: H314, Skin Corr. 1 B
Formula: $H_2SO_4 (\cdot H_2O)$
REACH Reg. No.: 01-2119458838-20-xxxx
EC No.: 231-639-5
Specific concentration limit: 51 - <65 %
Concentration: 51 - <65 %
acc. CLP (GHS): H314, Skin Corr. 1 B

Indice No.: 016-020-00-8

Eye Irrit. 2; H319: 5 % ≤ C < 15 % - Skin Irrit. 2; H315: 5 % ≤ C < 15 % - Skin Corr 1A; H314 c ≥ 15%

4 mL TKN 16 RC

Substance name: *o-phosphoric acid*
CAS No.: 7664-38-2

Substance rating: H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H314, Skin Corr. 1 B
Formula: $H_3PO_4 \cdot H_2O$
Pseudonym (de): Orthophosphorsäure, E338
REACH Reg. No.: 01-2119485924-24-xxxx
EC No.: 231-633-2
Concentration: 25 - <40 %
acc. CLP (GHS): H290, Met. Corr. 1, H302, Acute Tox. 4 oral, H314, Skin Corr. 1 B

Indice No.: 015-011-00-6

Substance name: *sulfuric acid*
CAS No.: 7664-93-9

Substance rating: H314, Skin Corr. 1 B
Formula: $H_2SO_4 (\cdot H_2O)$
REACH Reg. No.: 01-2119458838-20-xxxx
EC No.: 231-639-5
Specific concentration limit: 51 - <65 %
Concentration: 51 - <65 %
acc. CLP (GHS): H314, Skin Corr. 1 B

Indice No.: 016-020-00-8

Eye Irrit. 2; H319: 5 % ≤ C < 15 % - Skin Irrit. 2; H315: 5 % ≤ C < 15 % - Skin Corr 1A; H314 c ≥ 15%

0,2 g TKN 16 RA

Substance name: *potassium peroxydisulfate*
CAS No.: 7727-21-1

Substance rating: H272, Ox. Sol. 2, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2, H334, Resp. Sens. 1, H335, resp. irrit. STOT SE 3
Formula: $K_2O_8S_2$
Pseudonym (de): Kaliumpersulfat
REACH Reg. No.: 01-2119495676-19-xxxx
EC No.: 231-781-8
Concentration: 20 - <40 %
acc. CLP (GHS): H315, Skin Irrit. 2, H317, Skin Sens. 1, H319, Eye Irrit. 2, H334, Resp. Sens. 1, EUH208, Skin Sens. 1

Indice No.: 016-061-00-1

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 7/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

Substance name: *sodium sulfate*
CAS No.: 7757-82-6

Substance rating: No criteria for classification or naming of chemical not required.
Formula: Na_2SO_4
REACH Reg. No.: 01-2119519226-43-xxxx
EC No.: 231-820-9
Concentration: 50 - <80 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

20x 14 mg NANOFIX Compensation reagent

Substance name: *sodium sulfite*
CAS No.: 7757-83-7

Substance rating: No criteria for classification or naming of chemical not required.
Formula: Na_2SO_3 , E221
Pseudonym (de): E221, Schwefligsaures Natrium
REACH Reg. No.: 01-2119537420-49-xxxx
EC No.: 231-821-4
Concentration: 70 - <100 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.

4.2 Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Chronic effects: Repeated contact, even in small amounts, can lead to sensitization. Rapid penetration and destruction of the skin. Especially in the heated form. Causes severe skin burns and eye damage.

4.3 Indication of any immediate medical attention and special treatment needed

CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroids following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. Inform patient respectively further measures and the possibility of long-term damages. ---

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

Printing date: 03.08.2026

NANOCOLOR total Kjeldahl nitrogen TKN 16

Date of issue: 05.05.2026

Page: 8/21

Version: 4.11.4.27

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.

For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.

5.4 Additional information

Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

Should not be released into the environment.

PBT: not applicable

vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals.

Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

see information in section 5.4,7,8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas. Use a safety bottle when shaking test tubes.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3

Water hazard class (DE): 2

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

7.3 Specific end use(s)

Product for analytical use.

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 9/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

4 mL TKN 16 RB

Chemical: *o-phosphoric acid*

CAS No.: 7664-38-2

DNEL: 2.92 mg/m³
DNEL = Derived No-Effect Level (for workers)

EU value: [TWA] 1 / [STEL] 2 mg/m³

TRGS 900 (DE): [8h] 1 / [15min] 2 mg/m³
E/e respirable

Short-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 1 mg/m³

NIOSH: TWA 1 / ST 3 mg/m³

NIOSH STEL: 3 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 1 mg/m³

Chemical: *sulfuric acid*

CAS No.: 7664-93-9

DNEL: [inh] 50 µg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 2.5 µg/L
PNEC = Predicted No Effect Concentration

EU value: 0.1 e mg/m³

TRGS 900 (DE): 0.1 E mg/m³
E/e respirable

Short-term exposure factor: 1 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m³

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1 mg/m³

4 mL TKN 16 RC

Chemical: *o-phosphoric acid*

CAS No.: 7664-38-2

DNEL: 2.92 mg/m³
DNEL = Derived No-Effect Level (for workers)

EU value: [TWA] 1 / [STEL] 2 mg/m³

TRGS 900 (DE): [8h] 1 / [15min] 2 mg/m³
E/e respirable

Short-term exposure factor: 2 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 1 mg/m³

NIOSH: TWA 1 / ST 3 mg/m³

NIOSH STEL: 3 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: TWA 1 mg/m³

Chemical: *sulfuric acid*

CAS No.: 7664-93-9

DNEL: [inh] 50 µg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 2.5 µg/L
PNEC = Predicted No Effect Concentration

EU value: 0.1 e mg/m³

TRGS 900 (DE): 0.1 E mg/m³
E/e respirable

Short-term exposure factor: 1 (I), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 0,1 e mg/m³

NIOSH: NTP Report on Carcinogens (RoC) List Yes (Known to be a human carcinogen); [TWA] 1 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 1 mg/m³

20x 14 mg NANOFIX Compensation reagent

Chemical: *sodium sulfite*

CAS No.: 7757-83-7

DNEL: 298 inh mg/m³
DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE): -



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

Printing date: 03.08.2026

NANOCOLOR total Kjeldahl nitrogen TKN 16

Date of issue: 05.05.2026

Page: 10/21

Version: 4.11.4.27

E/e respirable

11 mL TKN 16 (R1)

Chemical: *water*

CAS No.: 7732-18-5

Chemical: *sodium hydroxide solution*

CAS No.: 1310-73-2

0,2 g TKN 16 RA

Chemical: *potassium peroxydisulfate*

CAS No.: 7727-21-1

DNEL: [derm] 18,2 mg/kg bw/day; [inh] 2.06 mg/m³

DNEL = Derived No-Effect Level (for workers)

TRGS 900 (DE):

-

E/e respirable

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: *sodium sulfate*

CAS No.: 7757-82-6

11 mL NO₃/N (R2)

Chemical: *2-propanol*

CAS No.: 67-63-0

DNEL: [inh] 500 mg/m³

DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 140.9 mg/L

PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 ppm / 500 mg/m³

E/e respirable

Short-term exposure factor: 2 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 200 ppm / 500 mg/m³

TRGS 903 (DE): [Aceton B/b, U/b] 25 mg/L

B blood, U urine, a no limitation, b end of exposition or shift

NIOSH: [TWA] 400 ppm / 980 mg/m³

NIOSH STEL: 500 ppm / 1225 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 400 ppm / 980 mg/m³

Chemical: *2,6-dimethylphenol*

CAS No.: 576-26-1

NIOSH: not listed ppm

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed ppm

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 11/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

4 mL TKN 16 RB

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	0-1
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (K_{ow}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,79 g/cm ³
q) Relative vapour density ($\rho_{air=1}$):	no data available
r) Particle size:	no data available

4 mL TKN 16 RC

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	0-1
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient (K_{ow}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1,79 g/cm ³
q) Relative vapour density ($\rho_{air=1}$):	no data available
r) Particle size:	no data available

20x 14 mg NANOFIX Compensation reagent

a) State of aggregation:	solid (lyophilized)
b) Colour:	white
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (K_{ow}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density ($\rho_{air=1}$):	no data available
r) Particle size:	no data available



MACHEREY-NAGEL GmbH & Co. KG
Valenciennr Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 12/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

11 mL TKN 16 (R1)

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	13
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1.01 g/cm ³
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

0,2 g TKN 16 RA

a) State of aggregation:	solid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

11 mL NO₃/N (R2)

a) State of aggregation:	liquid
b) Colour:	rose
c) Odor:	alcoholic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	18,5 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-8
l) Kinematic viscosity:	no data available
m) Solubility in water:	0-100 %
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	0,9 g/cm ³
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

Printing date: 03.08.2026

NANOCOLOR total Kjeldahl nitrogen TKN 16

Date of issue: 05.05.2026

Page: 13/21

Version: 4.11.4.27

9.2 Other information

9.2.1 Information on physical hazard classes

no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□□

Substances are highly corrosive.

SECTION 10: Stability and reactivity

10.1 Reactivity

Strong CORROSIVE, no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

10.4 Conditions to avoid

Persulfates decompose when heated by splitting off oxygen. Observe the storage temperature printed on it. No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

4 mL TKN 16 RB

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: irritation eyes, skin, upper respiratory system; eye, skin, burns; dermatitis
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed $\geq 1,0\%$ / $\geq 1,0\%$, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-27427
LD50 orl rat : 1530 mg/kg
LC50 ihl rbt : 1,689 mg/L
Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.
TRGS 905 (DE): R F C

Chemical: *sulfuric acid* CAS No.: 7664-93-9
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, teeth
Symptoms: irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;
dental erosion; eye, skin burns; dermatitis
Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
Japan ISHL: listed $\geq 1,0\%$ / $\geq 1,0\%$, Article 57-2 (SDS required)
South Korea TCCA: Accident Precaution Chemical Yes
Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.
LD50 orl rat : 2140 mg/kg
LC50 ihl mus : 0,85 mg/L/4H



MACHEREY-NAGEL GmbH & Co. KG
Valenciennr Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 14/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

TRGS 905 (DE): Kat 4

4 mL TKN 16 RC

Chemical: *o-phosphoric acid* CAS No.: 7664-38-2
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: irritation eyes, skin, upper respiratory system; eye, skin, burns; dermatitis
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed $\geq 1,0\%/\geq 1,0\%$, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-27427
 LD50 orl rat : 1530 mg/kg
 LC50 ihl rbt : 1,689 mg/L
 Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.
 TRGS 905 (DE): R F C

Chemical: *sulfuric acid* CAS No.: 7664-93-9
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, teeth
 Symptoms: irritation eyes, skin, nose, throat; pulmonary edema, bronchitis; emphysema; conjunctivitis; stomatis;
 dental erosion; eye, skin burns; dermatitis
 Australia NICNAS: not listed Canada CEPA 1999: DSL Yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: Deleterious Substance
 Japan ISHL: listed $\geq 1,0\%/\geq 1,0\%$, Article 57-2 (SDS required)
 South Korea TCCA: Accident Precaution Chemical Yes
 Korea Exist.Chem.Inventory: KE-32570, >10% Toxic 97-1-405, Acc. Precaution Chem.
 LD50 orl rat : 2140 mg/kg
 LC50 ihl mus : 0,85 mg/L/4H

TRGS 905 (DE): Kat 4

20x 14 mg NANOFIX Compensation reagent

Chemical: *sodium sulfite* CAS No.: 7757-83-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-31612
 LD50 orl rat : 2610 mg/kg
 LC50 ihl rat : > 5,5 mg/L/4H

11 mL TKN 16 (R1)

Chemical: *water* CAS No.: 7732-18-5
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-35400
 LD50 orl rat : > 90000 mg/kg

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
 TSCA Inventory: listed California Proposition 65 List: not listed
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: -
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed $\geq 1,0\%/\geq 1,0\%$ SDS required
 Korea Exist.Chem.Inventory: KE-31487
 LD50 orl rat : [$< 1\%$] > 50000 mg/kg
 LD50 orl mus : [$< 1\%$] > 4000 mg/kg

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

Printing date: 03.08.2026

NANOCOLOR total Kjeldahl nitrogen TKN 16

Date of issue: 05.05.2026

Page: 15/21

Version: 4.11.4.27

0,2 g TKN 16 RA

Chemical: *potassium peroxydisulfate*

CAS No.: 7727-21-1

TSCA Inventory: listed

California Proposition 65 List: not listed

Australia NICNAS: Yes (PEC/18)

Canada CEPA 1999: DSI Yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed $\geq 1,0\%/\geq 0,1\%$, Article 57-2 (SDS required)

South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-12177

LD50 orl rat: 802 mg/kg

Acute Effects: Cause after skin contact, impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

TRGS 907 (DE): Sah

Chemical: *sodium sulfate*

CAS No.: 7757-82-6

TSCA Inventory: listed

Korea Exist.Chem.Inventory: KE-31609

LD50 orl rat: > 2000 mg/kg

11 mL NO₃/N (R2)

Chemical: *2-propanol*

CAS No.: 67-63-0

TSCA Inventory: listed

California Proposition 65 List: not listed

ACGIH: 1230 ppm

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

Symptoms: irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis

Australia NICNAS: Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PAC yes, Japan PDSCL: -

Japan ISHL: listed $\geq 1,0\%/\geq 0,1\%$, Article 57-2 (SDS required)

South Korea TCCA:

Korea Exist.Chem.Inventory: KE-29363

LD50 orl rat: 5045 mg/kg

LC₅₀ orl hmn: 3570 mg/kg

LC50 ihl rat: 25 mg/L/4H

TRGS 905 (DE): R F C

Chemical: *2,6-dimethylphenol*

CAS No.: 576-26-1

TSCA Inventory: listed

California Proposition 65 List: not listed

Target Organs: Leber, Niere

Australia NICNAS: not listed

Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PRTR - Class I Designated Chemical Substance Yes, Japan PDSCL: not listed

Japan ISHL: not listed

South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-35435, >5% Toxic 97-1-274

LD50 orl rat: 296 mg/kg

LC₅₀ ihl rbt: 0,500 mg/L

LD50 orl mus: 450 mg/kg

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

4 mL TKN 16 RB

Substance name: *o-phosphoric acid*

CAS-Nr.: 7664-38-2

Do not release into the environment.

LC50 fish/96h: 3-3.5 mg/L

Water hazard class (DE): 1 WGK No.: 0392



MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 16/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

Storage class (VCI): 8 B

Substance name: *sulfuric acid* CAS-Nr.: 7664-93-9

Do not release into the environment.

PNEC (fresh water): 2.5 µg/L

PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected

LC50 fish/96h: [NOEC, 65d] 25 µg/L

EC50 daphnia/48h: 100 mg/L

EC10 pseudomonas putida/16h: [72h] 100 mg/L

Water hazard class (DE): 1 WGK No.: 0182

Storage class (VCI): 8 B

4 mL TKN 16 RC

Substance name: *o-phosphoric acid* CAS-Nr.: 7664-38-2

Do not release into the environment.

LC50 fish/96h: 3-3.5 mg/L

Water hazard class (DE): 1 WGK No.: 0392

Storage class (VCI): 8 B

Substance name: *sulfuric acid* CAS-Nr.: 7664-93-9

Do not release into the environment.

PNEC (fresh water): 2.5 µg/L

PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected

LC50 fish/96h: [NOEC, 65d] 25 µg/L

EC50 daphnia/48h: 100 mg/L

EC10 pseudomonas putida/16h: [72h] 100 mg/L

Water hazard class (DE): 1 WGK No.: 0182

Storage class (VCI): 8 B

20x 14 mg NANOFIX Compensation reagent

Substance name: *sodium sulfite* CAS-Nr.: 7757-83-7

LC50 fish/96h: 315 96h mg/L

EC10 pseudomonas putida/16h: 260 17h mg/L

Water hazard class (DE): 1 WGK No.: 0282

Storage class (VCI): 12-13

11 mL TKN 16 (R1)

Substance name: *water* CAS-Nr.: 7732-18-5

Substance name: *sodium hydroxide solution* CAS-Nr.: 1310-73-2

LC50 leuciscus idus/96h: 35-189 mg/L

LC50 fish/96h: 45.4 mg/L

EC50 daphnia/48h: >100 mg/L

Water hazard class (DE): nwg WGK No.: 0142

Storage class (VCI): 12-13

0,2 g TKN 16 RA

Substance name: *potassium peroxydisulfate* CAS-Nr.: 7727-21-1

Water hazard class (DE): 1 WGK No.: 1350

Storage class (VCI): 5.1 B

Substance name: *sodium sulfate* CAS-Nr.: 7757-82-6

LC50 fish/96h: 13,5 95h, leptomis macrochirus g/L

EC50 daphnia/48h: 4547 100h mg/L

Water hazard class (DE): 1 WGK No.: 0286

Storage class (VCI): 12-13

11 mL NO₃/N (R2)

Substance name: *2-propanol* CAS-Nr.: 67-63-0

PNEC (fresh water): 140.9 mg/L

PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected

LC50 fish/96h: 1400 mg/L

EC50 daphnia/48h: 13.3 g/L

IC50 scenedesmus quadricauda/72h: >1000 mg/L

EC10 pseudomonas putida/16h: EC5: 1050 mg/L

Water hazard class (DE): 1 WGK No.: 0135



MACHEREY-NAGEL GmbH & Co. KG
Valencienn Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 17/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

Storage class (VCI): 3

Substance name: 2,6-dimethylphenol

CAS-Nr.: 576-26-1

LC50 pimephales promelas/96h : 22-27 mg/L

EC50 daphnia/48h : 11.2 mg/L

Water hazard class (DE): 2 WGK No.: 1689

Storage class (VCI): 6.1 C

12.2 Persistence and degradability

12.3 Bioaccumulative potential

20x 14 mg NANOFIX Compensation reagent

Substance name: sodium sulfite

CAS-Nr.: 7757-83-7

Dispersion coefficient (K_{ow}): -4

11 mL NO₃/N (R2)

Substance name: 2-propanol

CAS-Nr.: 67-63-0

Dispersion coefficient (K_{ow}): 0,05

Substance name: 2,6-dimethylphenol

CAS-Nr.: 576-26-1

Dispersion coefficient (K_{ow}): 2,36

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Not necessary, see above.

SECTION 14: Transport information

14.1. UN number: 3316

14.2. UN proper shipping name: Chemical Kit

14.3. Class: 9

14.4. Packing group: II

Road transport ADR

Classification code: M11 Tunnel restriction code: E

Limited Quantity: acc. ADR 3.3.1/251: see LQ in Alternative declaration for transportation

Air transport IATA DGR

Limited Quantity: PAX: 960 max. quantity PAX: 10 KG
CAO: 960 max. quantity CAO: 10 KG

Maritime transport IMDG

EmS: F-A, S-P Staukategorie: A

Or use **Alternative declaration for transportation:**

UN No.: (see below) UN 1993 class 3 II, class 8 II, **Excepted Quantities** (≤30 mL/Σ≤500 mL) = ADR/ IATA E2

or

14.1 UN number: 3264

14.2 UN proper shipping name: Corrosive liquid, acidic, inorganic, n.o.s. (o-phosphoric acid, sulfuric acid solution)

14.3 Class: 8

14.4 Packing group: II



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067	NANOCOLOR total Kjeldahl nitrogen TKN 16	Page: 18/21
Printing date: 03.08.2026	Date of issue: 05.05.2026	Version: 4.11.4.27

Road transport ADR

Classification code:	C1	
Limited Quantity:	1 L	Tunnel restriction code: E
Excepted Quantity:	E 2	

Air transport IATA DGR

Limited Quantity:	PAX: 851	max. quantity PAX: 1 L
	CAO: 855	max. quantity CAO: 30 L
Excepted Quantity:	E 2	

Maritime transport IMDG

EmS:	F-A, S-B	Staukategorie: B
Special instructions:	274	

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
TRGS 220, National aspects when preparing safety data sheets, Jan 2017
TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011
BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
TRGS 500, Protective measures, Mai 2008
TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015
Chapter 4, Measures when storing hazardous substances up to 50 kg (small quantity regulation)
Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016
MN leaflet/instructions for use, also at www.mn-net.com
If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

no data available

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 4.11.4.27 and 2.2.2.2 following changes were applied: -0 product data corrected - 9 product component data corrected - 2 composition data corrected - 25 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H	Between versions 4.11.4.27 and 2.2.2.2 following changes were applied: -0 product data corrected - 9 product component data corrected - 2 composition data corrected - 25 substance data corrected
H226	Flammable liquid and vapour.
H290	May be corrosive to metals.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H315	Causes skin irritation.
H317	May cause an allergic skin reaction.
H319	Causes serious eye irritation.
H334	May cause allergy or asthma symptoms or breathing difficulties if inhaled.



MACHEREY-NAGEL GmbH & Co. KG
Valenciennr Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 19/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

H336 May cause drowsiness or dizziness.
EUH208 Contains (...). May produce an allergic reaction.

16.2.2 List of relevant P phrases

P260sh Do not breathe dust/vapours.
P264 Wash hands thoroughly after handling.
P280sh Wear protective gloves/eye protection.
P284 [In case of inadequate ventilation] wear respiratory protection.
P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310 Immediately call a POISON CENTER/doctor.
P333+313 If skin irritation or rash occurs: Get medical advice/attention.
P405 Store locked up.
P501 Dispose of contents/container to regulated waste treatment.

16.3 Recommended restriction on use

Only for professional user.
Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021
Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
SUVA .CH, limit values in the air at work 2009, revised on 01/2009
Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)
Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)
Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
2014-04 adjustment according Regulation 487/2013/EU
2016-03 adjustment according Regulation 1221/2015/EU

2017-11 adjustment according the ECHA registration dossier
2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc: according
ADR: Convention concerning the International Carriage of Dangerous Goods by Road
Act: acute
BAT: biological workplace tolerance value
CAO: Cargo Aircraft Only
Carc: carcinogen



MACHEREY-NAGEL GmbH & Co. KG
Valencienn Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067	NANOCOLOR total Kjeldahl nitrogen TKN 16	Page: 20/21
Printing date: 03.08.2026	Date of issue: 05.05.2026	Version: 4.11.4.27

CAS:	Chemical Abstracts Service
CLP:	Classification, Labelling and Packaging regulation
CMR:	carcinogen, mutagen, reproduction toxic
Corr:	corrosive
COD:	chemical oxygen demand
CSCL:	Chemical Substance Control Law (Jp)
Dam:	damage
DNEL:	Derived No-Effect Level (for workers)
derm:	dermal
dog:	dog
EC10:	Concentration causing a toxic effect in 10% of the test organisms
EC:	European Community
EC-Nr:	Substance number of the EC substance inventory
EmS:	Guide to accident management measures on ships
EU:	European Union
fish:	fish (not spezified)
GHS:	Global Harmonized System of Classification and Labeling of Chemicals
gpg:	guinea pig
ICAO:	International Civil Aviation Organization
ihl:	inhaled
IMDG:	International Maritime Dangerous Goods Code
intrav:	intravenous
ipt:	intraperitoneal
ISHL:	Industrial Safety and Health Law (Jp)
LC50:	letale concentration 50%
LD50:	letale dosis 50%
leuciscus idus:	fisch, ide, orfe
MAK:	maximum workplace concentration
Met:	Metall
mus:	mouse
Muta:	mutagen
NIOSH:	National Institute for Occupational Safety and Health (US)
NRD:	Non-rapidly degradable
onchorhynchus mykiss:	fisch, rainbow trout
orl:	oral
OSHA:	Occupational Safety and Health Administration
PAX:	transport on passenger planes allowed
PBT:	persistent, bioaccumulating, toxic substance
pH:	pH value
pimephales promelas:	fish, fathead minnow
PNEC:	Predicted No Effect Concentration
PROC 15:	Process category 'for laboratory use'
PRTR:	Law for PRTR and Promotion of Chemical Management (Jp)
PVC:	polyvinyl chloride
quail:	bird, quail
rat:	rat
rbt:	rabbit
RD:	rapidly degradable
RE:	repeated
REACH:	Registration, Evaluation, Authorisation and Restriction of Chemicals
REF:	item number, reference number
Reg.No.:	rRegistration number
Repr:	harmful to reproduction
Resp:	respiratory
RIP:	REACH Implementations Projects
scu:	sub cutan
SDS:	safety data sheet
Sens:	sensitisation
STEL:	short term exposure limit
STOT:	Specific Target Organ Toxicity
SVHC:	Substance of Very High Concern
t/a:	tons per year
TCCA:	Toxic Chemicals Control Act (S. Korea)
Tox:	toxic
TSCA:	The Toxic Substances Control Act (US)
TWA:	time weighted average
TRGS:	technical regulations (DE)
vPvB:	very persistent, very bioaccumulating substance



MACHEREY-NAGEL GmbH & Co. KG
Valenciennr Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 985067

NANOCOLOR total Kjeldahl nitrogen TKN 16

Page: 21/21

Printing date: 03.08.2026

Date of issue: 05.05.2026

Version: 4.11.4.27

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com