

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201  
Printing date: 23.04.2025

Silyl-2110, 20x1 mL  
Date of issue: 13.04.2023

Page: 1/11  
Version: 2.2.3.2

## SECTION 1: Identification of the substance/mixture and of the company

### 1.1 Product identifier

REF 701480.201  
Product name Silyl-2110, 20x1 mL

REACH Registration number(s): see SECTION 3.1/3.2 or  
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.  
20 x 1 mL SILYL 2110 UFI: K2XU-X386-220W-TKVJ

### 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0  
The exposure scenario is integrated into sections 1-16.

#### Uses advised against

not described

### 1.3 Details of the supplier of the safety data sheet

Manufactured by:  
MACHEREY-NAGEL GmbH & Co. KG  
Valenciennner Str. 11, 52355 Düren, Germany  
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

### 1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.  
DE: Gemeinsames Giftinformationszentrum (GGIZ)  
99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

## SECTION 2: Hazard identification

### 2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02 GHS05 GHS07

Signal word

DANGER

#### Hazard identification

#### Hazard classes/categories

H225	Flam. Liq. 2
H302	Acute Tox. 4 oral
H312	Acute Tox. 4 derm.
H314	Skin Corr. 1 B
H332	Acute Tox. 4 inh.

### 2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

1 mL SILYL 2110



GHS02 GHS05 GHS07

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201

Silyl-2110, 20x1 mL

Page: 2/11

Printing date: 23.04.2025

Date of issue: 13.04.2023

Version: 2.2.3.2

Signal word	DANGER
Hazard identification	Hazard classes/categories
H225	Flam. Liq. 2
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H312	Acute Tox. 4 derm.
H314	Skin Corr. 1 B
H332	Acute Tox. 4 inh.

List of H phrases: see section 16.2

## 2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Inner packages up to 10 mL need max. 2 symbols (Annex I - 1.5.2.4.1 / 2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

1 mL SILYL 2110



Signal word: DANGER  
H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.

## Label elements of the complete product



Signal word: DANGER  
H314

Causes severe skin burns and eye damage.

P260sh, P264, P280sh, P303+361+353, P305+351+338, P310, P405, P501

Do not breathe dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store locked up. Dispose of contents/container to regulated waste treatment.

## 2.3 Other hazards

### Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. Flammable properties.

### Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.

Cause after oral intake, inhalation of vapours/dust, impairments of health when ingested in small quantities.

### Information pertaining to particular risks to the environment

Should not be released into the environment.

PBT: not applicable

vPvB: not applicable

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201  
Printing date: 23.04.2025

Silyl-2110, 20x1 mL  
Date of issue: 13.04.2023

Page: 3/11  
Version: 2.2.3.2

**Possible endocrine disrupting effects**  
no data available

**Other hazards**  
Contains an odor intensive reagent.

## SECTION 3: Composition / information on ingredients

### 3.1 Substances or 3.2 Mixtures

#### 1 mL SILYL 2110

Substance name: *pyridine*  
CAS No.: 110-86-1  
Substance rating: H225, Flam. Liq. 2, H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H332, Acute Tox. 4 inh.  
Formula:  $C_5H_5N$   
Pseudonym (de): Azin, Azabenzol  
REACH Reg. No.: 01-2119493105-40-xxxx  
EC No.: 203-809-9  
Concentration: 75 - <90 %  
acc. CLP (GHS): H225, Flam. Liq. 2, H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H332, Acute Tox. 4 inh.

Indice No.: 613-002-00-7

Substance name: *trimethylchlorosilane (TMCS), chlorotrimethylsilane*  
CAS No.: 75-77-4

Substance rating: H225, Flam. Liq. 2, H301, Acute Tox. 3 oral, H312, Acute Tox. 4 derm., H314, Skin Corr. 1 B, H331, Acute Tox. 3 inh.  
Formula:  $C_3H_9ClSi$   
Pseudonym (de): Chlortrimethylsilan  
REACH Reg. No.: 01-2119457596-25-xxxx  
EC No.: 200-900-5  
Concentration: 5 - <10 %  
acc. CLP (GHS): H226, Flam. Liq. 3, H314, Skin Corr. 1 B

Substance name: *hexamethyldisilazane (HMDS)*  
CAS No.: 999-97-3

Substance rating: H225, Flam. Liq. 2, H302, Acute Tox. 4 oral, H311, Acute Tox. 3 derm., H314, Skin Corr. 1 B, H332, Acute Tox. 4 inh., H412, Aquatic Chronic 3  
Formula:  $C_6H_{19}NSi_2$   
Pseudonym (de): Bis-(trimethylsilyl)-amin, 1,1,1,3,3,3-Hexamethyldisilazan  
REACH Reg. No.: 01-2119438176-38-xxxx  
EC No.: 213-668-5  
Concentration: 10 - <15 %  
acc. CLP (GHS): H225, Flam. Liq. 2, H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H314, Skin Corr. 1 B, H332, Acute Tox. 4 inh.

### 3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

## SECTION 4: First aid measures

### 4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.

#### 4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201  
Printing date: 23.04.2025

Silyl-2110, 20x1 mL  
Date of issue: 13.04.2023

Page: 4/11  
Version: 2.2.3.2

- 4.1.2 After EYE Contact**  
After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.
- 4.1.3 After INHALATION of vapours**  
After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---
- 4.1.4 After ORAL Intake**  
After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.
- 4.2 Most important symptoms and effects, both acute and delayed**  
Rapid penetration and destruction of the skin. Especially in the heated form.  
Causes severe skin burns and eye damage.
- 4.3 Indication of any immediate medical attention and special treatment needed**  
CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. ---

## SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
- 5.1.1 Suitable extinguishing media**  
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
- 5.1.2 Unsuitable extinguishing media**  
no data available
- 5.2 Special hazards arising from the substance or mixture**  
DANGER: Highly flammable (GHS regulation). Forms explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.
- 5.3 Advice for firefighters**  
No, for listed product. Product package burns like paper or plastic. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.  
For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.
- 5.4 Additional information**  
Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

## SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**  
Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.
- 6.2 Environmental precautions**  
Should not be released into the environment.  
**PBT:** not applicable  
**vPvB:** not applicable
- 6.3 Methods and material for containment and cleaning up**  
Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.
- 6.4 Reference to other sections**  
see information in section 5.4, 7.8 and 13

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201  
Printing date: 23.04.2025

Silyl-2110, 20x1 mL  
Date of issue: 13.04.2023

Page: 5/11  
Version: 2.2.3.2

## SECTION 7: Handling and storage

### 7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

### 7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3

Water hazard class (DE): 2

### 7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.

### 7.3 Specific end use(s)

Product for analytical use.

## SECTION 8: Exposure controls /personal protection

### 8.1 Control parameters

#### 1 mL SILYL 2110

Chemical: *pyridine*

CAS No.: 110-86-1

PNEC (fresh water): 300 µg/L  
PNEC = Predicted No Effect Concentration

EU value: [TWA] 5 ppm / 15 mg/m<sup>3</sup>

TRGS 900 (DE): [8h] 5 ppm / 15 mg/m<sup>3</sup>  
E/e respirable

Short-term exposure factor: 2 (II)  
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 5 ppm / 15 mg/m<sup>3</sup>

NIOSH: [TWA] 5 ppm / 15 mg/m<sup>3</sup>  
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 5 ppm / 15 mg/m<sup>3</sup>

Chemical: *trimethylchlorosilane (TMCS), chlorotrimethylsilane*

CAS No.: 75-77-4

DNEL: [inh] 89 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 250 µg/L  
PNEC = Predicted No Effect Concentration

Chemical: *hexamethyldisilazane (HMDS)*

CAS No.: 999-97-3

DNEL: 53 mg/m<sup>3</sup>  
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): - mg/L  
PNEC = Predicted No Effect Concentration

### 8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

#### 8.2.1 Respiratory protection

No additional recommendations.

#### 8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC (f.ex. from Ansell or KCL). Use for short times chemical resistant latex or nitril gloves with code EN 374-3 level 1.

#### 8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.

#### 8.2.4 Skin protection

Recommended to avoid clothing damage, and to avoid contamination with these hazards.

#### 8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201  
Printing date: 23.04.2025

Silyl-2110, 20x1 mL  
Date of issue: 13.04.2023

Page: 6/11  
Version: 2.2.3.2

**8.2.6 Thermal hazards**  
no data available

**8.3 Limitation and monitoring of environmental exposure**  
Do not release product into environment.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

**1 mL SILYL 2110**

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	like pyridine
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	15 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	no data available
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (K <sub>ow</sub> ):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

### 9.2 Other information

**9.2.1 Information on physical hazard classes**  
no data available

**9.2.2 Other safety-related parameters**  
No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.  
☐ ☐  
Substances are highly volatile and form flammable gas-air mixtures. Substances are highly corrosive.

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Strong CORROSIVE, . Reacts with water (sometimes violent) and diverse organic compounds. no further data available.

### 10.2 Chemical stability

no known instability.

### 10.3 Possibility of hazardous reactions

Can react violently with organic material. No further data available.

### 10.4 Conditions to avoid

No more required.

### 10.5 Incompatible materials

no additional data available

### 10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201  
Printing date: 23.04.2025

Silyl-2110, 20x1 mL  
Date of issue: 13.04.2023

Page: 7/11  
Version: 2.2.3.2

## SECTION 11: Toxicological information

### 11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

#### 1 mL SILYL 2110

Chemical: *pyridine* CAS No.: 110-86-1  
TSCA Inventory: listed California Proposition 65 List: listed cancer  
Exposure Routes: inhalation, skin absorption, ingestion, skin and/or eye contact  
Target Organs: Eyes, skin, central nervous system, liver, kidneys, gastrointestinal tract,  
Symptoms: irritation eyes; headache, anxiety, dizziness, insomnia; nausea, anorexia; dermatitis; liver, kidney  
damage  
Japan CSCL/PRTR: PRTR: ≥1,0% class I  
Japan ISHL: listed ≥1,0%/≥0,1%,  
Korea Exist.Chem.Inventory: KE-29929  
LD50 orl rat : 800-1600 mg/kg  
LC<sub>50</sub> ihl rat : 4900 ppm/4H  
LC<sub>50</sub> orl gpg : 4000 mg/kg  
LC<sub>50</sub> orl hmn : 500 mg/kg  
LC50 ihl rat : 15,852 mg/L/4H  
Acute Effects: Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities.  
TRGS 905 (DE): [DFG] carc. 3B

Chemical: *trimethylchlorosilane (TMCS), chlorotrimethylsilane* CAS No.: 75-77-4  
TSCA Inventory: listed  
Target Organs:  
Korea Exist.Chem.Inventory: KE-05939  
LD50 orl rat : 250-6630 mg/kg  
LC50 ihl rat : 4257 ppm/1H

EU carcinogen: carc. 2

Chemical: *hexamethyldisilazane (HMDS)* CAS No.: 999-97-3  
TSCA Inventory: listed  
LD50 orl rat : 850 mg/kg  
LC50 ihl rat : 8,7 mg/L/4H  
Acute Effects: Cause after oral intake, inhalation of vapours/dust, skin contact, impairments of health when ingested in small quantities.

### 11.2 Other hazards

#### Possible endocrine disrupting effects

no data available

#### Other information

no additional data available

## SECTION 12: Ecological information

### 12.1 Toxicity

Following information is valid for pure substances.

#### 1 mL SILYL 2110

Substance name: *pyridine* CAS-Nr.: 110-86-1  
PNEC (fresh water): 300 µg/L  
PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected  
LC50 fish/96h : [EC50 4h] 560-1000 mg/L  
EC50 daphnia/48h : 320 mg/L  
IC50 scenedesmus quadricauda/72h : IC50/7d: 120 mg/L  
EC10 pseudomonas putida/16h : [EC50 72h] 320 mg/L mg/L  
Water hazard class (DE): 2 WGK No.: 0179  
Storage class (VCI): 3

Substance name: *trimethylchlorosilane (TMCS), chlorotrimethylsilane* CAS-Nr.: 75-77-4  
Do not release into the environment.  
PNEC (fresh water): 250 µg/L  
PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected  
LC50 fish/96h : [LD50 24h] 949 mg/L



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201  
Printing date: 23.04.2025

Silyl-2110, 20x1 mL  
Date of issue: 13.04.2023

Page: 8/11  
Version: 2.2.3.2

EC50 daphnia/48h : 124 mg/L  
EC10 pseudomonas putida/16h : [72h] 555-1053 mg/L  
Water hazard class (DE): 1 WGK No.: 0557  
Storage class (VCI): 3

Substance name: *hexamethyldisilazane (HMDS)* CAS-Nr.: 999-97-3  
Do not release into the environment.  
PNEC (fresh water) : - mg/L  
PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected  
LC50 fish/96h : [EC50 24h] 949 mg/L  
EC50 daphnia/48h : 80-124 mg/L  
IC50 scenedesmus quadricauda/72h : [4d] 625-1053 mg/L  
Water hazard class (DE): 1 WGK No.: VwVwS  
Storage class (VCI): 3

## 12.2 Persistence and degradability

## 12.3 Bioaccumulative potential

1 mL SLYL 2110  
Substance name: *pyridine* CAS-Nr.: 110-86-1  
Dispersion coefficient (K<sub>ow</sub>): 0,64  
Substance name: *trimethylchlorosilane (TMCS), chlorotrimethylsilane* CAS-Nr.: 76-67-4  
Dispersion coefficient (K<sub>ow</sub>): 1,19

## 12.4 Mobility in soil

## 12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

## 12.6 Endocrine disrupting properties

no data available

## 12.7 Other adverse effects

no additional data available

## SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

## 13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.

## SECTION 14: Transport information

14.1 - 14.4: No dangerous goods according the transport regulations because

for amounts until 5 pc. à 20x 1 mL per fibre box  
De Minimis (excepted quantities: ≤1 mL/Σ≤100 mL) = ADR 3.5.1.4  
De Minimis (excepted quantities: ≤1 mL/Σ≤100 mL) = IATA DRG 2.6.10

## 14.5 Environmental hazards

none, contains only small quantities of hazardous substances

## 14.6 Special precautions for user

not necessary

## 14.7 Carriage in bulk by sea in accordance with IMO instruments



MACHEREY-NAGEL GmbH & Co. KG  
Valencienner Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)



# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201  
Printing date: 23.04.2025

Silyl-2110, 20x1 mL  
Date of issue: 13.04.2023

Page: 9/11  
Version: 2.2.3.2

Not applicable.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020  
Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017  
TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017  
TRGS 220, National aspects when preparing safety data sheets, Jan 2017  
TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017  
TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011  
BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012  
TRGS 500, Protective measures, Mai 2008  
TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015  
Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016  
MN leaflet/instructions for use, also at [www.mn-net.com](http://www.mn-net.com)  
If necessary, observe other country-specific regulations.

### 15.2 Chemical safety assessment

no data available

## SECTION 16: Other information

### 16.1 Changes compared to the last version

Between versions 2.2.3.2 and 2.2.2.2 following changes were applied: - 1 composition data corrected

### 16.2 List of H and P phrases

#### 16.2.1 List of relevant H phrases

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H302	Harmful if swallowed.
H312	Harmful in contact with skin.
H314	Causes severe skin burns and eye damage.
H332	Harmful if inhaled.

#### 16.2.2 List of relevant P phrases

P260sh	Do not breathe dust/vapours.
P264	Wash hands thoroughly after handling.
P280sh	Wear protective gloves/eye protection.
P303+361+353	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P305+351+338	IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P310	Immediately call a POISON CENTER/doctor.
P405	Store locked up.
P501	Dispose of contents/container to regulated waste treatment.

### 16.3 Recommended restriction on use

Only for professional user.  
Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!  
Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!  
An individual package of this product or test kit has a moderate hazardous potential.

### 16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021  
Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres  
SUVA .CH, limit values in the air at work 2009, revised on 01/2009  
Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)  
Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG  
Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)  
Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)  
Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)  
  
Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)  
Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)  
Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)  
TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019



MACHEREY-NAGEL GmbH & Co. KG  
Valenciennr Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201  
Printing date: 23.04.2025

Silyl-2110, 20x1 mL  
Date of issue: 13.04.2023

Page: 10/11  
Version: 2.2.3.2

Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)  
Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EC  
Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)  
Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)  
Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)  
Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

## revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary  
2014-04 adjustment according Regulation 487/2013/EU  
2016-03 adjustment according Regulation 1221/2015/EU  
2017-11 adjustment according the ECHA registration dossier  
2022-11 adjustment according Regulation 878/2020/EU

## 16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.  
MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

## 16.6 Legend / Abbreviations

acc: according  
ADR: Convention concerning the International Carriage of Dangerous Goods by Road  
Act: acute  
BAT: biological workplace tolerance value  
CAO: Cargo Aircraft Only  
Carc: carcinogen  
CAS: Chemical Abstracts Service  
CLP: Classification, Labelling and Packaging regulation  
CMR: carcinogen, mutagen, reproduction toxic  
Corr: corrosive  
COD: chemical oxygen demand  
CSCL: Chemical Substance Control Law (Jp)  
Dam: damage  
DNEL: Derived No-Effect Level (for workers)  
derm: dermal  
dog: dog  
EC10: Concentration causing a toxic effect in 10% of the test organisms  
EC: European Community  
EC-Nr: Substance number of the EC substance inventory  
EmS: Guide to accident management measures on ships  
EU: European Union  
fish: fish (not specified)  
GHS: Global Harmonized System of Classification and Labeling of Chemicals  
gpg: guinea pig  
ICAO: International Civil Aviation Organization  
ihl: inhaled  
IMDG: International Maritime Dangerous Goods Code  
intrav: intravenous  
ipt: intraperitoneal  
ISHL: Industrial Safety and Health Law (Jp)  
LC50: letale concentration 50%  
LD50: letale dosis 50%  
leuciscus idus: fisch, ide, orfe  
MAK: maximum workplace concentration  
Met: Metall  
mus: mouse  
Muta: mutagen  
NIOSH: National Institute for Occupational Safety and Health (US)  
NRD: Non-rapidly degradable  
onchorhynchus mykiss: fisch, rainbow trout  
orl: oral  
OSHA: Occupational Safety and Health Administration



MACHEREY-NAGEL GmbH & Co. KG  
Valencienn Str. 11  
52355 Düren · Germany  
[www.mn-net.com](http://www.mn-net.com)

DE Tel.: +49 24 21 969-0 [info@mn-net.com](mailto:info@mn-net.com)  
CH Tel.: +41 62 388 55 00 [sales-ch@mn-net.com](mailto:sales-ch@mn-net.com)  
FR Tel.: +33 388 68 22 68 [sales-fr@mn-net.com](mailto:sales-fr@mn-net.com)  
US Tel.: +1 888 321 62 24 [sales-us@mn-net.com](mailto:sales-us@mn-net.com)

# Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 701480.201  
Printing date: 23.04.2025

Silyl-2110, 20x1 mL  
Date of issue: 13.04.2023

Page: 11/11  
Version: 2.2.3.2

PAX: transport on passenger planes allowed  
PBT: persistent, bioaccumulating, toxic substance  
pH: pH value  
pimephales promelas: fish, fathead minnow  
PNEC: Predicted No Effect Concentration  
PROC 15: Process category 'for laboratory use'  
PRTR: Law for PRTR and Promotion of Chemical Management (Jp)  
PVC: polyvinyl chloride  
quail: bird, quail  
rat: rat  
rbt: rabbit  
RD: rapidly degradable  
RE: repeated  
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals  
REF: item number, reference number  
Reg.No.: rRegistration number  
Repr: harmful to reproduction  
Resp: respiratory  
RIP: REACH Implementations Projects  
scu: sub cutan  
SDS: safety data sheet  
Sens: sensitisation  
STEL: short term exposure limit  
STOT: Specific Target Organ Toxicity  
SVHC: Substance of Very High Concern  
t/a: tons per year  
TCCA: Toxic Chemicals Control Act (S. Korea)  
Tox: toxic  
TSCA: The Toxic Substances Control Act (US)  
TWA: time weighted average  
TRGS: technical regulations (DE)  
vPvB: very persistent, very bioaccumulating substance

## 16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.