

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740317.1000
Printing date: 22.04.2025

Buffer EQU (1000 mL)
Date of issue: 26.10.2023

Page: 1/10
Version: 2.2.4.5

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 740317.1000
Product name Buffer EQU (1000 mL)
REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or
the substance or its use is excluded from registration.
1 x 1000 mL EQU UFI: R7DV-F34P-M20J-YX16

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
Product for analytical use.
Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
The exposure scenario is integrated into sections 1-16.
Uses advised against
not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
MACHEREY-NAGEL GmbH & Co. KG
Valenciennner Str. 11, 52355 Düren, Germany
Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Giftinformationszentrum (GGIZ)
99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02

Signal word WARNING
Hazard identification **Hazard classes/categories**
H226 Flam. Liq. 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

1000 mL EQU



GHS02

Signal word WARNING
Hazard identification **Hazard classes/categories**
H226 Flam. Liq. 3

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740317.1000
Printing date: 22.04.2025

Buffer EQU (1000 mL)
Date of issue: 26.10.2023

Page: 2/10
Version: 2.2.4.5

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2).

1000 mL EQU



GHS02

Signal word: WARNING

H226

Flammable liquid and vapour.

P210, P233, P240, P241, P242, P280, P303+361+353, P370+378, P403+235, P501

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. In case of fire: Use suitable extinguisher media to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container to regulated waste treatment.

Label elements of the complete product



GHS02

Signal word: WARNING

H226

Flammable liquid and vapour.

P210, P233, P240, P241, P242, P280, P303+361+353, P370+378, P403+235, P501

Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. In case of fire: Use suitable extinguisher media to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

Flammable properties. Vapour forms explosive mixtures with air.

Information pertaining to particular risks to human and possible symptoms

Information pertaining to particular risks to the environment

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

1000 mL EQU



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740317.1000
Printing date: 22.04.2025

Buffer EQU (1000 mL)
Date of issue: 26.10.2023

Page: 3/10
Version: 2.2.4.5

Substance name: *ethanol*
CAS No.: 64-17-5
(denatured with 1% 2-butanone)
Substance rating: H225, Flam. Liq. 2
Formula: C_2H_6O ; C_2H_5OH
Pseudonym (de): Äthylalkohol, vergällter Spiritus
REACH Reg. No.: 01-2119457610-43-xxxx
EC No.: 200-578-6
Concentration: 5 - <20 %
acc. CLP (GHS): H226, Flam. Liq. 3

Indice No.: 603-002-00-5

Substance name: *potassium chloride*
CAS No.: 7447-40-7
Substance rating: No criteria for classification or naming of chemical not required.
Formula: KCl
Pseudonym (de): KCl
REACH Reg. No.: 01-2119539416-36-xxxx
EC No.: 231-211-8
Concentration: 1 - <10 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice.

- 4.1.1 After SKIN Contact**
Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.
- 4.1.2 After EYE Contact**
After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).
- 4.1.3 After INHALATION of vapours**
After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. ---
- 4.1.4 After ORAL Intake**
After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

There are no known delayed symptoms or effects for this product.

4.3 Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

5.1 Extinguishing media

- 5.1.1 Suitable extinguishing media**
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
- 5.1.2 Unsuitable extinguishing media**
no data available

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740317.1000
Printing date: 22.04.2025

Buffer EQU (1000 mL)
Date of issue: 26.10.2023

Page: 4/10
Version: 2.2.4.5

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

The substance/mixture is flammable. Product package burns like paper or plastic. Cool any undamaged containers in water, and remove from the danger zone if possible. Heating will lead to an increase in pressure, and a danger of bursting.

5.4 Additional information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Keep product away from sources of ignition - No smoking. Regular staff training is necessary.

6.2 Environmental precautions

PBT: not applicable
vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent.
Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

no data available

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3
Water hazard class (DE): 1

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

1000 mL EQU

Chemical: *potassium chloride*

CAS No.: 7447-40-7

Chemical: *ethanol*

CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740317.1000
Printing date: 22.04.2025

Buffer EQU (1000 mL)
Date of issue: 26.10.2023

Page: 5/10
Version: 2.2.4.5

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC (f.ex. from Ansell or KCL).

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

1000 mL EQU

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	alcoholic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	54 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6-7
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (K _{ow}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1.03 g/cm ³
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

9.2 Other information

9.2.1 Information on physical hazard classes

no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□ □

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740317.1000
Printing date: 22.04.2025

Buffer EQU (1000 mL)
Date of issue: 26.10.2023

Page: 6/10
Version: 2.2.4.5

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

But avoid reactions with oxidizing agents. No further data available.

10.4 Conditions to avoid

But formation of explosive gases/vapours with air is possible. Use only in well ventilated rooms. No more required.

10.5 Incompatible materials

Avoid storage with oxidising substances.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

1000 mL EQU

Chemical: *potassium chloride*
TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-29086
LD50 orl rat : 2600 mg/kg

CAS No.: 7447-40-7

Chemical: *ethanol*

TSCA Inventory: listed
ACGIH: 1000 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
liver damage; anemia; reproductive, teratogenic
Australia NICNAS: not listed
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed $\geq 0,1\%/\geq 0,1\%$, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-13217
LD50 orl rat : 6200 mg/kg
LC_{Low} ihl gpg : 21,900 mg/L
LC_{Low} orl hmn : 1400 mg/kg
LC50 ihl mus : 123,4 mg/L/4H
LC50 ihl rat : 115,9-133,8 mg/L/4H
LD50 orl mus : 3450 mg/kg

CAS No.: 64-17-5

California Proposition 65 List: not listed

TRGS 905 (DE): K5, M5, R_F C

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740317.1000
Printing date: 22.04.2025

Buffer EQU (1000 mL)
Date of issue: 26.10.2023

Page: 7/10
Version: 2.2.4.5

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

1000 mL EQU

Substance name: *potassium chloride*
Water hazard class (DE): 1
Storage class (VCI): 12-13

CAS-Nr.: 7447-40-7

Substance name: *ethanol*

CAS-Nr.: 64-17-5

PNEC (fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected
LC50 daphnia magna/48h: >100 g/L
LC50 pimephales promelas/96h: 13.4-15.1 g/L
LC50 leuciscus idus/96h: [48h] 8.14 g/L
LC50 fish/96h: 13 g/L
EC50 daphnia/48h: 9.3-14.2 g/L
IC50 scenedesmus quadricauda/72h: [7d] 5000 mg/L
EC10 pseudomonas putida/16h: [EC5] 6500 mg/L
Water hazard class (DE): 1 WGK No.: 0096
Storage class (VCI): 3

12.2 Persistence and degradability

12.3 Bioaccumulative potential

Substance name: *ethanol*
Dispersion coefficient (K_{ow}): -0,31

CAS-Nr.: 64-17-5

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 UN number: 1993

14.2 UN proper shipping name: Flammable liquid, n.o.s. (ethanol mixture)

14.3 Class: 3

14.4 Packing group: III

Road transport ADR

Classification code: F1
Limited Quantity: 5 L
Excepted Quantity: E 1
Special instructions: 274, 601
Tunnel restriction code: D/E

Air transport IATA DGR

Limited Quantity: PAX: 355 max. quantity PAX: 60 L
CAO: 366 max. quantity CAO: 220 L



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740317.1000
Printing date: 22.04.2025

Buffer EQU (1000 mL)
Date of issue: 26.10.2023

Page: 8/10
Version: 2.2.4.5

Excepted Quantity: E 1

Maritime transport IMDG

EmS:

F-E, S-E

Staukategorie: A

Special instructions:

223, 274, 955

14.5 Environmental hazards

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
TRGS 220, National aspects when preparing safety data sheets, Jan 2017
TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
Betriebsicherheitsverordnung (BetrSichV), Sept 2002
MN leaflet/instructions for use, also at www.mn-net.com
If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

no data available

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.2.4.5 and 2.2.2.2 following changes were applied: - 2 composition data corrected - 3 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

H Between versions 2.2.4.5 and 2.2.2.2 following changes were applied: - 2 composition data corrected - 3 substance data corrected
H226 Flammable liquid and vapour.

16.2.2 List of relevant P phrases

P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
P233 Keep container tightly closed.
P240 Ground/bond container and receiving equipment.
P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
P242 Use non-sparking tools.
P280 Wear protective gloves/protective clothing/eye protection/face protection.
P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
P370+378 In case of fire: Use suitable extinguisher media to extinguish.
P403+235 Store in a well-ventilated place. Keep cool.
P501 Dispose of contents/container to regulated waste treatment.

16.3 Recommended restriction on use

Only for professional user.

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021
Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
SUVA .CH, limit values in the air at work 2009, revised on 01/2009
Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)



MACHEREY-NAGEL GmbH & Co. KG
Valencienn Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740317.1000
Printing date: 22.04.2025

Buffer EQU (1000 mL)
Date of issue: 26.10.2023

Page: 9/10
Version: 2.2.4.5

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)
Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)
Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
2014-04 adjustment according Regulation 487/2013/EU
2016-03 adjustment according Regulation 1221/2015/EU
2017-08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU
2017-11 adjustment according the ECHA registration dossier
2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc: according
ADR: Convention concerning the International Carriage of Dangerous Goods by Road
Act: acute
BAT: biological workplace tolerance value
CAO: Cargo Aircraft Only
Carc: carcinogen
CAS: Chemical Abstracts Service
CLP: Classification, Labelling and Packaging regulation
CMR: carcinogen, mutagen, reproduction toxic
Corr: corrosive
COD: chemical oxygen demand
CSCL: Chemical Substance Control Law (Jp)
Dam: damage
DNEL: Derived No-Effect Level (for workers)
derm: dermal
dog: dog
EC10: Concentration causing a toxic effect in 10% of the test organisms
EC: European Community
EC-Nr: Substance number of the EC substance inventory
EmS: Guide to accident management measures on ships
EU: European Union
fish: fish (not specified)
GHS: Global Harmonized System of Classification and Labeling of Chemicals
gpg: guinea pig
ICAO: International Civil Aviation Organization
ihl: inhaled
IMDG: International Maritime Dangerous Goods Code
intrav: intravenous
ipt: intraperitoneal
ISHL: Industrial Safety and Health Law (Jp)
LC50: letale concentration 50%
LD50: letale dosis 50%
leuciscus idus: fisch, ide, orfe
MAK: maximum workplace concentration
Met: Metall



MACHEREY-NAGEL GmbH & Co. KG
Valencienn Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740317.1000
Printing date: 22.04.2025

Buffer EQU (1000 mL)
Date of issue: 26.10.2023

Page: 10/10
Version: 2.2.4.5

mus: mouse
Muta: mutagen
NIOSH: National Institute for Occupational Safety and Health (US)
NRD: Non-rapidly degradable
onchorhynchus mykiss: fish, rainbow trout
orl: oral
OSHA: Occupational Safety and Health Administration
PAX: transport on passenger planes allowed
PBT: persistent, bioaccumulating, toxic substance
pH: pH value
pimephales promelas: fish, fathead minnow
PNEC: Predicted No Effect Concentration
PROC 15: Process category 'for laboratory use'
PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
PVC: polyvinyl chloride
quail: bird, quail
rat: rat
rbt: rabbit
RD: rapidly degradable
RE: repeated
REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
REF: item number, reference number
Reg.No.: rRegistration number
Repr: harmful to reproduction
Resp: respiratory
RIP: REACH Implementations Projects
scu: sub cutan
SDS: safety data sheet
Sens: sensitisation
STEL: short term exposure limit
STOT: Specific Target Organ Toxicity
SVHC: Substance of Very High Concern
t/a: tons per year
TCCA: Toxic Chemicals Control Act (S. Korea)
Tox: toxic
TSCA: The Toxic Substances Control Act (US)
TWA: time weighted average
TRGS: technical regulations (DE)
vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.