

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100
Printing date: 15.04.2026

NucleoBond Xtra Midi (100)
Date of issue: 01.02.2024

Page: 1/20
Version: 2.7.4.8

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 740410.100
Product name NucleoBond Xtra Midi (100)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 0.6-100 mg RNase A (lyo)	UFI: WWJV-U3PV-U207-MFGF
1 x 1000 mL LYS	UFI: W24W-23R9-3206-XR1C
1 x 1000 mL RES	
1 x 1000 mL NEU	
2 x 1000 mL EQU	UFI: R7DV-F34P-M20J-YX16
1 x 600 mL ELU	UFI: HEDV-F3HG-720J-9M6A
1 x 1000 mL WASH	UFI: AADV-X3U2-X202-M8M8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0

The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11, 52355 Düren, Germany
Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
DE: Gemeinsames Gif tinformat ionszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet:

<<http://www.mn-net.com/SDS>>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



GHS02 GHS07 GHS08

Signal word DANGER

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H334	Resp. Sens. 1

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

1000 mL LYS



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100
 Printing date: 15.04.2026

NucleoBond Xtra Midi (100)
 Date of issue: 01.02.2024

Page: 2/20
 Version: 2.7.4.8



GHS07

Signal word **WARNING**

Hazard identification	Hazard classes/categories
H315	Skin Irrit. 2
H319	Eye Irrit. 2

1000 mL EQU



GHS02

Signal word **WARNING**

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3

1000 mL WASH



GHS02

Signal word **WARNING**

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3

600 mL ELU



GHS02 GHS07

Signal word **WARNING**

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H319	Eye Irrit. 2

0.6-100 mg RNase A (Iyo)



GHS08

Signal word **DANGER**

Hazard identification	Hazard classes/categories
H334	Resp. Sens. 1



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 3/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

1000 mL RES

Signal word Do not need labelling as hazardous
-
No hazard class

1000 mL NEU

Signal word Do not need labelling as hazardous
-
No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances.

1000 mL LYS



GHS07

Signal word: WARNING
H315, H319
Causes skin irritation.Causes serious eye irritation.
P264, P280sh, P302+352, P305+351+338, P332+313, P337+313, P362+364
Wash hands thoroughly after handling.Wear protective gloves/eye protection.IF ON SKIN: Wash with plenty of water.IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.If skin irritation occurs: Get medical advice/attention.If eye irritation persists: Get medical advice/attention.Take off contaminated clothing and wash it before reuse.

1000 mL EQU



GHS02

Signal word: WARNING
H226
Flammable liquid and vapour.
P210, P233, P240, P241, P242, P280, P303+361+353, P370+378, P403+235, P501
Keep away from heat/sparks/open flames/hot surfaces. No smoking.Keep container tightly closed.Ground/bond container and receiving equipment.Use explosion-proof [electrical/ventilating/lighting] equipment.Use non-sparking tools.Wear protective gloves/protective clothing/eye protection/face protection.IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].In case of fire: Use suitable extinguisher media to extinguish.Store in a well-ventilated place. Keep cool.Dispose of contents/container to regulated waste treatment.

1000 mL WASH



GHS02

Signal word: WARNING
H226



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 4/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

Flammable liquid and vapour.
 P210, P233, P240, P241, P242, P280, P303+361+353, P370+378, P403+235, P501
 Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Wear protective gloves/protective clothing/eye protection/face protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. In case of fire: Use suitable extinguisher media to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container to regulated waste treatment.

600 mL ELU



GHS02 GHS07

Signal word: WARNING
 H226, H319

Flammable liquid and vapour. Causes serious eye irritation.
 P210, P233, P240, P241, P242, P264, P280sh, P303+361+353, P305+351+338, P337+313, P370+378, P403+235, P501
 Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Wash hands thoroughly after handling. Wear protective gloves/eye protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention. In case of fire: Use suitable extinguisher media to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container to regulated waste treatment.

0.6-100 mg RNase A (Iyo)



GHS08

Signal word: DANGER
 H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 P261sh, P284, P342+311, P501
 Avoid breathing dust/vapours. [In case of inadequate ventilation] wear respiratory protection. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. Dispose of contents/container to regulated waste treatment.

1000 mL RES

Do not need labelling as hazardous
 Signal word: -

1000 mL NEU

Do not need labelling as hazardous
 Signal word: -

Label elements of the complete product



GHS02 GHS07 GHS08

Signal word: DANGER
 H226, H315, H319, H334

Flammable liquid and vapour. Causes skin irritation. Causes serious eye irritation. May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 P210, P233, P240, P241, P242, P261sh, P264, P280sh, P284, P303+361+353, P305+351+338, P332+313, P337+313, P342+311, P370+378, P403+235, P501
 Keep away from heat/sparks/open flames/hot surfaces. No smoking. Keep container tightly closed. Ground/bond container and receiving equipment. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Avoid breathing dust/vapours. Wash hands thoroughly after handling. Wear protective gloves/eye protection. [In case of inadequate ventilation] wear respiratory protection. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation occurs: Get medical advice/attention. If eye irritation persists: Get



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 5/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

medical advice/attention. If experiencing respiratory symptoms: Call a POISON CENTER/doctor. In case of fire: Use suitable extinguisher media to extinguish. Store in a well-ventilated place. Keep cool. Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties. Vapour forms explosive mixtures with air.

Information pertaining to particular risks to human and possible symptoms

Cause after impairments of health when ingested in small quantities.

Kit contains small amounts of enzymes: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Information pertaining to particular risks to the environment

PBT: not applicable

vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

1000 mL LYS

Substance name: *sodium hydroxide solution*
CAS No.: 1310-73-2

Substance rating: H314, Skin Corr. 1 A
Formula: NaOH·H₂O
Pseudonym (de): verdünnte Natronlauge
REACH Reg. No.: 01-2119457892-27-xxxx
EC No.: 215-185-5

Indice No.: 011-002-00-6

Specific concentration limit: Eye Irrit. 2; H319: 0,5 % ≤ C < 2 % - Skin Corr. 1A; H314: C ≥ 5 % - Skin Corr. 1B;
H314: 2 % ≤ C < 5 % - Skin Irrit. 2; H315: 0,5 % ≤ C < 2 %
Concentration: 0,5 - <1 %
acc. CLP (GHS): H315, Skin Irrit. 2, H319, Eye Irrit. 2

Substance name: *dodecyl sulfate, sodium salt*
CAS No.: 151-21-3

Substance rating: H228, Flam. Sol. 1, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H318, Eye Dam. 1, H332, Acute Tox. 4 inh., H335, resp. irrit. STOT SE 3, H412, Aquatic Chronic 3
Formula: C₁₂H₂₅NaO₄S
Pseudonym (de): Natriumlaurylsulfat
REACH Reg. No.: 01-2119489461-32-xxxx
EC No.: 205-788-1
Concentration: 0,1 - <1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *indicator dye(s)*
CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.
Concentration: 0 - <0,1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

1000 mL EQU



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 6/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

Substance name: *ethanol*
 CAS No.: 64-17-5
 (denatured with 1% 2-butanone)
 Substance rating: H225, Flam. Liq. 2
 Formula: C₂H₆O; C₂H₅OH
 Pseudonym (de): Äthylalkohol, vergällter Spiritus
 REACH Reg. No.: 01-2119457610-43-xxxx
 EC No.: 200-578-6
 Concentration: 5 - <20 %
 acc. CLP (GHS): H226, Flam. Liq. 3
 Indice No.: 603-002-00-5

Substance name: *potassium chloride*
 CAS No.: 7447-40-7
 Substance rating: No criteria for classification or naming of chemical not required.
 Formula: KCl
 Pseudonym (de): KCl
 REACH Reg. No.: 01-2119539416-36-xxxx
 EC No.: 231-211-8
 Concentration: 1 - <10 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

1000 mL WASH

Substance name: *ethanol*
 CAS No.: 64-17-5
 (denatured with 1% 2-butanone)
 Substance rating: H225, Flam. Liq. 2
 Formula: C₂H₆O; C₂H₅OH
 Pseudonym (de): Äthylalkohol, vergällter Spiritus
 REACH Reg. No.: 01-2119457610-43-xxxx
 EC No.: 200-578-6
 Concentration: 5 - <20 %
 acc. CLP (GHS): H226, Flam. Liq. 3
 Indice No.: 603-002-00-5

Substance name: *potassium chloride*
 CAS No.: 7447-40-7
 Substance rating: No criteria for classification or naming of chemical not required.
 Formula: KCl
 Pseudonym (de): KCl
 REACH Reg. No.: 01-2119539416-36-xxxx
 EC No.: 231-211-8
 Concentration: 1 - <10 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

600 mL ELU

Substance name: *2-propanol*
 CAS No.: 67-63-0
 Substance rating: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, resp. irrit. STOT SE 3
 Formula: C₃H₈O
 Pseudonym (de): Isopropanol, IPA, Propan-2-ol
 REACH Reg. No.: 01-2119457558-25-XXXX
 EC No.: 200-661-7
 Concentration: 10 - <15 %
 acc. CLP (GHS): H226, Flam. Liq. 3, H319, Eye Irrit. 2
 Indice No.: 603-117-00-0



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100
 Printing date: 15.04.2026

NucleoBond Xtra Midi (100)
 Date of issue: 01.02.2024

Page: 7/20
 Version: 2.7.4.8

Substance name: *potassium chloride*
 CAS No.: 7447-40-7

Substance rating: No criteria for classification or naming of chemical not required.
 Formula: KCl
 Pseudonym (de): KCl
 REACH Reg. No.: 01-2119539416-36-xxxx
 EC No.: 231-211-8
 Concentration: 1 - <10 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

Substance name: *chemicals/mixture until 1%*
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.
 Concentration: 0,1 - <1 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

0.6-100 mg RNase A (Iyo)

Substance name: *RNase*
 CAS No.: 9001-99-4

Substance rating: H334, Resp. Sens. 1
 Formula: Enzyme C. No. 3.1.27.5, origin: bovine pancreas (controlled population)
 Pseudonym (de): RNase A
 EC No.: 232-646-6
 Concentration: 90 - <100 %
 acc. CLP (GHS): H334, Resp. Sens. 1

1000 mL RES

Substance name: *chemicals/mixture until 1%*
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.
 Concentration: 0,1 - <1 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

1000 mL NEU

Substance name: *acetate buffer solution*
 CAS No.: -

Substance rating: No criteria for classification or naming of chemical not required.
 Formula: CH₃COOH/K/Na•H₂O
 Concentration: 25 - <45 %
 acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.

4.1.1 After SKIN Contact

Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 8/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

- 4.1.2 After EYE Contact**
After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.
- 4.1.3 After INHALATION of vapours**
After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---
- 4.1.4 After ORAL Intake**
After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.
- 4.2 Most important symptoms and effects, both acute and delayed**
May cause allergy or asthma symptoms or breathing difficulties if inhaled. Chronic effects: Repeated contact, even in small amounts, can lead to sensitization.
Causes serious eye irritation.
- 4.3 Indication of any immediate medical attention and special treatment needed**
After SKIN CONTACT rinse with water for a long time. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
 - 5.1.1 Suitable extinguishing media**
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
 - 5.1.2 Unsuitable extinguishing media**
no data available
- 5.2 Special hazards arising from the substance or mixture**
WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.
- 5.3 Advice for firefighters**
No, for listed product. The substance/mixture is flammable. Product package burns like paper or plastic. Cool any undamaged containers in water, and remove from the danger zone if possible. Heating will lead to an increase in pressure, and a danger of bursting. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.
For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.
- 5.4 Additional information**
Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**
Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection. Keep product away from sources of ignition - No smoking. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.
- 6.2 Environmental precautions**
PBT: not applicable
vPvB: not applicable
- 6.3 Methods and material for containment and cleaning up**
Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water. Collect small amounts of leaked liquid and flush with water into drains.



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 9/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

6.4 Reference to other sections
see information in section 5.4,7,8 and 13

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1

Storage class (VCI): 3
Water hazard class (DE): 2

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

7.3 Specific end use(s)

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

0.6-100 mg RNase A (lyo)

Chemical: *RNase* CAS No.: 9001-99-4

1000 mL LYS

Chemical: *indicator dye(s)* CAS No.: -

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2

Chemical: *dodecyl sulfate, sodium salt* CAS No.: 151-21-3

NIOSH: not listed
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

1000 mL EQU

Chemical: *potassium chloride* CAS No.: 7447-40-7

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³
NIOSH: [TWA] 1000 ppm / 1900 mg/m³
[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³

1000 mL WASH

Chemical: *potassium chloride* CAS No.: 7447-40-7

Chemical: *ethanol* CAS No.: 64-17-5

DNEL: [derm] 343 mg/kg; [inh] 950 mg/m³
DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 0.96 mg/L
PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 ppm / 380 mg/m³
E/e respirable

Short-term exposure factor: 4 (II), Y
skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 10/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

NIOSH: [TWA] 1000 ppm / 1900 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period
 OSHA: 1000 ppm / 1900 mg/m³

600 mL ELU

Chemical: *potassium chloride* CAS No.: 7447-40-7

Chemical: *chemicals/mixture until 1%* CAS No.: -

Chemical: *2-propanol* CAS No.: 67-63-0

DNEL: [inh] 500 mg/m³
 DNEL = Derived No-Effect Level (for workers)

PNEC (fresh water): 140.9 mg/L
 PNEC = Predicted No Effect Concentration

TRGS 900 (DE): 200 ppm / 500 mg/m³
 E/e respirable

Short-term exposure factor: 2 (II), Y
 skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 200 ppm / 500 mg/m³
 TRGS 903 (DE): [Aceton B/b, U/b] 25 mg/L
 B blood, U urine, a no limitation, b end of exposition or shift

NIOSH: [TWA] 400 ppm / 980 mg/m³
 NIOSH STEL: 500 ppm / 1225 mg/m³
 [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 400 ppm / 980 mg/m³

1000 mL RES

Chemical: *chemicals/mixture until 1%* CAS No.: -

1000 mL NEU

Chemical: *acetate buffer solution* CAS No.: -

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1 Respiratory protection

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4 Skin protection

Recommended to avoid contamination with these hazards.

8.2.5 Personal hygiene

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

0.6-100 mg RNase A (Iyo)

- | | |
|--------------------------|---------------------|
| a) State of aggregation: | solid (lyophilized) |
| b) Colour: | colourless |
| c) Odor: | odorless |
| d) Melting point: | no data available |



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100
 Printing date: 15.04.2026

NucleoBond Xtra Midi (100)
 Date of issue: 01.02.2024

Page: 11/20
 Version: 2.7.4.8

- e) Boiling point: no data available
- f) Flammability: no data available
- g) Explosive limits (lower / upper): no data available
- h) Flash point: no data available
- i) Flashing temperature: no data available
- j) Decomposition temperature: no data available
- k) pH value: no data available
- l) Kinematic viscosity: no data available
- m) Solubility in water: 0-100 %
- n) Dispersion coefficient (K_{o/w}): no data available
- o) Vapour pressure (20°C): no data available
- p) Specific gravity: no data available
- q) Relative vapour density (air=1): no data available
- r) Particle size: no data available

1000 mL LYS

- a) State of aggregation: liquid
- b) Colour: blue
- c) Odor: odorless
- d) Melting point: no data available
- e) Boiling point: no data available
- f) Flammability: no data available
- g) Explosive limits (lower / upper): no data available
- h) Flash point: no data available
- i) Flashing temperature: no data available
- j) Decomposition temperature: no data available
- k) pH value: 13
- l) Kinematic viscosity: no data available
- m) Solubility in water: no data available
- n) Dispersion coefficient (K_{o/w}): no data available
- o) Vapour pressure (20°C): no data available
- p) Specific gravity: 1.008 g/cm³
- q) Relative vapour density (air=1): no data available
- r) Particle size: no data available

1000 mL EQU

- a) State of aggregation: liquid
- b) Colour: colourless
- c) Odor: alcoholic
- d) Melting point: no data available
- e) Boiling point: no data available
- f) Flammability: no data available
- g) Explosive limits (lower / upper): no data available
- h) Flash point: 54 °C
- i) Flashing temperature: no data available
- j) Decomposition temperature: no data available
- k) pH value: 6-7
- l) Kinematic viscosity: no data available
- m) Solubility in water: no data available
- n) Dispersion coefficient (K_{o/w}): no data available
- o) Vapour pressure (20°C): no data available
- p) Specific gravity: 1.03 g/cm³
- q) Relative vapour density (air=1): no data available
- r) Particle size: no data available

1000 mL WASH

- a) State of aggregation: liquid
- b) Colour: colourless
- c) Odor: alcoholic
- d) Melting point: no data available
- e) Boiling point: no data available
- f) Flammability: no data available
- g) Explosive limits (lower / upper): no data available
- h) Flash point: 31 °C



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 12/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	6.5 - 7.5
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1.04 g/cm ³
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

600 mL ELU

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	alcoholic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	30 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	8.5-9.5
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1.04 g/cm ³
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

1000 mL RES

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	odorless
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	no data available
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	7.5 - 8.5
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1.01 g/cm ³
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

1000 mL NEU

a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	acetic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	63 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	4-5
l) Kinematic viscosity:	no data available



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100
Printing date: 15.04.2026

NucleoBond Xtra Midi (100)
Date of issue: 01.02.2024

Page: 13/20
Version: 2.7.4.8

m) Solubility in water:	no data available
n) Dispersion coefficient ($K_{o/w}$):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	1.19 g/cm ³
q) Relative vapour density ($\rho_{air=1}$):	no data available
r) Particle size:	no data available

9.2 Other information

9.2.1 Information on physical hazard classes

no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

□ □

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

But avoid reactions with oxidizing agents. No further data available.

10.4 Conditions to avoid

But formation of explosive gases/vapours with air is possible. Use only in well ventilated rooms. No more required.

10.5 Incompatible materials

Avoid storage with oxidising substances.

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

0.6-100 mg RNase A (lyo)

Chemical: *RNase* CAS No.: 9001-99-4
TSCA Inventory: listed
Japan CSCL/PRTR: not listed
Japan ISHL: not listed
Korea Exist.Chem.Inventory: KE-30341

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma symptoms or breathing difficulties if inhaled.

1000 mL LYS

Chemical: *indicator dye(s)* CAS No.: -
TSCA Inventory: all listed, <1%

Chemical: *sodium hydroxide solution* CAS No.: 1310-73-2
TSCA Inventory: listed California Proposition 65 List: not listed
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system
Symptoms: -
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 14/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

Japan ISHL: listed $\geq 1,0\%$ / $\geq 1,0\%$ SDS required
 Korea Exist.Chem.Inventory: KE-31487
 LD50 orl rat : [$< 1\%$] > 50000 mg/kg
 LD50 orl mus : [$< 1\%$] > 4000 mg/kg

Chemical: *dodecyl sulfate, sodium salt* CAS No.: 151-21-3
 TSCA Inventory: listed California Proposition 65 List: not listed
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: PRTR - Class I Designated Chemical Substance, Japan PDSCL: not listed
 Japan ISHL: not listed
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-21884
 LD50 orl rat : 1288 mg/kg
 LC50 ihl rat : 3,900 mg/L/1H

1000 mL EQU

Chemical: *potassium chloride* CAS No.: 7447-40-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-29086
 LD50 orl rat : 2600 mg/kg

Chemical: *ethanol* CAS No.: 64-17-5
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1000 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
 liver damage; anemia; reproductive, teratogenic
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed $\geq 0,1\%$ / $\geq 0,1\%$, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-13217
 LD50 orl rat : 6200 mg/kg
 LC_Low ihl gpg : 21,900 mg/L
 LC_Low orl hmn : 1400 mg/kg
 LC50 ihl mus : 123,4 mg/L/4H
 LC50 ihl rat : 115,9-133,8 mg/L/4H
 LD50 orl mus : 3450 mg/kg

TRGS 905 (DE): K5, M5, R F C

1000 mL WASH

Chemical: *potassium chloride* CAS No.: 7447-40-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-29086
 LD50 orl rat : 2600 mg/kg

Chemical: *ethanol* CAS No.: 64-17-5
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1000 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
 Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
 liver damage; anemia; reproductive, teratogenic
 Australia NICNAS: not listed Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
 Japan ISHL: listed $\geq 0,1\%$ / $\geq 0,1\%$, Article 57-2 (SDS required)
 South Korea TCCA: not listed
 Korea Exist.Chem.Inventory: KE-13217
 LD50 orl rat : 6200 mg/kg
 LC_Low ihl gpg : 21,900 mg/L
 LC_Low orl hmn : 1400 mg/kg
 LC50 ihl mus : 123,4 mg/L/4H



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 15/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

LC50 ihl rat : 115,9-133,8 mg/L/4H
 LD50 orl mus : 3450 mg/kg

TRGS 905 (DE): K5, M5, R F C

600 mL ELU

Chemical: *potassium chloride* CAS No.: 7447-40-7
 TSCA Inventory: listed
 Korea Exist.Chem.Inventory: KE-29086
 LD50 orl rat : 2600 mg/kg

Chemical: *chemicals/mixture until 1%* CAS No.: -
 TSCA Inventory: all listed, <1%
 Korea Exist.Chem.Inventory: listed

Chemical: *2-propanol* CAS No.: 67-63-0
 TSCA Inventory: listed California Proposition 65 List: not listed
 ACGIH: 1230 ppm
 Exposure Routes: inhalation, ingestion, skin and/or eye contact
 Target Organs: Eyes, skin, respiratory system
 Symptoms: irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis
 Australia NICNAS: Canada CEPA 1999: DSL yes
 Japan CSCL/PRTR: PAC yes, Japan PDSCL: -
 Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)
 South Korea TCCA:
 Korea Exist.Chem.Inventory: KE-29363
 LD50 orl rat : 5045 mg/kg
 LC Low orl hmn : 3570 mg/kg
 LC50 ihl rat : 25 mg/L/4H

TRGS 905 (DE): R F C

1000 mL RES

Chemical: *chemicals/mixture until 1%* CAS No.: -
 TSCA Inventory: all listed, <1%
 Korea Exist.Chem.Inventory: listed

1000 mL NEU

Chemical: *acetate buffer solution* CAS No.: -
 TSCA Inventory: all listed
 Korea Exist.Chem.Inventory: listed

11.2 Other hazards

Possible endocrine disrupting effects

no data available

Other information

no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

0.6-100 mg RNase A (Iyo)

Substance name: *RNase* CAS-Nr.: 9001-99-4
 Water hazard class (DE): 1
 Storage class (VCI): 13



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 16/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

1000 mL LYS

Substance name: *indicator dye(s)* CAS-Nr.: -
 Storage class (VCI): 12-13

Substance name: *sodium hydroxide solution* CAS-Nr.: 1310-73-2
 LC50 leuciscus idus/96h : 35-189 mg/L
 LC50 fish/96h : 45.4 mg/L
 EC50 daphnia/48h : >100 mg/L
 Water hazard class (DE): nwg WGK No.: 0142
 Storage class (VCI): 12-13

Substance name: *dodecyl sulfate, sodium salt* CAS-Nr.: 151-21-3
 LC50 daphnia magna/48h : 6.3 mg/L
 LC50 fish/96h : 1.31-22.5 mg/L
 Water hazard class (DE): 2
 Storage class (VCI): 12-13

1000 mL EQU

Substance name: *potassium chloride* CAS-Nr.: 7447-40-7
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

Substance name: *ethanol* CAS-Nr.: 64-17-5
 PNEC (fresh water) : 0.96 mg/L
 PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected
 LC50 daphnia magna/48h : >100 g/L
 LC50 pimephales promelas/96h : 13.4-15.1 g/L
 LC50 leuciscus idus/96h : [48h] 8.14 g/L
 LC50 fish/96h : 13 g/L
 EC50 daphnia/48h : 9.3-14.2 g/L
 IC50 scenedesmus quadricauda/72h : [7d] 5000 mg/L
 EC10 pseudomonas putita/16h : [EC5] 6500 mg/L
 Water hazard class (DE): 1 WGK No.: 0096
 Storage class (VCI): 3

1000 mL WASH

Substance name: *potassium chloride* CAS-Nr.: 7447-40-7
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

Substance name: *ethanol* CAS-Nr.: 64-17-5
 PNEC (fresh water) : 0.96 mg/L
 PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected
 LC50 daphnia magna/48h : >100 g/L
 LC50 pimephales promelas/96h : 13.4-15.1 g/L
 LC50 leuciscus idus/96h : [48h] 8.14 g/L
 LC50 fish/96h : 13 g/L
 EC50 daphnia/48h : 9.3-14.2 g/L
 IC50 scenedesmus quadricauda/72h : [7d] 5000 mg/L
 EC10 pseudomonas putita/16h : [EC5] 6500 mg/L
 Water hazard class (DE): 1 WGK No.: 0096
 Storage class (VCI): 3

600 mL ELU

Substance name: *potassium chloride* CAS-Nr.: 7447-40-7
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

Substance name: *chemicals/mixture until 1%* CAS-Nr.: -
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

Substance name: *2-propanol* CAS-Nr.: 67-63-0
 PNEC (fresh water) : 140.9 mg/L
 PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected
 LC50 fish/96h : 1400 mg/L
 EC50 daphnia/48h : 13.3 g/L
 IC50 scenedesmus quadricauda/72h : >1000 mg/L



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 17/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

EC10 *pseudomonas putida*/16h : EC5: 1050 mg/L
 Water hazard class (DE): 1 WGK No.: 0135
 Storage class (VCI): 3

1000 mL RES

Substance name: *chemicals/mixture until 1%* CAS-Nr.: -
 Water hazard class (DE): 1
 Storage class (VCI): 12-13

1000 mL NEU

Substance name: *acetate buffer solution* CAS-Nr.: -
 Storage class (VCI): 12

12.2 Persistence and degradability

12.3 Bioaccumulative potential

Substance name:	<i>dodecyl sulfate, sodium salt</i>	CAS-Nr.: 151-21-3
Dispersion coefficient (K _{o/w}):	1,6	
Substance name:	<i>ethanol</i>	CAS-Nr.: 64-17-5
Dispersion coefficient (K _{o/w}):	-0,31	
Substance name:	<i>ethanol</i>	CAS-Nr.: 64-17-5
Dispersion coefficient (K _{o/w}):	-0,31	
Substance name:	<i>2-propanol</i>	CAS-Nr.: 67-63-0
Dispersion coefficient (K _{o/w}):	0,05	

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.

SECTION 14: Transport information

14.1 UN number: 1993

14.2 UN proper shipping name: Flammable liquid, n.o.s. (2-propanol, ethanol mixture)

14.3 Class: 3

14.4 Packing group: III

Road transport ADR

Classification code:	F1	Tunnel restriction code:	D/E
Limited Quantity:	5 L		
Excepted Quantity:	E 1		
Special instructions:	274, 601		

Air transport IATA DGR

Limited Quantity:	PAX: 355	max. quantity PAX:	60 L
	CAO: 366	max. quantity CAO:	220 L
Excepted Quantity:	E 1		



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 18/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

Maritime transport IMDG
 EmS: F-E, S-E Staukategorie: A
 Special instructions: 223, 274, 955

- 14.5 Environmental hazards**
none, contains only small quantities of hazardous substances
- 14.6 Special precautions for user**
not necessary
- 14.7 Carriage in bulk by sea in accordance with IMO instruments**
Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
 TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
 Betriebsicherheitsverordnung (BetSichV), Sept 2002
 Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016
 MN leaflet/instructions for use, also at www.mn-net.com
 If necessary, observe other country-specific regulations.
- 15.2 Chemical safety assessment**
no data available

SECTION 16: Other information

- 16.1 Changes compared to the last version**
Between versions 2.7.4.8 and 2.2.2.2 following changes were applied: - 5 product component data corrected - 2 composition data corrected - 6 substance data corrected
- 16.2 List of H and P phrases**
 - 16.2.1 List of relevant H phrases**
 - H Between versions 2.7.4.8 and 2.2.2.2 following changes were applied: - 5 product component data corrected - 2 composition data corrected - 6 substance data corrected
 - H226 Flammable liquid and vapour.
 - H315 Causes skin irritation.
 - H319 Causes serious eye irritation.
 - H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled.
 - 16.2.2 List of relevant P phrases**
 - P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
 - P233 Keep container tightly closed.
 - P240 Ground/bond container and receiving equipment.
 - P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
 - P242 Use non-sparking tools.
 - P261sh Avoid breathing dust/vapours.
 - P264 Wash hands thoroughly after handling.
 - P280sh Wear protective gloves/eye protection.
 - P284 [In case of inadequate ventilation] wear respiratory protection.
 - P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
 - P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
 - P332+313 If skin irritation occurs: Get medical advice/attention.
 - P337+313 If eye irritation persists: Get medical advice/attention.



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 19/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.
 P370+378 In case of fire: Use suitable extinguisher media to extinguish.
 P403+235 Store in a well-ventilated place. Keep cool.
 P501 Dispose of contents/container to regulated waste treatment.

16.3 Recommended restriction on use

Only for professional user.
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
 SUVA .CH, limit values in the air at work 2009, revised on 01/2009
 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
 Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
 TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011
 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
 Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
 Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progress (11th ATP)
 Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
 Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
 TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)
 Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
 2014-04 adjustment according Regulation 487/2013/EU
 2016-03 adjustment according Regulation 1221/2015/EU
 2017-08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU
 2017-11 adjustment according the ECHA registration dossier
 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc: according
 ADR: Convention concerning the International Carriage of Dangerous Goods by Road
 Act: acute
 BAT: biological workplace tolerance value
 CAO: Cargo Aircraft Only
 Carc: carcinogen
 CAS: Chemical Abstracts Service
 CLP: Classification, Labelling and Packaging regulation
 CMR: carcinogen, mutagen, reproduction toxic
 Corr: corrosive
 COD: chemical oxygen demand
 CSCL: Chemical Substance Control Law (Jp)
 Dam: damage
 DNEL: Derived No-Effect Level (for workers)
 derm: dermal
 dog: dog



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 740410.100	NucleoBond Xtra Midi (100)	Page: 20/20
Printing date: 15.04.2026	Date of issue: 01.02.2024	Version: 2.7.4.8

- EC10: Concentration causing a toxic effect in 10% of the test organisms
- EC: European Community
- EC-Nr: Substance number of the EC substance inventory
- EmS: Guide to accident management measures on ships
- EU: European Union
- fish: fish (not specified)
- GHS: Global Harmonized System of Classification and Labeling of Chemicals
- gpg: guinea pig
- ICAO: International Civil Aviation Organization
- ihl: inhaled
- IMDG: International Maritime Dangerous Goods Code
- intrav: intravenous
- ipt: intraperitoneal
- ISHL: Industrial Safety and Health Law (Jp)
- LC50: letale concentration 50%
- LD50: letale dosis 50%
- leuciscus idus: fisch, ide, orfe
- MAK: maximum workplace concentration
- Met: Metall
- mus: mouse
- Muta: mutagen
- NIOSH: National Institute for Occupational Safety and Health (US)
- NRD: Non-rapidly degradable
- onchorhynchus mykiss: fisch, rainbow trout
- orl: oral
- OSHA: Occupational Safety and Health Administration
- PAX: transport on passenger planes allowed
- PBT: persistent, bioaccumulating, toxic substance
- pH: pH value
- pimephales promelas: fisch, fathead minnow
- PNEC: Predicted No Effect Concentration
- PROC 15: Process category 'for laboratory use'
- PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
- PVC: polyvinyl chloride
- quail: bird, quail
- rat: rat
- rbt: rabbit
- RD: rapidly degradable
- RE: repeated
- REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
- REF: item number, reference number
- Reg.No.: rRegistration number
- Repr: harmful to reproduction
- Resp: respiratory
- RIP: REACH Implementations Projects
- scu: sub cutan
- SDS: safety data sheet
- Sens: sensitisation
- STEL: short term exposure limit
- STOT: Specific Target Organ Toxicity
- SVHC: Substance of Very High Concern
- t/a: tons per year
- TCCA: Toxic Chemicals Control Act (S. Korea)
- Tox: toxic
- TSCA: The Toxic Substances Control Act (US)
- TWA: time weighted average
- TRGS: technical regulations (DE)
- vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com