

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 1/19 Date of issue: 05.06.2025 Printing date: 13.10.2025 Version: 2.12.10.12

SECTION 1: Identification of the substance/mixture and of the company

1.1 **Product identifier**

RFF 740669.5

Product name NucleoSpin 8 Plant II (60x8)

REACH Registration number(s): see SECTION 3.1/3.2 or
A registration number for the substance(s) does not exist because the annual tonnage does not require registration or

the substance or its use is excluded from registration.

2 x 100 mL PW2

1 x 125 mL PE

3 x 0.6-100 mg RNase A (Iyo) UFI: WWJV-U3PV-U207-MFGF 3 x 125 mL PČ UFI: 60EV-03C8-D201-X08S

3 x 125 mL PL1 3 x 100 mL PL2

3 x 25 mL PL3 2 x 125 mL PW1

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses

Product for analytical use.

Exposure Scenario Classification according REACh, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0 The exposure scenario is integrated into sections 1-16.

Uses advised against

not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11, 52355 Düren, Germany Phone: +49 2421 969 0

E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 **Emergency telephone number**

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service. DE: Gemeinsames Giftinformationszentrum (GGIZ)

99089 Erfurt tel. +49 361 730 730, < https://www.ggiz-erfurt.de>

You find our current versions of SDS in Internet:

http://www.mn-net.com/SDS

UFI: MMPT-631A-V206-GNTN

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008







GHS02

GHS07 **GHS08**

Signal word **DANGER**

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H334	Resp. Sens. 1
H336	resp. irrit. STOT SE 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

100 mL PL2

Do not need labelling as hazardous



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 2/19 Printing date: 13.10.2025 Date of issue: 05.06.2025 Version: 2.12.10.12

Signal word

No hazard class

125 mL PC





Signal word

WARNING

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2

125 mL PW1





Signal word

WARNING

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H315	Skin Irrit. 2
H319	Eye Irrit. 2
H336	resp. irrit. STOT SE 3

125 mL PL1

Do not need labelling as hazardous

Signal word

No hazard class

0.6-100 mg RNase A (Iyo)



Signal word **DANGER**

Hazard identification Hazard classes/categories H334 Resp. Sens. 1

100 mL PW2

Do not need labelling as hazardous

Signal word

No hazard class



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 740669.5
 NucleoSpin 8 Plant II (60x8)
 Page: 3/19

 Printing date: 13.10.2025
 Date of issue: 05.06.2025
 Version: 2.12.10.12

125 mL PE

Do not need labelling as hazardous

Signal word

No hazard class

25 mL PL3

Do not need labelling as hazardous

Signal word

No hazard class

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identificator(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases **until 125 mL** (EU 1272/2008 Annex I - 1.5.2). This labelling exemption is NOT valid for sensibilizing substances. The irritant hazard should be eliminated, because of buffer chemicals inside.

100 mL PL2

Do not need labelling as hazardous

125 mL PC





IS02 GHS

Signal word: WARNING

125 mL PW1





Signal word: WARNING

125 mL PL1

Do not need labelling as hazardous

Signal word: -

0.6-100 mg RNase A (Iyo)



GHS08

Signal word: DANGER

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P284, P342+311, P501

Avoid breathing dust/vapours.[In case of inadequate ventilation] wear respiratory protection.If experiencing respiratory symptoms: Call a POISON CENTER/doctor.Dispose of contents/container to regulated waste treatment.

100 mL PW2

Do not need labelling as hazardous Signal word: -



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 4/19 Date of issue: 05.06.2025 Printing date: 13.10.2025 Version: 2.12.10.12

125 mL PE

Do not need labelling as hazardous

Signal word: -

25 mL PL3

Do not need labelling as hazardous

Signal word: -

Label elements of the complete product







GHS07

Signal word: DANGER

H334

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

P261sh, P284, P342+311, P501

Avoid breathing dust/vapours.[In case of inadequate ventilation] wear respiratory protection.lf experiencing respiratory symptoms: Call a POISON CENTER/doctor Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

In the case of pH values are less than 5 or higher than 9 then it is irritant. Flammable properties.

Information pertaining to particular risks to human and possible symptoms

Cause after oral intake, impairments of health when ingested in small quantities.

Kit contains small amounts of enzymes: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Information pertaining to particular risks to the environment

PBT: not applicable vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 **Substances or 3.2 Mixtures**

100 mL PL2

Substance name: dodecyl sulfate, sodium salt

CAS No.: 151-21-3

Substance rating: H228, Flam. Sol. 1, H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H318, Eye Dam. 1, H332, Acute

Tox. 4 inh., H335, resp. irrit. STOT SE 3, H412, Aquatic Chronic 3

Formula: C ₁₂ H ₂₅ NaO ₄ S Pseudonym (de): Natriumlaurylsulfat REACH Reg. No.: 01-2119489461-32-xxxx

EC No.: 205-788-1 Concentration: 1 - < 2.5 %

acc. CLP (GHS): The criteria for classification are not fulfilled

Substance name: sodium chloride CAS No .: 7647-14-5

Substance rating: No criteria for classification or naming of chemical not required

Formula: NaCl Pseudonym (de): Kochsalz REACH Reg. No.: exempt, Annex V EC No.: 231-598-3 Concentration: 1 - <5 %

acc. CLP (GHS): The criteria for classification are not fulfilled



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 5/19
Printing date: 13.10.2025 Date of issue: 05.06.2025 Version: 2.12.10.12

Substance name: chemicals/mixture until 2%

CAS No.:

Substance rating: No criteria for classification or naming of chemical not required.

Concentration: 1 - <2 9

acc. CLP (GHS): The criteria for classification are not fulfilled.

125 mL PC

Substance name: guanidine hydrochloride

CAS No.: 50-01-1

Substance rating: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

Formula: CH 6 ClN 3
Pseudonym (de): Guanidiniumchlorid
REACH Reg. No.: 01-2119977063-35-0005

EC No.: 200-002-3 Indice No.: 607-148-00-0

Concentration: 24 - <36 % acc. CLP (GHS): H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

Substance name: ethanol

CAS No .:

(denatured with 1% 2-butanone)

Substance rating: H225, Flam. Liq. 2 Formula: C 2 H 6 O; C 2 H 5 OH

Pseudonym (de): Äthylalkohol, vergällter Spiritus REACH Reg. No.: 01-2119457610-43-xxxx

64-17-5

EC No.: 200-578-6 Indice No.: 603-002-00-5

Concentration: 35 - <55 % acc. CLP (GHS): H226, Flam. Liq. 3

125 mL PW1

Substance name: guanidine hydrochloride

CAS No.: 50-01-1

Substance rating: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

Formula: CH 6 CIN 3
Pseudonym (de): Guanidiniumchlorid
REACH Reg. No.: 01-2119977063-35-0005

EC No.: 200-002-3 Indice No.: 607-148-00-0

Concentration: 36 - <50 %

acc. CLP (GHS): H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H319, Eye Irrit. 2

Substance name: 2-propanol CAS No.: 67-63-0

Substance rating: H225, Flam. Liq. 2, H319, Eye Irrit. 2, H336, resp. irrit. STOT SE 3

Formula: C 3 H 8 O

Pseudonym (de): Isopropanol, IPA, Propan-2-ol REACH Reg. No.: 01-2119457558-25-XXXX

EC No.: 200-661-7 Indice No.: 603-117-00-0 Concentration: 20 - <35 %

acc. CLP (GHS): H226, Flam. Liq. 3, H319, Eye Irrit. 2, H336, resp. irrit. STOT SE 3

125 mL PL1



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 6/19 Date of issue: 05.06.2025 Printing date: 13.10.2025 Version: 2.12.10.12

> Substance name: sodium chloride 7647-14-5 CAS No.:

Substance rating: No criteria for classification or naming of chemical not required

Formula: NaCl Pseudonym (de): Kochsalz REACH Reg. No.: exempt, Annex V EC No.: 231-598-3 Concentration: 5 - <10 %

acc. CLP (GHS): The criteria for classification are not fulfilled

0.6-100 mg RNase A (Iyo)

Substance name: RNase 9001-99-4 CAS No.:

Substance rating: H334, Resp. Sens. 1

Enzyme C. No. 3.1.27.5, origin: bovine pancreas (controlled population) Formula:

Pseudonym (de): RNase A 232-646-6 EC No.: 90 - <100 % Concentration: acc. CLP (GHS): H334, Resp. Sens. 1

100 mL PW2

Substance name: chemicals/mixture until 1%

CAS No .:

Substance rating: No criteria for classification or naming of chemical not required

Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled

125 mL PE

Substance name: chemicals/mixture until 1%

CAS No.:

Substance rating: No criteria for classification or naming of chemical not required

Concentration:

acc. CLP (GHS): The criteria for classification are not fulfilled

25 ml Pl 3

Substance name: acetate buffer solution

CAS No.:

Substance rating: No criteria for classification or naming of chemical not required CH $_3$ COOH/K/Na*H $_2$ O

Formula:

Concentration: 45 - <60 %

acc. CLP (GHS): The criteria for classification are not fulfilled

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Take to a doctor, in a raised position if there are breathing difficulties.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 740669.5
 NucleoSpin 8 Plant II (60x8)
 Page: 7/19

 Printing date: 13.10.2025
 Date of issue: 05.06.2025
 Version: 2.12.10.12

4.1.1 After SKIN Contact

Remove contaminated clothing. Rinse the affected skin or mucous membrane thoroughly under running water. (If possible) use soap.

4.1.2 After EYE Contact

After contact with the eyes rinse thoroughly under running water with the eyelid wide open with eye washing bottle, eye douche or running water (protect intact eye).

4.1.3 After INHALATION of vapours

After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. Administer a Dexamethasone spray as soon as possible. Ensure quiet, warmth, and provide resuscitation if necessary. In the event of respiratory distress ensure that the patient inhales oxygen. Secure the breathing, heart and circulatory function. ---

4.1.4 After ORAL Intake

After oral intake lots of water should be drunk after it has been ingested.

4.2 Most important symptoms and effects, both acute and delayed

May cause allergy or asthma symptoms or breathing difficulties if inhaled. Chronic effects: Repeated contact, even in small amounts, can lead to sensitization.

4.3 Indication of any immediate medical attention and special treatment needed

Inform patient respectively further measures and the possibility of long-term damages. ---

SECTION 5: Firefighting measures

5.1 Extinguishing media

5.1.1 Suitable extinguishing media

Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.

5.1.2 Unsuitable extinguishing media

no data available

5.2 Special hazards arising from the substance or mixture

WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.

5.3 Advice for firefighters

No, for listed product. Product package burns like paper or plastic.

5.4 Additional information

no data available

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Do not breathe vapours. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.

6.2 Environmental precautions

PBT: not applicable vPvB: not applicable

6.3 Methods and material for containment and cleaning up

Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.

Collect small amounts of leaked liquid and flush with water into drains.

6.4 Reference to other sections

no data available



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



CAS No.: 50-01-1

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 8/19 Date of issue: 05.06.2025 Printing date: 13.10.2025 Version: 2.12.10.12

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Handling in accordance with the test instruction, that comes with the product. Use only in well-ventilated working areas.

7.2 Conditions for safe storage, including any incompatibilities

Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12 1

Storage class (VCI): Water hazard class (DE):

7.2.1 Requirements for stock rooms and containers

Keep original product packages tightly closed during handling and storage.

Specific end use(s) 7.3

Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 **Control parameters**

125 mL PC

guanidine hydrochloride Chemical:

[inh] 3.5 mg/m³ DNEL: DNEL = Derived No-Effect Level (for workers)

not listed NIOSH:

[TWA] Time-weighted aver rage to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

Chemical: CAS No.: 64-17-5

[derm] 343 mg/kg; [inh] 950 mg/m³ DNEL = Derived No-Effect Level (for workers) DNEL:

PNEC (fresh water): 0.96 mg/L PNEC = Predicted No Effected Concentration 0.96 mg/L

TRGS 900 (DE): 200 ppm / 380 mg/m³ E/e respirable

Short-term exposure factor: 4 (II), Y skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 500 ppm / 960 mg/m³

[TWA] 1000 ppm / 1900 mg/m³

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: 1000 ppm / 1900 mg/m³

0.6-100 mg RNase A (Iyo)

CAS No.: 9001-99-4 Chemical: RNase

125 mL PW1

2-propanol CAS No.: 67-63-0 Chemical: DNEL:

[inh] 500 mg/m³ DNEL = Derived No-Effect Level (for workers) PNEC (fresh water): 140.9 mg/L PNEC = Predicted No Effected Concentration

TRGS 900 (DE): 200 ppm / 500 mg/m³

Short-term exposure factor: 2 (II), Y

skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded

SUVA(CH) MAK value: 200 ppm / 500 mg/m³ [Aceton B/b, U/b] 25 mg/L B blood, U urine, a no limitation, b end of exposition or shift TRGS 903 (DE):

[TWA] 400 ppm / 980 mg/m³

NIOSH STEL: 500 ppm / 1225 mg/m³ [TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: [TWA] 400 ppm / 980 mg/m³



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 9/19 Printing date: 13.10.2025 Date of issue: 05.06.2025 Version: 2.12.10.12

> Chemical: quanidine hydrochloride CAS No.: 50-01-1

 $[inh] \ 3.5 \ mg/m^3 \\ \text{DNEL = Derived No-Effect Level (for workers)}$ DNEL:

PNEC (fresh water): PNEC = Predicted No Effected Concentration

not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA: not listed

100 mL PL2

CAS No.: 7647-14-5 Chemical: sodium chloride

Chemical: CAS No .: chemicals/mixture until 2%

dodecyl sulfate, sodium salt CAS No.: 151-21-3 Chemical:

NIOSH: not listed

[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period

OSHA:

100 mL PW2

Chemical: chemicals/mixture until 1% CAS No .: -

125 mL PE

chemicals/mixture until 1% CAS No .: -Chemical:

125 mL PL1

CAS No.: 7647-14-5 sodium chloride Chemical:

25 mL PL3

CAS No .: -Chemical: acetate buffer solution

8.2 **Exposure controls**

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

8.2.1

Use for open access of these substances for example a protection filter, class A/AX. No additional recommendations.

8.2.2 Skin protection / Hand protection

Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC, natural latex, Neopren, or Nitril (f.ex. from Ansell or KCL). Use for short times chemical resistant latex gloves with code EN 374-3 level 1.

8.2.3 Eye / Face Protection

Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection.

8.2.4

Recommended to avoid contamination with these hazards.

8.2.5

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

8.2.6 Thermal hazards

no data available

8.3 Limitation and monitoring of environmental exposure

Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

125 mL PC

a) State of aggregation: liquid b) Colour: yellow c) Odor: alcoholic no data available d) Melting point: e) Boiling point: no data available



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 10/19 Date of issue: 05.06.2025 Version: 2.12.10.12 Printing date: 13.10.2025

> f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: 23 °C

i) Flashing temperature: no data available j) Decomposition temperature: no data available 5-7

k) pH value:

I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1.01 a/cm³ no data available q) Relative vapour density (air=1): r) Particle size: no data available

0.6-100 mg RNase A (Iyo)

a) State of aggregation: solid (lyophilized) colourless b) Colour: c) Odor: odorless

d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): h) Flash point: no data available no data available i) Flashing temperature: no data available

j) Decomposition temperature: no data available k) pH value: no data available I) Kinematic viscosity: no data available

0-100 %

m) Solubility in water:
n) Dispersion coefficient (K _{o/w}): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: no data available q) Relative vapour density (air=1): no data available

r) Particle size:

125 mL PW1

a) State of aggregation: liauid b) Colour: colourless c) Odor: alcoholic d) Melting point: no data available e) Boiling point: no data available no data available f) Flammability: g) Explosive limits (lower / upper): no data available h) Flash point: 25 °C

i) Flashing temperature: no data available j) Decomposition temperature: no data available

k) pH value:

7-8 I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1.06 g/cm³ q) Relative vapour density (air=1): no data available no data available

r) Particle size:

100 mL PL2

a) State of aggregation: liquid b) Colour: colourless c) Odor: odorless

d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available

g) Explosive limits (lower / upper): h) Flash point: no data available no data available i) Flashing temperature: no data available



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com

no data available



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 740669.5
 NucleoSpin 8 Plant II (60x8)
 Page: 11/19

 Printing date: 13.10.2025
 Date of issue: 05.06.2025
 Version: 2.12.10.12

j) Decomposition temperature: no data available k) pH value: 7.5 - 8.5I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K _{o/w}): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1.03 g/cm³ q) Relative vapour density (air=1): no data available r) Particle size: no data available

100 mL PW2

a) State of aggregation: liauid b) Colour: colourless odorless c) Odor: d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1.00 g/cm³ q) Relative vapour density (air=1): no data available r) Particle size: no data available

125 mL PE

liquid a) State of aggregation: b) Colour: colourless c) Odor: d) Melting point: odorless no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 8-9 I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K _{o/w}): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1.0 a/cm³ q) Relative vapour density (air=1): no data available r) Particle size: no data available

125 mL PL1

a) State of aggregation: liquid colourless b) Colour: c) Odor: odorless no data available d) Melting point: e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available 7.5-8.5 k) pH value: I) Kinematic viscosity: no data available m) Solubility in water: no data available



 MACHEREY-NAGEL GmbH & Co. KG
 DE
 Tel.: +49 24 21 969-0
 info@mn-net.com

 Valencienner Str. 11
 CH
 Tel.: +41 62 388 55 00
 sales-ch@mn-net.com

 52355 Düren · Germany
 FR
 Tel.: +33 388 68 22 68
 sales-fr@mn-net.com

 www.mn-net.com
 US
 Tel.: +1 888 321 62 24
 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 740669.5
 NucleoSpin 8 Plant II (60x8)
 Page: 12/19

 Printing date: 13.10.2025
 Date of issue: 05.06.2025
 Version: 2.12.10.12

n) Dispersion coefficient (K $_{\text{O/W}}$): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1.06 g/cm³ q) Relative vapour density $_{(\text{air}=1)}$: no data available r) Particle size: no data available

25 mL PL3

a) State of aggregation: liauid b) Colour: colourless c) Odor: acetic d) Melting point: no data available e) Boiling point: no data available f) Flammability: no data available g) Explosive limits (lower / upper): no data available h) Flash point: no data available i) Flashing temperature: no data available j) Decomposition temperature: no data available k) pH value: 5-6 I) Kinematic viscosity: no data available m) Solubility in water: no data available n) Dispersion coefficient (K o/w): no data available o) Vapour pressure (20°C): no data available p) Specific gravity: 1.19 g/cm³ no data available q) Relative vapour density (air=1): r) Particle size: no data available

9.2 Other information

9.2.1 Information on physical hazard classes

no data available

9.2.2 Other safety-related parameters

No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required. \Box

SECTION 10: Stability and reactivity

10.1 Reactivity

no further data available.

10.2 Chemical stability

no known instability.

10.3 Possibility of hazardous reactions

Note: Can form very reactive substances with oxidizing agents. No further data available.

10.4 Conditions to avoid

No more required.

10.5 Incompatible materials

no additional data available

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 13/19 Date of issue: 05.06.2025 Printing date: 13.10.2025 Version: 2.12.10.12

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

125 mL PC

Chemical: guanidine hydrochloride CAS No.: 50-01-1

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

not listed, Japan PDSCL: not listed Japan CSCL/PRTR:

Japan ISHL: not listed South Korea TCCA: not listed Korea Exist.Chem.Inventory: KE-18111 475-907 mg/kg LD50 orl rat: 3181-7655 µg/m³/4H LC50 ihl rat:

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

Chemical: ethanoi CAS No.: 64-17-5

TSCA Inventory: listed California Proposition 65 List: not listed

1000 ppm ACGIH:

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system

Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;

liver damage; anemia; reproductive, teratogenic

Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: listed ≥0,1%/≥0,1%, Article 57-2 (SDS required) South Korea TCCA: not listed

Korea Exist.Chem.Inventory: KE-13217 LD50 orl rat : 6200 mg/kg LC_Low ihl gpg: 21,900 mg/L LC_Low orl hmn: 1400 mg/kg 123,4 mg/L/4H LC50 ihl mus: LC50 ihl rat: 115,9-133,8 mg/L/4H

LD50 orl mus: 3450 mg/kg TRGS 905 (DE): K5, M5, R F C

0.6-100 mg RNase A (Iyo)

Chemical: CAS No.: 9001-99-4

TSCA Inventory listed Japan CSCL/PRTR: not listed Japan ISHL: not listed Korea Exist.Chem.Inventory: KE-30341

Acute Effects: Cause after impairments of health when ingested in small quantities.

Chronic Effects: May cause sensitization by skin contact, also in repeated contact of small amounts. May cause allergy or asthma

symptoms or breathing difficulties if inhaled.

125 mL PW1

Chemical: 2-propanol CAS No.: 67-63-0

TSCA Inventory: listed California Proposition 65 List: not listed

1230 ppm ACGIH:

Exposure Routes: inhalation, ingestion, skin and/or eye contact

Target Organs: Eyes, skin, respiratory system

irritation eyes, nose, throat; drowsiness, dizziness, headache; dry cracking skin; in animals: narcosis Symptoms:

Australia NICNAS: Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PAC yes, Japan PDSCL: -

Japan ISHL: listed ≥1,0%/≥0,1%, Article 57-2 (SDS required)

South Korea TCCA:

Korea Exist.Chem.Inventory: KE-29363 LD50 orl rat: 5045 mg/kg LC Low orl hmn 3570 mg/kg LC50 ihl rat: 25 mg/L/4H

TRGS 905 (DE): RFC



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 14/19
Printing date: 13.10.2025 Date of issue: 05.06.2025 Version: 2.12.10.12

Chemical: guanidine hydrochloride CAS No.: 50-01-1

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: not listed Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: not listed, Japan PDSCL: not listed

Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-18111
LD50 orl rat: 475-907 mg/kg
LC50 ihl rat: 3181-7655 µg/m³/4H

Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

100 mL PL2

Chemical: sodium chloride CAS No.: 7647-14-5

TSCA Inventory: listed Korea Exist.Chem.Inventory: KE-31387 LD50 _{orl rat}: 3000 mg/kg

Chemical: chemicals/mixture until 2% CAS No.: -

TSCA Inventory: all listed, <2%

Korea Exist.Chem.Inventory: listed

Chemical: dodecyl sulfate, sodium salt CAS No.: 151-21-3

TSCA Inventory: listed California Proposition 65 List: not listed Australia NICNAS: Canada CEPA 1999: DSL yes

Japan CSCL/PRTR: PRTR - Class I Designated Chemical Substance, Japan PDSCL: not listed

Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-21884
LD50 orl rat: 1288 mg/kg
LC50 ihl rat: 3,900 mg/L/1H

100 mL PW2

Chemical: chemicals/mixture until 1% CAS No.: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

125 mL PE

Chemical: chemicals/mixture until 1% CAS No.: -

TSCA Inventory: all listed, <1%

Korea Exist.Chem.Inventory: listed

125 mL PL1

Chemical: sodium chloride CAS No.: 7647-14-5

TSCA Inventory: listed
Korea Exist.Chem.Inventory: KE-31387
LD50 orl rat: 3000 mg/kg

25 mL PL3

Chemical: acetate buffer solution CAS No.: -

TSCA Inventory: all listed Korea Exist.Chem.Inventory: listed

11.2 Other hazards

Possible endocrine disrupting effects

no data available



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 15/19 Date of issue: 05.06.2025 Printing date: 13.10.2025 Version: 2.12.10.12

Other information

no additional data available

SECTION 12: Ecological information

12.1 **Toxicity**

Following information is valid for pure substances.

125 mL PC

Substance name: guanidine hydrochloride CAS-Nr.: 50-01-1

PNEC (fresh water): PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected

LC50 leuciscus idus/96h: 1759 mg/L

LC50 fish/96h: [4d] 690-1850; [48h] 1758-2420 mg/L

EC50 daphnia/48h: 70.2 mg/L

EC10 pseudomonas putita/16h: Water hazard class (DE): [72h] 11.8-33.5 mg/L WGK No.: 0788

Storage class (VCI): 12

Substance name: ethanol CAS-Nr.: 64-17-5

PNEC (fresh water): 0.96 mg/L
PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected

>100 g/L LC50 daphnia magna/48h: LC50 pimephales promelas/96h : 13.4-15.1 g/L LC50 leuciscus idus/96h [48h] 8.14 g/L LC50 fish/96h: 13 g/L EC50 daphnia/48h: 9.3-14.2 g/L [7d] 5000 mg/L IC50 scenedesmus quadricauda/72h: [EC5] 6500 mg/L EC10 pseudomonas putita/16h:

WGK No.: 0096 Water hazard class (DE):

Storage class (VCI): 3

0.6-100 mg RNase A (Iyo)

Substance name: CAS-Nr.: 9001-99-4

Water hazard class (DE): Storage class (VCI): 13

125 mL PW1

2-propanol Substance name: CAS-Nr.: 67-63-0

140.9 mg/L

PNEC (fresh water): 140.9 mg/L
PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected

LC50 fish/96h: 1400 mg/L EC50 daphnia/48h: 13.3 g/L IC50 scenedesmus quadricauda/72h: >1000 mg/L EC10 pseudomonas putita/16h: EC5: 1050 mg/L Water hazard class (DE): WGK No.: 0135

Storage class (VCI):

Substance name: guanidine hydrochloride CAS-Nr.: 50-01-1

PNEC (fresh water):
PNEC = Predicted No Effected Concentration = concentration at which no effect on the environment is expected

LC50 leuciscus idus/96h: 1759 mg/L

LC50 fish/96h: [4d] 690-1850; [48h] 1758-2420 mg/L

70.2 mg/L EC50 daphnia/48h:

[72h] 11.8-33.5 mg/L EC10 pseudomonas putita/16h: Water hazard class (DE): WGK No.: 0788

Storage class (VCI): 12

100 mL PL2

Substance name: sodium chloride CAS-Nr.: 7647-14-5

Water hazard class (DE): Storage class (VCI): 12-13

Substance name: chemicals/mixture until 2% CAS-Nr · -

Water hazard class (DE): Storage class (VCI): 12-13



MACHEREY-NAGEL GmbH & Co. KG DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com Valencienner Str. 11 52355 Düren · Germany FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com www.mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



CAS-Nr.: 151-21-3

CAS-Nr.: -

Safety Data Sheet

according to Regulations REACh 1907/2006/EC

 REF: 740669.5
 NucleoSpin 8 Plant II (60x8)
 Page: 16/19

 Printing date: 13.10.2025
 Date of issue: 05.06.2025
 Version: 2.12.10.12

Substance name: dodecyl sulfate, sodium salt

LC50 daphnia magna/48h : 6.3 mg/L LC50 fish/96h : 1.31-22.5 mg/L

Water hazard class (DE): 2
Storage class (VCI): 12-13

100 mL PW2

Substance name: chemicals/mixture until 1%

Water hazard class (DE): 1

Storage class (VCI): 12-13

125 mL PE

Substance name: chemicals/mixture until 1% CAS-Nr.: -

Water hazard class (DE): 1

Storage class (VCI): 12-13

125 mL PL1

Substance name: sodium chloride CAS-Nr.: 7647-14-5

Water hazard class (DE): 1 Storage class (VCI): 12-13

25 mL PL3

Substance name: acetate buffer solution CAS-Nr.: -

Storage class (VCI): 1

12.2 Persistence and degradability

12.3 Bioaccumulative potential

Substance name: ethanol CAS-Nr.: 64-17-5

Dispersion coefficient (K _{o/w}): -0,31

125 mL PW1

Substance name: 2-propanol CAS-Nr.: 67-63-0

Dispersion coefficient (K _{o/w}): 0,05

Substance name: dodecyl sulfate, sodium salt CAS-Nr.: 151-21-3

Dispersion coefficient (K _{o/w}): 1,6

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains.



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com DE Tel.: +49 24 21 969-0 info@mn-net.com

CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com

US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 17/19 Date of issue: 05.06.2025 Printing date: 13.10.2025 Version: 2.12.10.12

SECTION 14: Transport information

1993 14.1 UN number:

14.2 UN proper shipping name: Flammable liquid, n.o.s. (2-propanol, ethanol mixture)

14.3 Class: 3

14.4 Packing group:

Road transport ADR

Classification code: F1

Limited Quantity: 5 L Tunnel restriction code: D/E

Excepted Quantity: F 1 274, 601 Special instructions:

Air transport IATA DGR

Limited Quantity: PAX: 355 max. quantity PAX: 60 I

CAO: 366 max. quantity CAO: 220 L

Excepted Quantity: E 1

Maritime transport IMDG

F-E, S-E Staukategorie: Α EmS:

223, 274, 955 Special instructions:

14.5 **Environmental hazards**

none, contains only small quantities of hazardous substances

14.6 Special precautions for user

not necessary

14.7 Carriage in bulk by sea in accordance with IMO instruments

Not applicable.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020

Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017

TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017

TRGS 220, National aspects when preparing safety data sheets, Jan 2017

TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017

BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan

Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016

MN leaflet/instructions for use, also at www.mn-net.com

If necessary, observe other country-specific regulations.

15.2 Chemical safety assessment

no data available

SECTION 16: Other information

16.1 Changes compared to the last version

Between versions 2.12.10.12 and 2.2.2.2 following changes were applied: - 10 product component data corrected - 8 composition data corrected - 10 substance data corrected

16.2 List of H and P phrases

16.2.1 List of relevant H phrases

Between versions 2.12.10.12 and 2.2.2.2 following changes were applied: - 10 product component data

corrected - 8 composition data corrected - 10 substance data corrected

H226 Flammable liquid and vapour. H302 Harmful if swallowed. H315 Causes skin irritation. Causes serious eye irritation. H319

May cause allergy or asthma symptoms or breathing difficulties if inhaled. H334

H336 May cause drowsiness or dizziness.



MACHEREY-NAGEL GmbH & Co. KG Valencienner Str. 11

52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 18/19 Printing date: 13.10.2025 Date of issue: 05.06.2025 Version: 2.12.10.12

16.2.2 List of relevant P phrases

P261sh Avoid breathing dust/vapours.

[In case of inadequate ventilation] wear respiratory protection. P284 P342+311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

P501 Dispose of contents/container to regulated waste treatment.

16.3 Recommended restriction on use

Only for professional user.

Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!

Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EÉC or for DE §§ 11-13 MuSchG 2017)!

An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021

Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive

SUVA .CH, limit values in the air at work 2009, revised on 01/2009

Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)

Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG

TRGS 907, German technical rules for listing substances and causes of sensitization, updated November 2011 Regulation

487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)

Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP) Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)

Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progressText (11th ATP)

Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)

Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)

TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)

Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG

Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP) Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP) Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP) Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary Reason for revision:

2014-04 adjustment according Regulation 487/2013/EU 2016-03 adjustment according Regulation 1221/2015/EU

2017–08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU

2017-11 adjustment according the ECHA registration dossier 2022-11 adjustment according Regulation 878/2020/EU

16.5 **Further information**

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.

MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.

16.6 Legend / Abbreviations

acc: according

ADR: Convention concerning the International Carriage of Dangerous Goods by Road

Act: acute

BAT: biological workplace tolerance value

CAO: Cargo Aircraft Only

Carc: carcinogen

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging regulation

CMR: carcinogen, mutagen, reproduction toxic

corrosive Corr:

COD: chemical oxigen demand

CSCL: Chemical Substance Control Law (Jp)

Dam:

DNEL: Derived No-Effect Level (for workers)

dermal derm:



MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com



Safety Data Sheet

according to Regulations REACh 1907/2006/EC

REF: 740669.5 NucleoSpin 8 Plant II (60x8) Page: 19/19 Date of issue: 05.06.2025 Printing date: 13.10.2025 Version: 2.12.10.12

dog: dog

EC10: Concentration causing a toxic effect in 10% of the test organisms

EC: European Community

EC-Nr: Substance number of the EC substance inventory EmS: Guide to accident management measures on ships

Furopean Union FU: fish: fish (not spezified)

GHS: Global Harmonized System of Classification and Labeling of Chemicals

gpg: guinea pig

ĬĊĂO: International Civil Aviation Organization

ihl: inhaled

IMDG: International Maritime Dangerous Goods Code

intrav: intravenous ipt: intraperitonaeal

İSHL: Industrial Safety and Health Law (Jp)

LC50: letale concentration 50% LD50: letale dosis 50%

leuciscus idus: fisch, ide, orfe

MAK: maximum workplace concentration Metall Met: mus: mouse

NIOSH: National Institute for Occupational Safety and Health (US)

mutagen NRD: Non-rapidly degradable

onchorhynchus mykiss: fish, rainbow trout

orl: oral

Muta:

OSHA: Occupational Safety and Health Administration PAX: transport on passenger planes allowed PBT: persistent, bioaccumulating, toxic substance

pH: pH value

fish, fathead minnow pimephales promelas: PNEC: Predicted No Effected Concentration PROC 15: Process category 'for laboratory use'

Law for PRTR and Promotion of Chemical Management (Jp) PRTR:

PVC: polyvinyl chloride quail: bird, quail rat: rat rabbit rbt.

rapidly degradable RD.

RE: repeated

REACh: Registration, Evaluation, Authorisation and Restriction of Chemicals

REF: item number, reference number

Reg.No.: rRegistration number harmful to reproduction Repr:

respiratory Resp:

RIP: **REACH Implementations Projects**

scu: sub cutan SDS: safety data sheet sensitisation Sens:

STFI: short term exposure limit STOT: Specific Target Organ Toxicity SVHC: Substance of Very High Concern

t/a: tons per year

TCCA: Toxic Chemicals Control Act (S. Korea)

Tox: TSCA: toxic

The Toxic Substances Control Act (US)

TWA: time weighted average TRGS: technical regulations (DE)

vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



Software: M2 V 6.1.5.0

MACHEREY-NAGEL GmbH & Co. KG

Valencienner Str. 11 52355 Düren · Germany www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com

FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com US Tel.: +1 888 321 62 24 sales-us@mn-net.com