

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500	Buffer MR3 (320 mL)	Page: 1/12
Printing date: 14.01.2026	Date of issue: 07.11.2024	Version: 2.2.4.20

SECTION 1: Identification of the substance/mixture and of the company

1.1 Product identifier

REF 744353.500
 Product name Buffer MR3 (320 mL)

REACH Registration number(s): see SECTION 3.1/3.2 or
 A registration number for the substance(s) does not exist because the annual tonnage does not require registration or the substance or its use is excluded from registration.

1 x 320 mL MR3 UFI: K3PT-43VY-1207-HMA8

1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses
 Product for analytical use.
 Exposure Scenario Classification according REACH, RIP 3.2 Codes: SU 0-2, PC 21, PROC 15, AC 0
 The exposure scenario is integrated into sections 1-16.

Uses advised against
 not described

1.3 Details of the supplier of the safety data sheet

Manufactured by:
 MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11, 52355 Düren, Germany
 Phone: +49 2421 969 0 E-mail: sds@mn-net.com (msds@mn-net.com)

1.4 Emergency telephone number

Outside Germany (DE): Call your regional Poisons Information Service or call local Life Saving Service.
 DE: Gemeinsames Giftinformationszentrum (GGIZ)
 99089 Erfurt tel. +49 361 730 730, <<https://www.ggiz-erfurt.de>>

You find our current versions of SDS in Internet: <<http://www.mn-net.com/SDS>>

SECTION 2: Hazard identification

2.0 Classification of the complete product according to Regulation (EC) 1272/2008



Signal word	DANGER
Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H314	Skin Corr. 1 B
H412	Aquatic Chronic 3

2.1 Classification of the substance or mixture according to Regulation (EC) 1272/2008

320 mL MR3



Signal word DANGER



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500	Buffer MR3 (320 mL)	Page: 2/12
Printing date: 14.01.2026	Date of issue: 07.11.2024	Version: 2.2.4.20

Hazard identification	Hazard classes/categories
H226	Flam. Liq. 3
H302	Acute Tox. 4 oral
H314	Skin Corr. 1 B
H412	Aquatic Chronic 3

List of H phrases: see section 16.2

2.2 Label elements according regulation (EC) 1272/2008

According **CLP directive** inner packages must be only labelled with GHS symbol(s) and product identifier(s) (EU 1272/2008 Annex I - 1.5.1.2). Harmful chemicals/mixtures with signal word: **WARNING** and highly flammable chemicals/mixtures must not be labelled with H and P phrases until 125 mL (EU 1272/2008 Annex I - 1.5.2).

320 mL MR3



Signal word: DANGER
 H226, H302, H314, H412
 Flammable liquid and vapour. Harmful if swallowed. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.
 P210, P241, P242, P243, P260sh, P264W, P270, P273, P280sh, P301+330+331, P303+361+353, P305+351+338, P310, P403+235, P405, P501
 Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/vapours. Wash with water thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/eye protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to regulated waste treatment.

Label elements of the complete product



Signal word: DANGER
 H226, H302, H314, H412
 Flammable liquid and vapour. Harmful if swallowed. Causes severe skin burns and eye damage. Harmful to aquatic life with long lasting effects.
 P210, P241, P242, P243, P260sh, P264W, P270, P273, P280sh, P301+330+331, P303+361+353, P305+351+338, P310, P403+235, P405, P501
 Keep away from heat/sparks/open flames/hot surfaces. No smoking. Use explosion-proof [electrical/ventilating/lighting] equipment. Use non-sparking tools. Take precautionary measures against static discharge. Do not breathe dust/vapours. Wash with water thoroughly after handling. Do not eat, drink or smoke when using this product. Avoid release to the environment. Wear protective gloves/eye protection. IF SWALLOWED: Rinse mouth. Do NOT induce vomiting. IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower]. IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor. Store in a well-ventilated place. Keep cool. Store locked up. Dispose of contents/container to regulated waste treatment.

2.3 Other hazards

Possible hazards from physicochemical properties

Generally in the case of pH values are less than 2 or higher than 11.5 then it is corrosive. Flammable properties. Vapour forms explosive mixtures with air. For guanidine thiocyanate CAS 593-84-0: The properties H314, H332 "Causes severe skin burns and eye damage. Harmful if inhaled." are not relevant, because the mixture solution is buffered to pH 4-9 (see GHS Directive 1272/2008/EC Annex I, chapter 3.2.3.1.2.).



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500
Printing date: 14.01.2026

Buffer MR3 (320 mL)
Date of issue: 07.11.2024

Page: 3/12
Version: 2.2.4.20

Information pertaining to particular risks to human and possible symptoms

Causes varying degrees of acid burns on the skin, to the eyes and to the mucous membranes and wounds which do not heal quickly depending on the concentration, temperature and the exposure time. Vapours especially which steam from hot liquids and mist can have a severe irritant effect upon the eyes and the respiratory organs.
Cause after oral intake, impairments of health when ingested in small quantities.

Information pertaining to particular risks to the environment

Harmful to aquatic life with long lasting effects. Should not be released into the environment.

PBT: not applicable
vPvB: not applicable

Possible endocrine disrupting effects

no data available

SECTION 3: Composition / information on ingredients

3.1 Substances or 3.2 Mixtures

320 mL MR3

Substance name: *guanidinium thiocyanate*
CAS No.: 593-84-0

Substance rating: H302, Acute Tox. 4 oral, H312, Acute Tox. 4 derm., H314, Skin Corr. 1 B, H332, Acute Tox. 4 inh., H412, Aquatic Chronic 3

Formula: $C_2H_6N_4S$
Pseudonym (de): Guanidiniumrhodanid
REACH Reg. No.: 01-2120735072-65-0001
EC No.: 209-812-1
Concentration: 25 - <30 %
acc. CLP (GHS): H302, Acute Tox. 4 oral, H314, Skin Corr. 1 B, H412, Aquatic Chronic 3
Indice No.: 615-004-00-3

Substance name: *ethanol*
CAS No.: 64-17-5
(denatured with 1% 2-butanone)

Substance rating: H225, Flam. Liq. 2
Formula: C_2H_6O ; C_2H_5OH
Pseudonym (de): Äthylalkohol, vergällter Spiritus
REACH Reg. No.: 01-2119457610-43-xxxx
EC No.: 200-578-6
Concentration: 35 - <55 %
acc. CLP (GHS): H226, Flam. Liq. 3
Indice No.: 603-002-00-5

Substance name: *Tergitol 15-S-7*
CAS No.: 84133-50-6

Substance rating: H302, Acute Tox. 4 oral, H315, Skin Irrit. 2, H318, Eye Dam. 1, H332, Acute Tox. 4 inh.
Formula: C12-14H25-29O[CH2CH2O]xH
EC No.: 617-534-0
Concentration: 0,1 - <1 %
acc. CLP (GHS): The criteria for classification are not fulfilled.

3.3 Remarks

When not listed, mixtures are added with water [CAS No. 7732-18-5] to 100%.

List of H and P phrases: see section 16.2.

SECTION 4: First aid measures

4.1 Description of first aid measures

Place insured person out of danger zone to fresh air immediately. Ensure quiet, warmth, and provide resuscitation if necessary. If necessary contact medical advice. Remove contaminated clothing. Show product package, packing insert and this material safety data sheet to the doctor.



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500
Printing date: 14.01.2026

Buffer MR3 (320 mL)
Date of issue: 07.11.2024

Page: 4/12
Version: 2.2.4.20

- 4.1.1 After SKIN Contact**
Remove contaminated clothing immediately. Rinse the affected skin or mucous membrane thoroughly for min. 15 minutes under running water. (If possible) use soap. Avoid neutralisation. Then apply a loose bandage.
- 4.1.2 After EYE Contact**
After contact with the eyes rinse thoroughly under running water with the eyelid wide open for min. 10 minutes with eye washing bottle, eye douche or running water (protect intact eye). Before (if possible) apply eye drops Proxymetacaine 0.5%, if the opening the eyelid convulsion is painful. Further treatment to be carried out by an eye specialist.
- 4.1.3 After INHALATION of vapours**
After inhalation of foam or vapour fresh air should be inhaled. Keep airways free. If vomiting and if insensible place patient in recovery position and keep airways free. ---
- 4.1.4 After ORAL Intake**
After oral intake lots of water with activated charcoal supplement should be drunk after it has been ingested. Do not induce vomiting under any circumstances. Do not make any efforts to neutralise it. Contact medical advice for possible consequences.
- 4.2 Most important symptoms and effects, both acute and delayed**
Rapid penetration and destruction of the skin. Especially in the heated form.
Causes severe skin burns and eye damage.
- 4.3 Indication of any immediate medical attention and special treatment needed**
CORROSIVE DAMAGE: After SKIN CONTACT rinse with water for a long time. Efforts to neutralise the substance can frequently make matters worse. Apply glucocorticosteroides following inflammatory reactions. After EYE CONTACT rinse immediately with plenty of water for a long time. Eyelid convulsion measures. Name the corrosive chemical. Further treatment must to be carried out by an eye specialist. After INTAKE administer aluminium oxide drug suspensions. Administer a prophylaxis to counter pulmonary oedema following the INGESTION of corrosive aerosols. In the event of RESPIRATORY DISTRESS ensure that the patient inhales oxygen. ---

SECTION 5: Firefighting measures

- 5.1 Extinguishing media**
- 5.1.1 Suitable extinguishing media**
Fire extinguishers appropriate to the fire classification, and, if applicable, a fire blanket must be available in a prominent location in the work area. All extinguishers like FOAM, WATER SPRAY, DRY POWDER, CARBON DIOXIDE can be used.
- 5.1.2 Unsuitable extinguishing media**
no data available
- 5.2 Special hazards arising from the substance or mixture**
WARNING: Flammable (GHS regulation). May form explosive vapour-air mixtures. Formation of hazardous and caustic vapour-air mixtures possible.
- 5.3 Advice for firefighters**
No, for listed product. The substance/mixture is flammable. Product package burns like paper or plastic. Cool any undamaged containers in water, and remove from the danger zone if possible. Heating will lead to an increase in pressure, and a danger of bursting. Spray any vapours released with water. Retent fire water. Use only acid-resistant safety equipment.
For great amount - if necessary - protective breathing apparatus which is independent of the ambient air (isolated equipment), and sealed protective clothing is necessary in the event of a large-scale formation of toxic substances.
- 5.4 Additional information**
Danger for environment **only in the event of a large-scale leakage** or formation of hazardous substances.

SECTION 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures**
Do not breathe vapours. Wear suitable protective gloves (see 8.2.2). Wear eye protection, respectively face protection. Keep product away from sources of ignition - No smoking. Regular staff training is necessary, indicating hazards and precautions on the basis of operating instructions. Restrictions on activity must be observed.
- 6.2 Environmental precautions**
Harmful to aquatic life with long lasting effects. Should not be released into the environment.
PBT: not applicable
vPvB: not applicable
- 6.3 Methods and material for containment and cleaning up**
Bind any escaping liquid with inert absorbent. And dispose in accordance to local regulations for the disposal of hazardous chemicals. Clean any contaminated equipment and floors with plenty of water.
Collect small amounts of leaked liquid and flush with water into drains.



MACHEREY-NAGEL GmbH & Co. KG
Valencienner Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500	Buffer MR3 (320 mL)	Page: 5/12
Printing date: 14.01.2026	Date of issue: 07.11.2024	Version: 2.2.4.20

6.4 Reference to other sections
see information in section 5.4,7,8 and 13

SECTION 7: Handling and storage

- 7.1 Precautions for safe handling**
Handling in accordance with the test instruction, that comes with the product.
- 7.2 Conditions for safe storage, including any incompatibilities**
Safe storage is guaranteed in the original packaging from MACHEREY-NAGEL. Storage class (German chemical industry): see chapter 12.1
Storage class (VCI): 3
Water hazard class (DE): 3
- 7.2.1 Requirements for stock rooms and containers**
Keep original product packages tightly closed during handling and storage. Use inbreakable container for transport of glass bottles.
- 7.3 Specific end use(s)**
Product for analytical use.

SECTION 8: Exposure controls /personal protection

8.1 Control parameters

320 mL MR3		
Chemical:	<i>guanidinium thiocyanate</i>	CAS No.: 593-84-0
DNEL:	[inh] 1092 µg/m³	
	<small>DNEL = Derived No-Effect Level (for workers)</small>	
PNEC (fresh water):	42.4 µg/L	
	<small>PNEC = Predicted No Effect Concentration</small>	
NIOSH:	not listed	
	<small>[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period</small>	
OSHA:	not listed	
Chemical: <i>Tergitol 15-S-7</i>		CAS No.: 84133-50-6
Chemical: <i>ethanol</i>		CAS No.: 64-17-5
DNEL:	[derm] 343 mg/kg; [inh] 950 mg/m³	
	<small>DNEL = Derived No-Effect Level (for workers)</small>	
PNEC (fresh water):	0.96 mg/L	
	<small>PNEC = Predicted No Effect Concentration</small>	
TRGS 900 (DE):	200 ppm / 380 mg/m³	
	<small>E/e respirable</small>	
Short-term exposure factor:	4 (II), Y	
	<small>skin resorptive (H), respiratory sensitizable (Sa), skin sensitizable (Sh), teratogenic (Z) not securely excluded / (Y) certainly excluded</small>	
SUVA(CH) MAK value:	500 ppm / 960 mg/m³	
NIOSH:	[TWA] 1000 ppm / 1900 mg/m³	
	<small>[TWA] Time-weighted average to a reference period of 8 hours, [STEL] Short-term exposure limit related to a 15-minute period</small>	
OSHA:	1000 ppm / 1900 mg/m³	

8.2 Exposure controls

Good ventilation and extraction system in the room, floor resistant to chemicals with floor drainage and washing facilities. The highest level of cleanliness must be maintained at the workplace.

- 8.2.1 Respiratory protection**
No additional recommendations.
- 8.2.2 Skin protection / Hand protection**
Yes, gloves according EN 374 (permeation time >30 min - level 2), consist of PVC (f.ex. from Ansell or KCL).
- 8.2.3 Eye / Face Protection**
Yes, safety glasses according EN 166 with integrated side shields or wrap-around protection or face protection.
- 8.2.4 Skin protection**
Recommended to avoid clothing damage, and to avoid contamination with these hazards.
- 8.2.5 Personal hygiene**



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500	Buffer MR3 (320 mL)	Page: 6/12
Printing date: 14.01.2026	Date of issue: 07.11.2024	Version: 2.2.4.20

Eating, drinking, smoking, taking snuff and storage of food in work areas and at outdoor workplaces is prohibited. Avoid contact with the skin, eyes and clothing. Rinse any clothing on which the substance has been spilled, and soak it in water. Wash hands thoroughly with soap and water when stopping work and before eating, and then apply protective skin cream.

- 8.2.6 Thermal hazards**
no data available
- 8.3 Limitation and monitoring of environmental exposure**
Do not release product into environment.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

320 mL MR3	
a) State of aggregation:	liquid
b) Colour:	colourless
c) Odor:	alcoholic
d) Melting point:	no data available
e) Boiling point:	no data available
f) Flammability:	no data available
g) Explosive limits (lower / upper):	no data available
h) Flash point:	26 °C
i) Flashing temperature:	no data available
j) Decomposition temperature:	no data available
k) pH value:	5.0-5.5
l) Kinematic viscosity:	no data available
m) Solubility in water:	no data available
n) Dispersion coefficient (K _{ow}):	no data available
o) Vapour pressure (20°C):	no data available
p) Specific gravity:	no data available
q) Relative vapour density (air=1):	no data available
r) Particle size:	no data available

9.2 Other information

- 9.2.1 Information on physical hazard classes**
no data available

- 9.2.2 Other safety-related parameters**
No data is available for the other parameters for the mixtures, since no registration and no chemical safety report is required.

Substances are highly corrosive.

SECTION 10: Stability and reactivity

- 10.1 Reactivity**
no further data available.
- 10.2 Chemical stability**
no known instability.
- 10.3 Possibility of hazardous reactions**
But avoid reactions with oxidizing agents. Can react violently with organic material. Note: Can form very reactive substances with oxidizing agents. Possible: &H:EUH031& No further data available.
- 10.4 Conditions to avoid**
But formation of explosive gases/vapours with air is possible. Use only in well ventilated rooms. No more required.
- 10.5 Incompatible materials**
Avoid storage with oxidising substances.



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500
Printing date: 14.01.2026

Buffer MR3 (320 mL)
Date of issue: 07.11.2024

Page: 7/12
Version: 2.2.4.20

10.6 Hazardous decomposition products

In the original package all parts/all reagents are safety and separated stored. Decompositions are not observed during the expiration period under recommended conditions.

SECTION 11: Toxicological information

11.1 Information on the hazard classes according regulation (EC) 1272/2008

Following information is valid for pure substances. Quantitative data on the toxicity of this product are not available.

320 mL MR3

Chemical: *guanidinium thiocyanate* CAS No.: 593-84-0
TSCA Inventory: listed California Proposition 65 List: not listed
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: not listed
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: not listed
LD50 orl rat : 593 mg/kg
LC50 ihl rat : 5,319 mg/L/4H
Acute Effects: Cause after oral intake, impairments of health when ingested in small quantities.

Chemical: *Tergitol 15-S-7* CAS No.: 84133-50-6
Korea Exist.Chem.Inventory: KE-00456

Chemical: *ethanol* CAS No.: 64-17-5
TSCA Inventory: listed California Proposition 65 List: not listed
ACGIH: 1000 ppm
Exposure Routes: inhalation, ingestion, skin and/or eye contact
Target Organs: Eyes, skin, respiratory system, central nervous system, liver, blood, reproductive system
Symptoms: irritation eyes, skin, nose; headache, drowsiness, lassitude (weakness, exhaustion), narcosis; cough;
liver damage; anemia; reproductive, teratogenic
Australia NICNAS: not listed Canada CEPA 1999: DSL yes
Japan CSCL/PRTR: not listed, Japan PDSCL: not listed
Japan ISHL: listed $\geq 0,1\%$ / $\geq 0,1\%$, Article 57-2 (SDS required)
South Korea TCCA: not listed
Korea Exist.Chem.Inventory: KE-13217
LD50 orl rat : 6200 mg/kg
LC_{Low} ihl gpg : 21,900 mg/L
LC_{Low} orl hmn : 1400 mg/kg
LC50 ihl mus : 123,4 mg/L/4H
LC50 ihl rat : 115,9-133,8 mg/L/4H
LD50 orl mus : 3450 mg/kg
TRGS 905 (DE): K5, M5, R F C

11.2 Other hazards

Possible endocrine disrupting effects
no data available

Other information
no additional data available

SECTION 12: Ecological information

12.1 Toxicity

Following information is valid for pure substances.

320 mL MR3

Substance name: *guanidinium thiocyanate* CAS-Nr.: 593-84-0
Harmful to aquatic life with long lasting effects. Do not release into the environment.
Environmentally hazardous substances/mixtures do not have to be labeled with P-phrases up to 125 mL (EU 1272/2008 Annex I Paragraph 1.5.2).
PNEC (fresh water) : 42.4 µg/L
PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected
LC50 fish/96h : [4d] 89.1 mg/L
EC50 daphnia/48h : 42.4 mg/L
IC50 scenedesmus quadricauda/72h : 130 mg/L



MACHEREY-NAGEL GmbH & Co. KG
Valenciener Str. 11
52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500	Buffer MR3 (320 mL)	Page: 8/12
Printing date: 14.01.2026	Date of issue: 07.11.2024	Version: 2.2.4.20

EC10 *pseudomonas putita*/16h : [10d] 200 mg/L
 Water hazard class (DE): 3
 Storage class (VCI): 12

Substance name: *Tergitol 15-S-7* CAS-Nr.: 84133-50-6
 LC50 fish/96h : 3,2-3,6 mg/L
 EC50 *daphnia*/48h : 7,3 mg/L
 EC10 *pseudomonas putita*/16h : EC50: >1000 mg/L

Substance name: *ethanol* CAS-Nr.: 64-17-5
 PNEC (fresh water) : 0.96 mg/L
 PNEC = Predicted No Effect Concentration = concentration at which no effect on the environment is expected
 LC50 *daphnia magna*/48h : >100 g/L
 LC50 *pimephales promelas*/96h : 13.4-15.1 g/L
 LC50 *leuciscus idus*/96h : [48h] 8.14 g/L
 LC50 fish/96h : 13 g/L
 EC50 *daphnia*/48h : 9.3-14.2 g/L
 IC50 *scenedesmus quadricauda*/72h : [7d] 5000 mg/L
 EC10 *pseudomonas putita*/16h : [EC5] 6500 mg/L
 Water hazard class (DE): 1 WGK No.: 0096
 Storage class (VCI): 3

12.2 Persistence and degradability

12.3 Bioaccumulative potential

320 mL MR3
 Substance name: *guanidinium thiocyanate* CAS-Nr.: 593-84-0
 Dispersion coefficient (K_{o/w}): -1,11 pH 5.1
 Substance name: *Tergitol 15-S-7* CAS-Nr.: 84133-50-6
 Dispersion coefficient (K_{o/w}): 2,72
 Substance name: *ethanol* CAS-Nr.: 64-17-5
 Dispersion coefficient (K_{o/w}): -0,31

12.4 Mobility in soil

12.5 Results of PBT and vPvB assessment

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT) or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.

12.6 Endocrine disrupting properties

no data available

12.7 Other adverse effects

no additional data available

SECTION 13: Disposal considerations

Do not collect in acidic waste. May form toxic gases.

Please observe local regulations for collection and disposal of hazardous waste and contact waste disposal company, where you will obtain information on laboratory waste disposal (waste code number 16 05 06).

13.1 Waste treatment methods

Normally it is possible to empty small amounts (diluted!) into drains. Empty containers of corrosive reagents prior to disposal, rinse with water.



Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500	Buffer MR3 (320 mL)	Page: 9/12
Printing date: 14.01.2026	Date of issue: 07.11.2024	Version: 2.2.4.20

SECTION 14: Transport information

- 14.1 UN number:** 1993
- 14.2 UN proper shipping name:** Flammable liquid, n.o.s. (ethanol mixture)
- 14.3 Class:** 3
- 14.4 Packing group:** III
 - Road transport ADR*
 - Classification code: F1
 - Limited Quantity: 5 L
 - Excepted Quantity: E 1
 - Special instructions: 274, 601
 - Tunnel restriction code: D/E
 - Air transport IATA DGR*
 - Limited Quantity: PAX: 355 max. quantity PAX: 60 L
 - CAO: 366 max. quantity CAO: 220 L
 - Excepted Quantity: E 1
 - Maritime transport IMDG*
 - EmS: F-E, S-E
 - Special instructions: 223, 274, 955
 - Staukategorie: A

- 14.5 Environmental hazards**
none, contains only small quantities of hazardous substances, contains only small amounts of these substances
- 14.6 Special precautions for user**
not necessary
- 14.7 Carriage in bulk by sea in accordance with IMO instruments**
Not applicable.

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**
 Dangerous Substances Protection Act (DE: Chemikaliengesetz - ChemG), Aug 2013, Stand: Okt 2020
 Ordinance on protection against dangerous substances (E: Gefahrstoffverordnung - GefStoffV), Nov 2010, Stand: Mrz 2017
 TRGS 201, Classification and labeling of activities involving hazardous substances, Feb 2017
 TRGS 220, National aspects when preparing safety data sheets, Jan 2017
 TRGS 400, Risk assessment for activities involving hazardous substances, Jul 2017
 TRGS 401, Skin contact hazard - identification, assessment, action, Jun 2008, status: Feb 2011
 BekGS 408, Application of the GefStoffV and the TRGS with the entry into force of the CLP regulation, December 2009, status: Jan 2012
 Betriebsicherheitsverordnung (BetrSichV), Sept 2002
 TRGS 500, Protective measures, Mai 2008
 TRGS 510, Storage of hazardous substances in portable containers from March 2013, status: Oct 2015
 Wasserhaushaltsgesetz - WHG, Section 3 Handling substances hazardous to water, Jul 2009, status: Aug 2016
 MN leaflet/instructions for use, also at www.mn-net.com
 If necessary, observe other country-specific regulations.
- 15.2 Chemical safety assessment**
no data available

SECTION 16: Other information

- 16.1 Changes compared to the last version**
Between versions 2.2.4.20 and 2.2.2.2 following changes were applied: - 2 composition data corrected - 18 substance data corrected
- 16.2 List of H and P phrases**
 - 16.2.1 List of relevant H phrases**
 - H Between versions 2.2.4.20 and 2.2.2.2 following changes were applied: - 2 composition data corrected - 18 substance data corrected
 - H226 Flammable liquid and vapour.
 - H302 Harmful if swallowed.
 - H314 Causes severe skin burns and eye damage.



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500	Buffer MR3 (320 mL)	Page: 10/12
Printing date: 14.01.2026	Date of issue: 07.11.2024	Version: 2.2.4.20

H412 Harmful to aquatic life with long lasting effects.

16.2.2 List of relevant P phrases

- P210 Keep away from heat/sparks/open flames/hot surfaces. No smoking.
- P241 Use explosion-proof [electrical/ventilating/lighting] equipment.
- P242 Use non-sparking tools.
- P243 Take precautionary measures against static discharge.
- P260sh Do not breathe dust/vapours.
- P264W Wash with water thoroughly after handling.
- P270 Do not eat, drink or smoke when using this product.
- P273 Avoid release to the environment.
- P280sh Wear protective gloves/eye protection.
- P301+330+331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.
- P303+361+353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].
- P305+351+338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P310 Immediately call a POISON CENTER/doctor.
- P403+235 Store in a well-ventilated place. Keep cool.
- P405 Store locked up.
- P501 Dispose of contents/container to regulated waste treatment.

16.3 Recommended restriction on use

Only for professional user.
 Look about employee restrictions for young people (f. ex. 94/33/EC or DE § 22 JArbSchG)!
 Look about employee restrictions for pregnant women and nursing women (f.ex. 92/85/EEC or for DE §§ 11-13 MuSchG 2017)!
 An individual package of this product or test kit has a moderate hazardous potential.

16.4 Sources of key data

KÜHN, BIRETT, Leaflets on hazardous materials, 2021
 Directive 1999/92/EG Minimum requirements to improve the safety and health protection of workers at risk from potentially explosive atmospheres
 SUVA .CH, limit values in the air at work 2009, revised on 01/2009
 Regulation 790/2009/EU, adaptation of Regulation 1272/2008/EU to technical and scientific progress (1st ATP)
 Regulation 453/2010/EU, adaptation of the REACH regulation 1907/2006/EG
 Regulation 487/2013/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (4th ATP)
 Regulation 1221/2015/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (7th ATP)
 Regulation 776/2017/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (10th ATP)
 Regulation 669/2018/EU, adaptation of Regulation 1272/2008/EC to technical and scientific progress (11th ATP)
 Regulation 1480/2018/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (13th ATP)
 Regulation 521/2019/EU, adaptation of regulation 1272/2008/EG to technical and scientific progress (12th ATP)
 TRGS 900, German rules of technology on limit values in the air at work, as of 03/2019
 Regulation 217/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (14th ATP)
 Regulation 878/2020/EU, adaptation of Annex II of the REACH regulation 1907/2006/EG
 Regulation 1182/2020/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (15th ATP)
 Regulation 643/2021/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (16th ATP)
 Regulation 849/2021/EU, adaptation of Annex VI, Part 3, of Regulation 1272/2008/EC to technical and scientific progress (17th ATP)
 Regulation 692/2022/EU, adaptation of Annex VI, Part 1, of Regulation 1272/2008/EC to technical and scientific progress (18th ATP)

revisions/updates

Reason for revision: 2014-02 Corrected structure of the sections according to Regulation 453/2010/EU, if necessary
 2014-04 adjustment according Regulation 487/2013/EU
 2016-03 adjustment according Regulation 1221/2015/EU
 2017-08 adjustment according the Ordinance on Ethanol Denaturation 2016/1867/EU
 2017-11 adjustment according the ECHA registration dossier
 2022-11 adjustment according Regulation 878/2020/EU

16.5 Further information

MACHEREY-NAGEL GmbH & Co. KG provides the information contained herein in good faith being up-to-date of own realizations at revision time. This document is intended only as a guide to the appropriate precautionary handling of the material by a properly trained person using this product. Individuals receiving the information must exercise their independent judgement in determining its appropriateness for a particular purpose.
 MACHEREY-NAGEL GmbH & Co. KG makes NO REPRESENTATIONS or WARRANTIES, either expressed or implied, including without limitation any warranties of merchantability, fitness for a particular purpose with respect to the information set forth herein or the product to which the information refers. Accordingly MACHEREY-NAGEL GmbH & Co. KG will not be responsible for damages resulting from use of or reliance upon this information. See terms and conditions at the end of our price lists for additional information.



MACHEREY-NAGEL GmbH & Co. KG
 Valenciener Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500
 Printing date: 14.01.2026

Buffer MR3 (320 mL)
 Date of issue: 07.11.2024

Page: 11/12
 Version: 2.2.4.20

16.6 Legend / Abbreviations

acc: according
 ADR: Convention concerning the International Carriage of Dangerous Goods by Road
 Act: acute
 BAT: biological workplace tolerance value
 CAO: Cargo Aircraft Only
 Carc: carcinogen
 CAS: Chemical Abstracts Service
 CLP: Classification, Labelling and Packaging regulation
 CMR: carcinogen, mutagen, reproduction toxic
 Corr: corrosive
 COD: chemical oxygen demand
 CSCL: Chemical Substance Control Law (Jp)
 Dam: damage
 DNEL: Derived No-Effect Level (for workers)
 derm: dermal
 dog: dog
 EC10: Concentration causing a toxic effect in 10% of the test organisms
 EC: European Community
 EC-Nr: Substance number of the EC substance inventory
 EmS: Guide to accident management measures on ships
 EU: European Union
 fish: fish (not specified)
 GHS: Global Harmonized System of Classification and Labeling of Chemicals
 gpg: guinea pig
 ICAO: International Civil Aviation Organization
 ihl: inhaled
 IMDG: International Maritime Dangerous Goods Code
 intrav: intravenous
 ipt: intraperitoneal
 ISHL: Industrial Safety and Health Law (Jp)
 LC50: letale concentration 50%
 LD50: letale dosis 50%
 leuciscus idus: fisch, ide, orfe
 MAK: maximum workplace concentration
 Met: Metall
 mus: mouse
 Muta: mutagen
 NIOSH: National Institute for Occupational Safety and Health (US)
 NRD: Non-rapidly degradable
 onchorhynchus mykiss: fisch, rainbow trout
 orl: oral
 OSHA: Occupational Safety and Health Administration
 PAX: transport on passenger planes allowed
 PBT: persistent, bioaccumulating, toxic substance
 pH: pH value
 pimephales promelas: fisch, fathead minnow
 PNEC: Predicted No Effect Concentration
 PROC 15: Process category 'for laboratory use'
 PRTR: Law for PRTR and Promotion of Chemical Management (Jp)
 PVC: polyvinyl chloride
 quail: bird, quail
 rat: rat
 rb: rabbit
 RD: rapidly degradable
 RE: repeated
 REACH: Registration, Evaluation, Authorisation and Restriction of Chemicals
 REF: item number, reference number
 Reg.No.: rRegistration number
 Repr: harmful to reproduction
 Resp: respiratory
 RIP: REACH Implementations Projects
 scu: sub cutan
 SDS: safety data sheet
 Sens: sensitisation
 STEL: short term exposure limit
 STOT: Specific Target Organ Toxicity
 SVHC: Substance of Very High Concern
 t/a: tons per year



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com

Safety Data Sheet

according to Regulations REACH 1907/2006/EC

REF: 744353.500	Buffer MR3 (320 mL)	Page: 12/12
Printing date: 14.01.2026	Date of issue: 07.11.2024	Version: 2.2.4.20

- TCCA: Toxic Chemicals Control Act (S. Korea)
- Tox: toxic
- TSCA: The Toxic Substances Control Act (US)
- TWA: time weighted average
- TRGS: technical regulations (DE)
- vPvB: very persistent, very bioaccumulating substance

16.7 Training advice

Regular safety training. Multiple safety training of staffs about danger and protection by using hazards in working area. Additionally training and introduction of staffs for using these products.



MACHEREY-NAGEL GmbH & Co. KG
 Valencienner Str. 11
 52355 Düren · Germany
www.mn-net.com

DE Tel.: +49 24 21 969-0 info@mn-net.com
 CH Tel.: +41 62 388 55 00 sales-ch@mn-net.com
 FR Tel.: +33 388 68 22 68 sales-fr@mn-net.com
 US Tel.: +1 888 321 62 24 sales-us@mn-net.com